giroflex

A brand by Flokk

Price List

All prices: SEK



Content

General information

giroflex 161 Visitor's Chair
giroflex 313 Conference Chair
giroflex 313 | Spare parts
giroflex 353 Conference Chair
giroflex 353 Visitor's Chair 4-legged
giroflex 353 Visitor's Chair Cantilever
giroflex 353 | Spare parts
giroflex 434 Swivel Chair
giroflex 64 Executive Chair
giroflex 64 | Spare parts
giroflex 68 Swivel Chair
giroflex 68 | Spare parts
giroflex 353 adapt Laboratory Chair
giroflex 64 adapt Cashier Chair
giroflex 64 adapt Laboratory Chair
giroflex 64 adapt 24/7 Chair
giroflex 60 adapt 24/7 Chair
giroflex 60 | Spare parts
Measurements - Office Range (1)
Measurements - Office Range (2)
Measurements - Adapt Range
Packaging measurements
Standard fabrics
Product specific fabrics
Extended Fabric & Colour Collection

MAINTENANCE GUIDE

Care of fabric upholstery

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating mechanism.

For additional maintenance advice please contact our customer service team or our web site flokk.com.

Care of gas stem

Gas stems should be periodically wiped clean with a cloth and general purpose solvent, then a fingertip of light grease applied.

PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

END OF LIFE - RECYCLING

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling. We encourage you to ensure proper recycling of your chair and its various components.

If you have questions on how to dispose or return your chair after use, please contact our Customer Service.

CUSTOMER SERVICE

Phone: +47 72 40 72 40

E-mail: info@flokk.com

General information

EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		**€**
Special metal colours		o. r.
Combination choice outside given price-list standard	Order fee	30
	Surcharge per chair	5

Delivered cover materials (outside Giroflex collections)		**€**
On request fabric (delivered by customer) (PG 1)	Order fee fabric	55
	Order fee leather	65
Upholstery test of unknown cover materials	Unique fee	210

Procurement to DDP supplier (address on request)

GIROFLEX QUICK-SHIP DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.
Delivery time 5-10 working days. (after order entry / transportation days must be added)

Model		**Armrests**					**Base**		**Fabric and colour**		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.
For orders over 10 chairs, please contact our Customer Service. Subject to holiday seasons and high production volume.

giroflex 161 Visitor's Chair

Standard configuration
Formfitting seat cushion
Back shell and armrests in plastic 810 black
Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic, 825 magnesium
Armrest endcaps come in same colour as steel frame (optional choice is 810 black, no surcharge)
Seat height 42 cm
Flexible cantilever base / All models are stackable

Certified in accordance to GS EN 16139
Designed by dozsa-farkas design team (1997), update by BIG-GAME design studio (2020)

Item no	Base model +	Price Group (PG)								Price
			①	②	③	④	⑤	⑥	⑦	
161-6003	giroflex 161-6003 visitor's chair Unupholstered plastic back		5 845	5 899	6 140	6 220	6 594	7 625	8 922	
161-6203	giroflex 161-6203 visitior's chair Upholstered back (front part)		7 196	7 264	7 558	7 759	8 227	9 349	10 941	
161-6403	giroflex 161-6403 visitor's chair Mesh back Knit161		7 597	7 665	7 972	8 026	8 507	9 603	11 235	
161-6403-KNI	giroflex 161-6403-KNI visitor's chair Mesh back Knit161 Special Collection*									7 653
	Accessories/Options/Surcharges:									
	Upholstered backshell (Only for: 161-6203)		1 152	1 165	1 205	1 273	1 351	1 567	1 833	
CA6030	Plastic glides									249
CA6031	Glides with felt									249
CL6003	CleanGuard seat (Only for: 161-6003, 161-6403, 161-6403-KNI)									260
CL6004	CleanGuard back/seat (Only for: 161-6203)									402

*Special collection: Backrest Knit161 / Seat Select in 5 colour combinations: Night, Glacier, Stone, Dusk, Forest
Option upholstered backshell (161-6203): Same fabric collection as seat and back upholstery (front)

giroflex 313 Conference Chair

Standard configuration
Synchronised mechanism Balance Move with fully automatic weight adjustment
Seat cushion with dual-zone seat profile
Backrest mesh Runner or upholstered
Seat height 45 cm
Seat shell, back frame, back upholstery plate in plastic 810 black
Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
4-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
313-4018	giroflex 313-4018 conference chair Backrest mesh Runner			7 063	7 123	7 404	7 935	8 407	9 079	10 624	
313-4518	giroflex 313-4518 conference chair Backrest upholstered			7 575	7 646	7 946	8 447	8 959	9 621	11 257	

	Accessories/Options/Surcharges:	
AR6005	Armrest fixed , plastic black 810	1 087
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black	2 479
AR6019	Armrest fixed, aluminium polished, softpad black	3 258
FC6019	Seat and back frame aluminium polished	1 247
LI6101	Column height adjustable	427
LI6102	Column auto-return	558
FB6049	4-arm aluminium base polished	427
CA6030	Plastic glides , metal shaft powder coated	594
CA6031	Glides with felt , metal shaft powder coated	594
CL6003	CleanGuard seat (Only for: 313-4018)	260
CL6004	CleanGuard back/seat (Only for: 313-4518)	402

- Option "auto return" requires glides instead of castors

giroflex 313 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.
Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	273
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	273
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	42

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	193
122287810	Glide to swivel chair with felt – Price per unit	225

Item no	Bases	Price
223488700	Aluminium base 7530 Polished	1 620
223488810	Aluminium base 7530 Powder coated 313, black	1 112
223488812	Aluminium BASE 7530 Powder coated 313, pearl-metallic	1 124
223488813	Aluminium BASE 7530 Powder coated 313, aluminium metallic	1 124

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	710
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	738

Item no	Armrests	Price
423463810	Armrest right giroflex 313-4039	416
423462810	Armrest left giroflex 313-4039	416

Item no	Armrest-parts	Price
223504810	Insert M6 Long giroflex 313-4039	68
223505	Insert M6 Short, giroflex 313-4039	68
915144	Torx Pan Head Screw M6X20	18

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S31340	Seat cushion, giroflex313-4039	1 232	1 245	1 298	1 861	1 967	3 371	3 947	
R31345	Back cushion, giroflex 313-4539	2 194	2 208	2 302	2 862	3 036	5 071	5 927	
R313-4039	Mesh back, Complete Part								1 660

Item no	Accessories	Price
815712710	Footring, 500 mm	2 154

giroflex 353 Conference Chair

Standard configuration
Formfitting seat cushion
Backrest mesh Runner or upholstered
Seat height adjustment 39-51 cm
Seat shell, back frame, back upholstery plate in plastic 810 black
5-arm plastic base in 810 black
Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139, GREENGUARD Gold Certification, EPD ISO 14025
German Design Award Winner 2016, Red Dot Award Winner 2014
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)		1	2	3	4	5	6	7	Price
353-3018	giroflex 353-3018 conference chair Back mesh Runner			5 832	5 885	6 125	6 915	7 331	8 427	9 857	
353-3518	giroflex 353-3518 conference chair Back upholstered			6 514	6 568	6 835	8 373	8 882	11 397	13 335	

	Accessories/Options/Surcharges:	
AR6061	Armrest fix, steel support black	602
AR6062	Armrest fix, steel support chromium plated	1 216
CL6003	CleanGuard seat (Only for: 353-3018)	260
CL6004	CleanGuard back/seat (Only for: 353-3518)	402
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	571
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded (5 pcs)	202
FB6040	4-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic	724
FB6049	4-arm aluminium base polished	1 057
LI6101	Column height adjustable (for 4-arm base)	405
LI6102	Column auto-return (for 4-arm base)	547
LI6103	Column height adjustable and auto-return (for 4-arm base)	938
CA6412	Castors black, 65 mm, for hard or soft floors, braked unloaded (4pcs.)	155
CA6430	Plastic glides or glides with felt, metal shaft power coated (4 pcs)	571
CA6432	Plastic glides or glides with felt, metal shaft chromium-plated (4 pcs)	927

Option "auto return" requires glides instead of castors

giroflex 353 Visitor's Chair 4-legged

Standard configuration
Formfitting seat cushion
Backrest mesh Runner or upholstered
Seat shell and back frame in plastic 810 black
Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height 44 cm
4-legged base
Plastic glides or glides with felt
All models are stackable

Certified in accordance to GS EN 16139, GREENGUARD Gold Certification, EPD ISO 14025
Red Dot Award Winner 2014
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
353-3004	giroflex 353-3004 visitor's chair Backrest mesh Runner 4-legged			4 428	4 468	4 642	5 485	5 820	7 009	8 200	
353-7004	giroflex 353-7004 visitor's chair Backrest mesh Runner 4-legged With armrest			5 230	5 284	5 497	6 299	6 675	7 825	9 149	
353-3504	giroflex 353-3504 visitor's chair Backrest upholstered 4-legged			5 096	5 137	5 337	6 956	7 371	9 992	11 691	
353-7504	giroflex 353-7504 visitor's chair Backrest upholstered 4-legged With armrests			5 899	5 953	6 193	7 771	8 240	10 821	12 667	

	Accessories/Options/Surcharges:	
FC6199	Frame chromium plated (Only for: 353-3004, 353-3504)	938
FC6099	Frame chromium plated (Only for: 353-7004, 353-7504)	1 057
CL6003	CleanGuard seat (Only for: 353-3004, 353-7004)	260
CL6004	CleanGuard back/seat (Only for: 353-3504, 353-7504)	402

giroflex 353 Visitor's Chair Cantilever

Standard configuration
Formfitting seat cushion
Backrest mesh Runner or upholstered
Seat shell and back frame in plastic 810 black
Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height 44 cm
Cantilever base
All models are stackable

Certified in accordance to GS EN 16139, GREENGUARD Gold Certification, EPD ISO 14025
Red Dot Award Winner 2014
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
353-3003	giroflex 353-3003 visitor's chair Backrest mesh Runner Cantilever			4 723	4 763	4 949	5 779	6 125	7 291	8 534	
353-7003	giroflex 353-7003 visitor's chair Backrest mesh Runner Cantilever With armrests			5 525	5 577	5 805	6 622	7 023	8 118	9 497	
353-3503	giroflex 353-3503 visitor's chair Backrest upholstered Cantilever			5 337	5 391	5 605	7 210	7 637	10 272	12 025	
353-7503	giroflex 353-7503 visitor's chair Backrest upholstered Cantilever With armrests			6 193	6 247	6 501	8 054	8 534	11 130	13 015	

	Accessories/Options/Surcharges:	
FC6199	Frame chromium plated (Only for: 353-3003, 353-3503)	938
FC6099	Frame chromium plated (Only for: 353-7003, 353-7503)	1 057
CA6030	Plastic glides	238
CA6031	Glides with felt	238
CL6003	CleanGuard seat (Only for: 353-3003, 353-7003)	260
CL6004	CleanGuard back/seat (Only for: 353-3503, 353-7503)	402

giroflex 353 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.
Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	153
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors. Brake when unloaded – Price per unit	153
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	259
123328810	Castor 50/18 Soft Self-Brake under load, for higher seats – Price per unit	259
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	273
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	273
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	42

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	193
122287810	Glide to swivel chair with felt – Price per unit	225

Item no	Bases	Price
422614810	Plastic base 7130, Black	831
222615700	Aluminium Base 7030 Polished	1 674
222615810	Aluminium Base 7030 Powder-coated, Black	1 038
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	1 038
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	1 038

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	416
823017810	Column 34 Comfort, 39-51cm, black with cushion.	710
813877810	Column 22, special seat height 46-62cm	1 206

Item no	Mechanisms	Price
722621810	Mechanism 520 Complete, giroflex 353	3 132
722622810	Mechanism 521 Complete, with negative tilt, giroflex 353	3 506

Item no	Armrests	Price
622722810	Armrest pair.Fixed, Plastic.Structured, giroflex 353	1 044
622652810	2D-Armrest pair, in plastic, with Softpad	1 460
622728810	4D-Armrest pair, in plastic, with Softpad	1 713
622656700	4D-Armrest pair, in Aluminium, with Softpad	1 968
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	2 489

Item no	Armrest-sets	Price
624486810	2D-Armrest set, plastic Softpad, giroflex 353	1 862
624487810	4D-Armrest set, plastic Softpad, giroflex 353	2 462
624488700	4D-Armrest set, Aluminium Softpad, giroflex 353	3 306

Item no	Armrest-parts	Price
923792	Eccentric lever M8X49.5	68
923814	Eccentric lever, 4D armrest, Aluminium Arm support.M8X42	101
923165	Plastic Thread-SCREW 6X20	18
224047	Hex nut, size SW17 M8	18
222662	Armrest bridge 353-4029, giroflex 353-4029	135
422862810	Adapter for fixed armrest, giroflex 353	52

Item no	Seat and back plastic parts	Price
422617810	Seat shell, giroflex 353-4029	390
624276810	Backrest Preassembled, giroflex 353-40/4529	1 274
	Please note: To achieve AX standard compliance configuration, please contact our Customer Service	



Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S35301	Seat cushion, giroflex 353-40/4529	1 232	1 245	1 298	1 861	1 967	3 371	3 947	
S35303	Seat cushion, giroflex 353-4029 3D	1 232	1 245	1 298	1 861	1 967	3 371	3 947	
R35301	Back cushion, giroflex 353-4529	1 630	1 644	1 712	2 328	2 474	3 705	4 346	
R35302	Back cushion with Lumbar support, giroflex 353-45	2 075	2 088	2 168	2 274	2 409	2 797	3 278	
R353-4029	Backrest Preassembled, giroflex 353-4029								1 578

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
222683810	Coat Hanger, without headrest, powder coated, giroflex 353								777
222684810	Coat Hanger, with Headrest, powder coated, giroflex 353								871
NP3533	Headrest.3D, Clean room, giroflex 353-4029								430
NP3531	Headrest cushion, giroflex 353	1 205	1 217	1 273	1 338	1 419	1 646	1 927	
KST353-4029	Headrest Complete, giroflex 353-4029	2 128	2 141	2 222	2 329	2 462	2 862	2 862	
422673810	Cover for Headrest, giroflex 353								68
622670810	Headrest set without pillow, giroflex 353								777
815712710	Footring, 500 mm								2 154

giroflex 434 Swivel Chair

Standard configuration
Synchronised mechanism with comfort spring force adjustment
Seat cushion with dual-zone seat profile
Backrest mesh Tricot*
Seat height adjustment 40 - 52 cm
5-arm plastic base in 810 black
Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // Designed by greutmann bolzern Designstudio

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
434-3019	giroflex 434-3019 swivel chair Low back, height 55 cm			6 635	6 701	6 969	7 585	8 038	9 083	10 619	
434-4019	giroflex 434-4019 swivel chair Medium back, height 61 cm			7 251	7 316	7 611	8 173	8 667	9 711	11 357	

	Accessories/Options/Surcharges:	
AR6005	Armrest fixed	1 051
AR6021	Armrest 1D, plastic support black, with softpad	1 404
AR6023	Armrest 2D, aluminium support black, with softpad	1 877
AR6050	Armrest 4D, aluminium support black, with softpad	2 349
LS6005	Lumbar support height adjustab	594
SD6002	Seat depth adjustment 5 cm	487
LI6030	Special seat height 43-59 cm	464
LI6035	Special seat height 46-62 cm	464
LI6050	Special seat height 52-69 cm	1 069
LI6075	Special seat height 59-76 cm	1 318
LI6095	Special seat height 66-83 cm	1 318
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 426
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	594
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6003	CleanGuard seat	260

* Colours Tricot:
uni: N470 black, N471 stone grey, N472 slate grey
bicolors: N473 stone grey/black, N474 slate grey/black, N475 red/black, N476 green/black, N477 blue/black

	Accessories/Options/Surcharges:	
CMF	Comfort upholstery	1 389
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	986
LS6001	Lumbar support depth adjustable	915
ME6003	Increased back tilt resistance	1 568
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	356
PU6000	Push rod cover	202
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6050	Special seat height 52-69 cm	1 082
LI6075	Special seat height 59-76 cm	1 342
LI6095	Special seat height 66-83 cm	1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6004	CleanGuard back/seat	402
CL6005	CleanGuard back/seat/upholstered backshell	649

- skai®Palma and Paloma Soft: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 Executive Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Comfort upholstery
Seat- and backshell in plastic 810 black
Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
Fixed armrest 810 black PUR pad with aluminium support in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40 - 52 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
Push rod covering
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025
Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)		1	2	3	4	5	6	7	Price
64-9278	giroflex 64-9278 executive chair Wide seat width 51 cm High back height 60 - 67 cm			23 621	23 835	24 785	26 778	28 384	29 198	34 161	
64-9778	giroflex 64-9778 executive chair Wide seat width 51 cm High back height 60 - 67 cm Fixed headrest			26 083	26 323	27 379	29 239	30 991	32 035	37 478	
64-9878	giroflex 64-9878 executive chair Wide seat width 51 cm High back height 60 - 67 cm Height adjustable headrest			28 235	28 490	29 628	31 446	33 332	34 254	40 073	
	Accessories/Options/Surcharges:										
	Upholstered backshell			1 205	1 217	1 273	1 338	1 419	1 646	1 927	
AR6019	Armrest fixed, aluminium polished, softpad black										614
AR6033	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad										224
AR6039	Armrest 4D, aluminium support polished, with softpad										791
AR6055	Armrest 4D-NPR, aluminium support black, with softpad										531
AT6001	Armrest pad fabric										1 129

	Accessories/Options/Surcharges:	
AT6002	Armrest pad leather	1 568
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	986
LS6001	Lumbar support depth adjustable	915
ME6003	Increased back tilt resistance	1 568
ME6019	Mechanism polished	3 848
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6050	Special seat height 52-69 cm	1 082
LI6075	Special seat height 59-76 cm	1 342
LI6095	Special seat height 66-83 cm	1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6004	CleanGuard back/seat	402
CL6005	CleanGuard back/seat/upholstered backshell	649

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.
Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	153
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors. Brake when unloaded – Price per unit	153
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unit with brake, Hard for soft floors. Brake when unloaded	177
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	177

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	193
122287810	Glide to swivel chair with felt – Price per unit	225

Item no	Bases	Price
213580700	Aluminium Base 7830.1 Polished	1 460
213580810	Aluminium BASE 7830.1 Powder-coated, black	1 011
213580812	Aluminium BASE 7830.1 Powder-coated, pearl-metallic	1 011
213580813	Aluminium BASE 7830.1 Powder-coated, aluminium metallic	1 011

Item no	Columns/Gas lifts	Price
823265810	Column 16, black, Standard seat height 40-51cm	710
823265700	Column 16, chromed, Standard seat height 40-51cm	884
813877810	Column 22, special seat height 46-62cm	1 206
812625810	Column 18, special seat height 52-69cm	1 378

Item no	Mechanisms	Price
713317810	Mechanism 200, black	6 622
713317812	Mechanism 200, pearl-metallic	6 101
713317813	Mechanism 200, aluminium metallic	6 101
713317700	Mechanism 200, polished aluminum	11 679
724426810	Mechanism 200 lumbar support, black	1 794
724426812	Mechanism 200 lumbar support, pearl-metallic	1 794
724426813	Mechanism 200 lumbar support, aluminium metallic	1 794
724426700	Mechanism 200 lumbar support, polished aluminum	1 794

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism 200	153
713321	Handle Left,height adjustment. Preassembled for mechanism 200	153
223352	Tension Lever, 200	259

Item no	Mechanism parts	Price
413103810	Turning knob, mechanism 200	52
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	287

Item no	Armrests	Price
413137810	Fixed armrest Left, giroflex 64-30/3578	831
413138810	Fixed armrest Right, giroflex 64-30/3578	831
614202810	4D-Armrest, Left Preassembled, black	1 500
614202812	4D-Armrest, Left Preassembled, pearl-metallic	1 500
614202813	4D-Armrest, Left Preassembled, aluminium metallic	1 500
614202700	4D-Armrest, Left Preassembled, polished aluminum	1 887
614203810	4D-armrest, Right Preassembled, black	1 500
614203812	4D-armrest, Right Preassembled, pearl-metallic	1 500
614203813	4D-armrest, Right Preassembled, aluminium metallic	1 500
614203700	4D-armrest, Right Preassembled, polished aluminum	1 887
620618810	4D-NPR standard, armrest right	1 124
213399810	Armrest Body, Left. giroflex 64-92/97, black	1 713
213399812	Armrest Body, Left. giroflex 64-92/97, pearl-metallic	1 713
213399813	Armrest Body, Left. giroflex 64-92/97, aluminium metallic	1 713
213399700	Armrest Body, Left. giroflex 64-92/97, polished aluminum	2 355
213400810	Armrest.Body, Right. giroflex 64-92/97, black	1 713
213400812	Armrest.Body, Right. giroflex 64-92/97, pearl-metallic	1 713
213400813	Armrest.Body, Right. giroflex 64-92/97, aluminium metallic	1 713
213400700	Armrest.Body, Right. giroflex 64-92/97, polished aluminum	2 355

Item no	Armrest-sets	Price
614131810	1D-Armrest set assembled for installation, giroflex 64, black	2 624
614131812	1D-Armrest set assembled for installation, giroflex 64, pearl-metallic	2 624
614131813	1D-Armrest set assembled for installation, giroflex 64, aluminium metallic	2 624
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	3 492
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	3 492
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	3 492
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	4 241
624441810	4D-NPR preassembled 64 armrest set, black	4 348

Item no	Armrest-parts	Price
413204810	Armrest Top for 1D, giroflex 64-30/3578	153
413737810	Armpad with Foamed Top for 4D-Armrest, giroflex 64-30/3578	287
413401810	Armrest Top giroflex 64-92/97	1 834

Item no	Seat and back plastic parts	Price
413127810	Seat shell, giroflex 64-30/3578	362

Item no	Seat and back plastic parts	Price
413388810	Seat shell giroflex 64-45/9278	456
413128810	Back shell, giroflex 64-3078	524
413129810	Back shell, giroflex 64-35/4578	630
413389810	Back shell, giroflex 60 and 64-92/9778	1 313
624173810	Back shell with Lumbar function, giroflex 64-3078	1 286
624174810	Back shell with Lumbar function, Preassembled, giroflex 64-35/4578	1 286
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	1 995

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S64301	Seat Cushion. giroflex 64-30/3578	1 646	1 659	1 726	2 488	2 636	3 064	3 584	
S64321	Seat Cushion. giroflex 64-30/3578 CMF	2 154	2 168	2 247	3 051	3 238	4 160	4 870	
S64401	Seat Cushion. giroflex 64-40/4578	1 766	1 781	1 846	2 596	2 757	3 198	3 746	
S64421	Seat Cushion. giroflex 64-4578 CMF	2 314	2 342	2 436	3 238	3 438	4 495	5 258	
S64521	Seat Cushion. giroflex 64-92/9778	2 676	2 703	2 810	4 120	4 362	5 044	5 899	
S64405	Seat Cushion. D.50MM, giroflex 64-4578	1 900	1 914	1 994	2 730	2 890	3 358	3 934	
S64425	Seat Cushion D.50MM 64-4578 CMF	2 448	2 476	2 569	3 345	3 545	4 616	5 404	
S64322	Seat Cushion, QUILT, giroflex 64-3578-QUI								2 863
R64301	Back Cushion, giroflex 64-3078	1 887	1 900	1 980	2 703	2 862	3 318	3 880	
R64302	Back Cushion, giroflex 64-3078-LAB		897	937					
R64321	Back Cushion, giroflex 64-3078 CMF	2 476	2 502	2 596	3 398	3 600	4 855	5 686	
R64351	Back Cushion, giroflex 64-3578	2 154	2 168	2 247	2 984	3 158	3 666	4 294	
R64371	Back Cushion, giroflex 64-3578 CMF	2 850	2 878	2 996	3 466	3 680	5 245	6 141	
R64521	Back Cushion, giroflex 64-9278	3 774	3 814	3 960	5 351	5 672	6 809	7 972	
R64-5778	Back Cushion, giroflex 64-9778	3 774	3 814	3 960	5 351	5 672	6 809	7 972	
R64581	Back Cushion, giroflex 64-9878	3 774	3 814	3 960	5 351	5 672	6 809	7 972	
R64372	Back Cushion, QUILT,giroflex 64-3578-QUI								3 251
RS6430	Back shell, giroflex 64-3078	2 340	2 364	2 471	2 590	2 744	3 172	3 718	
RS6435	Back shell, giroflex 64-35/4578	2 496	2 518	2 613	2 744	2 910	3 373	3 944	
RS6452	Back shell, giroflex 64-9278	3 908	3 944	4 111	4 313	4 573	5 298	6 213	

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
NP6457	Headrest CUSHION 64-9778	769	776	806	847	897	1 039	1 215	
NP6458	Headrest CUSHION 64-9878	3 192	3 221	3 350	3 516	3 728	4 324	5 058	
213304810	Coat Hanger, Complete. Powder Coated, giroflex 64-3578								1 232
815712710	Footring, 500 mm								2 154

giroflex 68 Swivel Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered or mesh (Runner or Softtouch)
Y-support and mechanism in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40 - 52 cm
Seat depth adjustment 5 cm
Backrest height adjustment 7 cm
5-arm plastic base in 810 black
Castors black Ø 65 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, EPD ISO 14025
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
68-3509	giroflex 68-3509 swivel chair Backrest upholstered			9 030	9 109	9 470	10 981	11 638	13 736	16 078	
68-3519	giroflex 68-3519 swivel chair Backrest mesh (Runner or Softtouch)			10 674	10 769	11 195	12 199	12 934	13 523	15 824	

	Accessories/Options/Surcharges:	
AR6005	Armrest fixed	1 286
AR6070/6072/6073	Armrest 3D, aluminium support 810 black, 812 pearl-metallic or 813 alu-metallic	2 149
AR6079	Armrest 3D, aluminium support polished	2 609
SPD6000	Softpad for armrest 3D	832
AR6050	Armrest 4D, aluminium support black, with softpad	2 349
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	2 691
HR6001	Headrest adjustable fabric / skai®Palma	2 400
HR6002	Headrest adjustable mesh Runner (Only for: 68-3519)	2 400
HR6003	Headrest Leather	2 827
HR6019	Headrest support chromium plated	226
CMF	Comfort upholstery 68-3509	1 307
CMF	Comfort upholstery 68-3519	880
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic 68-3509	986
AE6010	Coat hanger powder coated 810 black, 812 pearl metallic or 813 alu-metallic 68-3519	1 140
LS6001	Lumbar support depth adjustable (Only for: 68-3509)	915
ME6002	Seat tilt adjustable (forward tilt 4°)	427

	Accessories/Options/Surcharges:	
ME6019	Mechanism polished	1 948
YS6019	Y-support polished 68-3509	832
YS6019	Y-support polished 68-3519	1 140
PU6000	Push rod cover	202
LI6025	Special seat height 41-55 cm	464
LI6035	Special seat height 46-62 cm	464
LI6055	Special seat height 54-70 cm	1 069
LI6075	Special seat height 59-76 cm	1 318
LI6095	Special seat height 66-83 cm	1 318
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 426
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	594
CL6003	CleanGuard seat (Only for: 68-3519)	260
CL6004	CleanGuard back/seat (Only for: 68-3509)	402

- skai®Palma and Paloma Soft: only in combination with option "comfort upholstery"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 54-70 cm and above

giroflex 68 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.
Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	259
123328810	Castor 50/18 Soft Self-Brake under load, for higher seats – Price per unit	259
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	273
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	273
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unit with brake, Hard for soft floors. Brake when unloaded	177
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	177
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	42

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	193
122287810	Glide to swivel chair with felt – Price per unit	225

Item no	Bases	Price
221813700	Aluminium base 9530 5-leg, polished	1 980
221813810	Aluminium base 9530 5-leg, Powder-coat, black	869
221813812	Aluminium base 9530 5-leg, Powder-coat, peral-metallic	869
221813813	Aluminium base 9530 5-leg, Powder-coat, aluminium metallic	869
421426810	Base, Plastic, black, 8830	484

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	710
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	738
823053810	Column/Gas lift Comfort, for plastic base – seat height 39-51cm, black, giroflex 68	750
814954810	Telescope for Gas lift 175 MM, for special seat height 46-62 cm, giroflex 68	1 420
813877810	Column 22, special seat height 46-62cm	1 206

Item no	Mechanisms	Price
714796810	Mechanism 400, Preassembled, giroflex 68, black	6 356
714796812	Mechanism 400, Preassembled, giroflex 68, pearl-metallic	6 408
714796813	Mechanism 400, Preassembled, giroflex 68, aluminium metallic	6 408
714796701	Mechanism 400, Preassembled, giroflex 68, polished aluminum	8 066
714859810	Mechanism 401, Preassembled, giroflex 68, black	6 649
714859812	Mechanism 401, Preassembled, giroflex 68, pearl-metallic	6 717
714859813	Mechanism 401, Preassembled, giroflex 68, aluminium metallic	6 702
714859701	Mechanism 401, Preassembled, giroflex 68, polished aluminum	8 361

Item no	Mechanism parts	Price
414612810	Guide Below, giroflex 68	101
414518810	Guide Top, giroflex 68	101
215379	Leaf spring 3.2mm Mechanism 400	210
419488	Spring for mechanism 400	305
914823	Compression SPR.25 1X14 0X1.4	34
414632000	Lever to lock mechanism 400	101
414552810	Release button, back height adjustment, giroflex 68	101
414631810	Handle to lock mechanism, giroflex 68	52
414628810	Button to seat depth adjustment, giroflex 68	101
413988810	Turning Knob, mechanism 300/400	34

Item no	Armrests	Price
619406810	3D-Armrest Complete. Left Structured, black	1 460
619406812	3D-Armrest Complete. Left Structured, pearl-metallic	1 460
619406813	3D-Armrest Complete. Left Structured, aluminium metallic	1 460
619406700	3D-Armrest Complete. Left Structured, polished aluminum	1 846
619407810	3D-Armrest Complete. Right Structured , black	1 460
619407812	3D-Armrest Complete. Right Structured, pearl-metallic	1 460
619407813	3D-Armrest Complete. Right Structured, aluminium metallic	1 460
619407700	3D-Armrest Complete. Right Structured, polished aluminum	1 846
619613810	3D-Armrest Complete. Left, Softpad, black	1 660
619613812	3D-Armrest Complete. Left, Softpad, pearl-metallic	1 660
619613813	3D-Armrest Complete. Left, Softpad, aluminium metallic	1 660
619613700	3D-Armrest Complete. Left, Softpad, polished aluminum	2 008
619614810	3D-Armrest Complete. Right, Softpad, black	1 660
619614812	3D-Armrest Complete. Right, Softpad, pearl-metallic	1 660
619614813	3D-Armrest Complete. Right, Softpad, aluminium metallic	1 660
619614700	3D-Armrest Complete. Right, Softpad, polished aluminum	2 008
620617810	4D-NPR standard, armrest left	1 124
620618810	4D-NPR standard, armrest right	1 124
414768810	Fixed Armrest Y-support, left	831
414769810	Fixed Armrest Y-support, right	831

Item no	Armrest-sets	Price
624446810	3D-Armrestset preassembled., black	2 944
624446812	3D-Armrestset preassembled, pearl-metallic	2 944
624446813	3D-Armrestset preassembled, aluminium metallic	2 944
624446700	3D-Armrestset preassembled, polished aluminum	3 681
624447810	3D-Armrestset preassembled, Softpad, black	3 291
624447812	3D-Armrestset preassembled, Softpad, pearl-metallic	3 291

Item no	Armrest-sets	Price
624447813	3D-Armrestset preassembled, Softpad, aluminium metallic	3 291
624447700	3D-Armrestset preassembled, Softpad, polished aluminum	4 028
624450810	Fixed Armrestset preassembled.	2 997
624448810	4D-Armrestset preassembled, black	3 306

Item no	Armrest-parts	Price
618826810	3D-Armrest preassembled Left	576
618827810	3D-Armrest preassembled Right	576
418832810	Armpad, SoftPad for 2/3D-Armrest	524
418830810	Armpad, Structured 2/3D-Armrest	350
414614810	Insert Right 2/3D-Armrest	101
414770810	Fixed Armrest, Structured Top	210

Item no	Seat and back plastic parts	Price
414520810	Back shell	350
414531810	Seat Shell	225
624172810	Back shell with Lumbar Function, giroflex 68-3509	1 420


Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S68351	Seat cushion, giroflex 68-3509	1 472	1 485	1 540	2 048	2 168	2 515	2 944	
S68371	Seat cushion, giroflex 68-3509 CMF	1 967	1 980	2 060	2 716	2 878	3 612	4 228	
R68351	Back cushion, giroflex 68-3509	1 366	1 379	1 432	2 007	2 128	2 462	2 878	
R68352	Back cushion, with Lumbar Function, giroflex 68-35	1 366	1 379	1 432	2 007	2 128	2 462	2 878	
R68371	Back cushion, with comfort upholstery	3 265	3 291	3 426	3 600	3 814	4 428	5 177	
R68372	Back cushion with comfort upholstery. With lumbar support	3 867	3 907	4 067	4 268	4 522	5 245	6 141	
R68-3519	Backrest mesh preapplied. giroflex 68-3519								3 212
R68-3619	Backrest mesh preapplied. Drilled. giroflex 68-3519								3 318

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
KST68-3609	Headrest comlplete, giroflex 68-3509	2 182	2 194	2 289	2 409	2 555	2 956	3 466	
KST68-3619	Headrest comlplete, giroflex 68-3519	2 904	2 930	3 051	3 198	3 386	3 934	4 601	
NP68	Neckrest cushion 68-3519	2 422	2 448	2 543	2 676	2 838	3 291	3 853	
815712710	Footring, 500 mm								2 154

giroflex 353 adapt Laboratory Chair

Standard configuration
Synchronised mechanism Automatic Move (without finetuning of back tilt resistance)
Seat cushion with dual-zone seat profile
Backrest upholstered
Seat height adjustment 39-51 cm
Seat shell, back frame, back upholstery plate in plastic 810 black
Seat depth adjustment 6 cm
Backrest height adjustment 6 cm
5-arm plastic base in 810 black
Glides or castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta

Item no	Base model +	Price Group (PG)	②	Price
353-4529-LAB	giroflex 353-4529-LAB swivel chair		6 982	

	Accessories/Options/Surcharges:	
AR6005	Armrest fixed	744
AR6022	Armrest 2D, plastic support black, with softpad	1 251
AR6040	Armrest 4D, plastic support black, with softpad	1 617
AR6042	Armrest 4D, aluminium support polished, with softpad	2 467
AR6045	Armrest 4D-NPR, plastic support, with softpad	2 149
ME6007	Fine adjustment of back tilt resistance	391
ME6008	Seat tilt adjustment 4° (incl. fine adjustment of back tilt resistance)	974
LS6001	Lumbar support depth adjustable	522
PU6000	Push rod cover	202
LI6025	Special seat height 41-55 cm	464
LI6035	Special seat height 46-62 cm	464
LI6045	Special seat height 49-65 cm	464
LI6060	Special seat height 55-72 cm	1 069
LI6080	Special seat height 62-79 cm	1 307
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 426
FB6010	5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished	571
CA6012	Castors black, 65 mm, for hard and soft floors, braked unloaded	191

- Option "seat tilt adjustment": only available in combination with option "fine tuning of back tilt resistance"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 64 adapt Cashier Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Seat- and backshell, mechanics 810 black
Seat height adjustment 39-51 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
5-arm aluminium base Ø 60 cm in 810 black
Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta

Item no	Base model +	Price Group (PG)		1	2	3	4	5	6	7	Price
64-3080	giroflex 64-3080 cashier chair Standard seat, width 45 cm Low back, height 47-54 cm			9 470	9 550	9 938	10 941	11 597	13 457	15 744	
64-4080	giroflex 64-4080 cashier chair Medium seat, width 48.5 cm Low back, height 47-54 cm			10 138	10 233	10 647	11 678	12 373	14 352	16 788	

	Accessories/Options/Surcharges:	
CMF	Comfort upholstery	1 342
CMFSTD	Comfort upholstery, only seat	629
PU6000	Push rod cover	202
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6040	Special seat height 47-65 cm	475
LI6050	Special seat height 52-69 cm	1 082
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	475
CL6004	CleanGuard back/seat	402

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 47-65 cm and above

giroflex 64 adapt Laboratory Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Upholstery without grooves
Seat- and backshell plastic 810 black
Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40 - 52 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Glides or castors black Ø 50 mm for hard or soft floors, braked unloaded.

Certified in accordance to GS EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta
Ergonomics approved (LGA)

Item no	Base model +	Price Group (PG)	②	Price
64-3078-LAB	giroflex 64-3078-LAB swivel chair Standard seat width 45 cm Low back height 47-54 cm		10 821	
64-3578-LAB	giroflex 64-3578-LAB swivel chair Standard seat width 45 cm Medium back height 55-62 cm		12 253	

	Accessories/Options/Surcharges:	
AR6005	Armrest fixed	1 358
AR6020	Armrest 1D, steel support	2 149
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	2 502
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	2 785
LS6001	Lumbar support depth adjustable	915
PU6000	Push rod cover	202
LI6030	Special seat height 43-59 cm	475
LI6035	Special seat height 46-62 cm	475
LI6050	Special seat height 52-69 cm	1 082
LI6075	Special seat height 59-76 cm	1 342
LI6095	Special seat height 66-83 cm	1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	1 437
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 adapt 24/7 Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Comfort upholstery
Backshell in plastic 810 black
Armrest fixed
Seat height adjustment 40-52 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta

Item no	Base model +	Price Group (PG)			Price
			③	⑥	
64-9278-24h	giroflex 64-9278-24h swivel chair		27 180	31 044	
64-9878-24h	giroflex 64-9878-24h swivel chair With headrest		31 767	35 992	
	Accessories/Options/Surcharges:				
	Upholstered backshell		1 273	1 646	
AR6019	Armrest fixed, aluminium polished, softpad black				614
AR6030	Armrest 4D, aluminium support powder coated 810 black, with softpad				224
AR6055	Armrest 4D-NPR, aluminium support black, with softpad				531
AT6001	Armrest pad fabric				1 129
AT6002	Armrest pad leather				1 568
AE6010	Coat hanger powder coated 810 black				986
LS6001	Lumbar support depth adjustable				915
ME6019	Mechanism polished				3 777
PU6000	Push rod cover				202
LI6030	Special seat height 43-59 cm				475
LI6035	Special seat height 46-62 cm				475
LI6050	Special seat height 52-69 cm				1 082
LI6075	Special seat height 59-76 cm				1 342
LI6095	Special seat height 66-83 cm				1 342
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				1 437

	Accessories/Options/Surcharges:	
FB6019	5-arm aluminium base polished	439
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	202
CL6004	CleanGuard back/seat	402
CL6005	CleanGuard back/seat/upholstered backshell	649

- Headrest: optional in vinyl skai®Palma (no surcharge - only in PG2)
- Armrest pad fabric/leather: only for armrest fix
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 60 adapt 24/7 Chair

Standard configuration
Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest with highly contoured side bolsters for perfect support
Comfort upholstery
Backshell in plastic 810 black
Armrest 4D with plastic support black and softpad
Seat height adjustment 40-52 cm
Seat depth adjustment 5 cm
Backrest height adjustment 7 cm
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3, GREENGUARD Gold Certification, EPD ISO 14025, Möbelfakta

Item no	Base model +	Price Group (PG)	③	⑥	Price
60-9229-24h	giroflex 60-9229-24h swivel chair		25 761	29 600	
60-9829-24h	giroflex 60-9829-24h swivel chair With headrest - height adjustable and inclinable		30 350	34 562	
	Accessories/Options/Surcharges:				
	Upholstered backshell		1 273	1 646	
AR6044	Armrests foldable				1 641
AR6042	Armrest 4D, aluminium support polished, with softpad				1 735
AE6010	Coat hanger powder coated 810 black				974
LS6001	Lumbar support depth adjustable				902
ME6019	Mechanism polished				3 801
PU6000	Push rod cover				202
LI6025	Special seat height 41-55 cm				464
LI6035	Special seat height 46-62 cm				464
LI6045	Special seat height 49-65 cm				464
LI6060	Special seat height 55-72 cm				1 069
LI6080	Special seat height 62-79 cm				1 318
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				1 426
FB6019	5-arm aluminium base polished				427
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded				202
CL6004	CleanGuard back/seat				402

	Accessories/Options/Surcharges:	
CL6005	CleanGuard back/seat/upholstered backshell	649

- Headrest: optional available in vinyl skai®Palma (no surcharge - only in PG2)
- Sidebolsters seat/back: optional available in vinyl skai®Palma black (no surcharge - only in PG2)
- Option "foldable armrests": backrest is fixed, no height adjustment
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49 - 65 cm and above

giroflex 60 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.
Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123330810	Castor 65/18 Soft Self-Brake under load, for higher seats – Price per unit	273
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	273
123328810	Castor 50/18 Soft Self-Brake under load, for higher seats – Price per unit	259
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	259
Z12112092	Castor 65/11 Hard for Soft flors, braking when unloaded – Price per unit	42

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	193
122287810	Glide to swivel chair with felt – Price per unit	225

Item no	Bases	Price
422614810	Plastic base 7130, Black	831
222615700	Aluminium Base 7030 Polished	1 674
222615810	Aluminium Base 7030 Powder-coated, Black	1 038
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	1 038
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	1 038

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	416
823017810	Column 34 Comfort, 39-51cm, black with cushion.	710
813877810	Column 22, special seat height 46-62cm	1 206

Item no	Mechanisms	Price
713317810	Mechanism 200, black	6 622
713317812	Mechanism 200, pearl-metallic	6 101
713317700	Mechanism 200, polished aluminum	11 679
724426810	Mechanism 200 lumbar support, black	1 794
724426812	Mechanism 200 lumbar support, pearl-metallic	1 794
724426813	Mechanism 200 lumbar support, aluminium metallic	1 794
724426700	Mechanism 200 lumbar support, polished aluminum	1 794

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism 200	153
713321	Handle Left,height adjustment. Preassembled for mechanism 200	153
223352	Tension Lever, 200	259
413103810	Turning knob, mechanism 200	52

Item no	Mechanism parts	Price
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	287

Item no	Armrests	Price
622652810	2D-Armrest pair, in plastic, with Softpad	1 460
622728810	4D-Armrest pair, in plastic, with Softpad	1 713
622656700	4D-Armrest pair, in Aluminium, with Softpad	1 968
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	2 489
624375810	Armrest, foldable, left	2 462
624376810	Armrest, foldable, right	2 462

Item no	Armrest-sets	Price
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	3 492
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	3 492
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	3 492
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	4 241

Item no	Seat and back plastic parts	Price
415875810	Seat shell giroflex 545/60	524
413389810	Back shell, giroflex 60 and 64-92/9778	1 313
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	1 995

Item no	Seat and back upholstered parts	③	⑥	⑦
R60921	Back cushion, giroflex 60-9229	4 148	6 475	7 572
R60922	Back cushion foldable Armrest	4 148	6 475	7 572
R60923	Back cushion foldable Armrest, with Lumbar function	4 642	6 996	8 186
R60924	Back cushion with lumbar function	4 642	6 996	8 186
S60921	Seat cushion, giroflex 60-92/98	2 904	4 843	5 672

Item no	Accessories	③	⑥
NP60-9829-24H	Headrest Cushion, giroflex 60	4 005	5 171

Measurements - Office Range (1)

The stated dimensions are based on EN 1335-1 for task chairs and EN 16139 for conference and visitor chairs. Please note that measurements may be subject to change, as products are continuously re-tested.
Our test reports are regularly reviewed and updated. For the most recent information or detailed documentation, please contact our Customer Service.

MEASURING POINTS



Seat height



Total height



Backrest height



Armrest height



Seat width



Total width



Backrest width



Seat depth

Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mecha-nism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Confe-rence Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

Measurements - Office Range (2)

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mecha-nism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Confe-rence Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120	15.4
		434-4019	40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
	Visitor's Chair	434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

Measurements - Adapt Range

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mecha-nism - adjustm. range (kg)	Weight (standard config.) (kg)
Giroflex Adapt	Laboratory	64-3078-LAB	40-52	92-111	47-54	45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578-LAB	40-52	100-119	55-62	45	43	66	41.5-44	0-12	0-24	45-120	17.4
		353-4529-LAB	39-51	100-119	60-66	49	46	70	38-44	0-12	0-21	45-120	14.3
	24/7	60-9229-24h	40-52	105-124	59-66	50	48	70	41-46	0-12	0-24	65-150	22.4
		60-9829-24h	40-52	123-152	59-66	50	48	70	41-46	0-12	0-24	65-150	26
		64-9278-24H	40-52	106-125	60-67	51	47	66	45-47.5	0-12	0-24	65-150	21.8
		64-9878-24H	40-52	119-148	60-67	51	47	66	45-47.5	0-12	0-24	65-150	25.6
	Check-out	64-3080	39-51	91-110	47-54	45	43	62	41.5-44	0-12	0-24	45-120	16.6
		64-4080	39-51	91-110	47-54	49	43	62	41.5-44	0-12	0-24	45-120	17

Packaging measurements

Changes from 18th of September 2023:

Giroflex will implement 100% recyclable boxes. It will be the possibility to order swivel chairs in fully, or semi knocked down versions – depending on model .

This will become the standard option and has many benefits e.g. logistic flow emits less CO2, boxes take less storage and are easier to carry on.

Underneath you will see an overview of possible choices per model.

			Assembled in foil[1]	Assembled in box		Semi-knocked down		Fully knocked down	
Model	Type	Configuration	Possibility	Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)
10-2020	Sit-stand Stools	All options	NO	YES	380X340X720	NO	n/a	NO	n/a
10-3020	Sit-stand Stools	All options	NO	YES	380X340X720	NO	n/a	NO	n/a
161-6003	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
161-6203	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
161-6403	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
161-6403-KNI	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
313-4018	Swivel/Visitor	All options	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 39-51;49-65;52-69;57-74	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 64-81	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
313-4518	Swivel/Visitor	All options	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 39-51;49-65;52-69;57-74	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 64-81	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

			Assembled in foil[1]	Assembled in box		Semi-knocked down		Fully knocked down	
353-3003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3018	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-3018-C2G	Swivel/Visitor	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
353-3503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3518	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-4029	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	No headrest & Seat height 39-51;41-55;46-62	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	No headrest & Seat height 49-65;55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	headrest & Seat height 41-55;46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529	Swivel	headrest & Seat height 39-51;41-55;	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

353-4529	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529-LAB	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-7003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
40-4049	Swivel	Without headrest	YES	YES	735x760x1115	YES	670x730x955	NO	n/a
40-4049	Swivel	With headrest	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
434-3003	Conference	All options	NO	YES	670x730x1160	NO	n/a	NO	n/a
434-3019	Swivel	Seat height 40-52,43-59;46-62; 52-69	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
434-3019	Swivel	Seat height;59-76; 66-83	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
434-3019-C2G	Swivel	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
434-4019	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	NO	n/a	YES	815x720x515
434-4019	Swivel	Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	815x720x515
434-7013	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
434-7929	Swivel	All options	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 40-52,41-55;46-62;49-65	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 55-72; 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
545-4529	Swivel	headrest & Seat height 40-52,41-55; 46-62;55-72;49-65	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a

545-4529	Swivel	headrest & Seat height 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
60-9229-24H	Swivel	Seat height 40-52,43-59	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 40-52,43-59; 46-62	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 52-69;59-76; 66-83	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
64-3078	Swivel	Seat height 40-52,43-59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 40-52,43-59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 39-51;40-52;43-59;46-59;47-65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 39-51;40-52;43-59;46-59;47-65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

64-9278	Swivel	Seat height 40-52,43-59	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278-24H	Swivel	Seat height 40-52,43-59	YES	YES	735x760x1115	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 59-76; 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 59-76; 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 59-76; 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a
68-3509	Swivel	No headrest & Seat height 40-52,41-55;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3509	Swivel	No headrest & Seat height 54-70; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3509	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3509	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a
68-3519	Swivel	No headrest & Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3519	Swivel	No headrest & Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3519	Swivel	Headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3519	Swivel	Headrest & Seat height 59-76; 66-83	YES	NO	n/a	YES	670x730x1160	NO	n/a

[1] Option "Assembled in foil" only available in Switzerland, Germany, France and Benelux

Standard fabrics

Delivery times for standard and extended colour range:
This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.
Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.
The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance:
To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

CURA LOOP (GABRIEL) - PRICE GROUP 1

Cura Loop is a two-coloured fabric made from 100% recycled polyester textile waste. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. It´s high durability, stretchability and soft, voluminous touch makes Cura Loop versatile in use for most type of furniture and environments.
Composition: 100% post-consumer/post -industrial recycled polyester
Weight: 420 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, 5852 Crib 5 (on request)*, CA TB 117-2013, DIN EN 13501-1 B-s1,d0, Class Uno UNI9175 Class 1 I EMME, ASTM E 84 Class I (Unadhered)
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



CLP60110 CLP60109 CLP60999 CLP66165 CLP61168

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester
Weight: 310 g/m²
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013
Light fastness: 6 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)




EXR009 EXR026 EXR046 EXR081 EXR145


RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post- consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The pallete of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

Composition: 80% polyester, 20% post-consumer recycled polyester
Weight: 510 g/lm
Abrasion resistance: 70000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company
Design: Inger Mosholt Nielsen, Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash orl dry cleaning (For further info follow Gabriel´s cleaning guidelines_www.gabriel.dk



RUN68273 RUN64159 RUN67004 RUN68186 RUN66268 RUN66248 RUN63125 RUN60123




RUN60011 RUN60025 RUN60999 RUN64089

SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.


Composition: 85% New Zealand wool, 15% polyamide
Weight: 510 g/lm
Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO
Light fastness: 5-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


SC68210



SC60003


SC60051



SC60134


SC60139


SC60999


SC61184



SC61186


SC62097


SC64089


SC66194


SC66071


SC67098


SC68209

SKAI PALMA - PRICE GROUP 2

Skai Palma is a synethtic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

Composition: 89% PVC-Compound, 11% CO/PES-knitted fabric
Weight: 825 +/- 50 g/m2
Thickness: 1,3 +/- 0,2mm
Abrasion resistance: 100 000 Martindale (EN ISO 5470-2)
Flammability: DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: Fulfills REACh requirements, ISO 14001 certified company
Produced in: Germany
Cleaning & disinfection: For Cleaning and disinfection follow Skai's cleaning guidelines www.skai.com)



PLM701

CAPTURE (GABRIEL) - PRICE GROUP 3


Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.


Composition: 85% New Zealand wool, 15% polyamide
Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 5852 Crib 5 (on request)*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN-ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


CPT4102


CPT4301


CPT4401


CPT4601


CPT5101


CPT5103


CPT5501


CPT6001


CPT6401


CPT6601

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic crépe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool
Weight: 530 g/lm
Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company
Design: Dorte Bo Bojesen
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


GA60019


GA60999


GA64089


GA66004



GA66005


GA60003

GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

Composition: 69 % Cradura™, PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR™, CV FR
Weight: 465 g/lfm
Abrasion resistance: 465'000 Martindale, EN ISO 12947-2
Flammability: EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260
Light fastness: 6, EN ISO 105-B02
Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105-X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: Oeko-Tex® Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified™ Silver, recyclable.
Designed by: Climatex Design team
Prduced in: Germany



GRO099 GRO094 GRO051

MAINLINE FLAX (CAMIRA) - PRICE GROUP 3

Main Line Flax is made from a 75/25 wool flax blend, then fibre dyed to create a mixture coloured yarn, The yarns are woven into solids and cross-colours giving a tweed like look and a delicate touch.The combination of wool and flax also creates an inherently flame retardant fabric all based on natural sources.

Composition: 75% Virgin Wool, 25% Flax
Abrasion resistance: > 50 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Crib 5, CA TB 117-2013, IMO FTP Code (Part 8), UNI 9175 Classe 1 IM
Light fastness: 5 (EN ISO 105-B02)
Rubbing fastness: 3/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Indoor Advantage™ "Gold", Free of heavy metals, ISO 14001 certified company, Rapidly renewable and compostable
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning: Professional dry cleaning (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)




MLF032 MLF002 MLF020

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn
Weight: 497 g/m² ±5%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013
Light fastness: 5 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable at 60 ° C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)




OCI001 OCI008 OCI011 OCI012 OCI014

PARCEL LOOP (GABRIEL) - PRICE GROUP 3

Parcel Loop is made from 100% post-consumer/post-industrial recycled polyester, combining recycled textile waste from customers and from used plastic bottles. It has a matt, multi- directional texture in a subtle colour-shifting colour mix. Its softness combined with high durability makes it suitable for all types of furniture in the works space.

Composition: 100% post-consumer/post -industrial recycled polyester
Weight: 480 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 Crib 5 (on request)* CA TB 117-2013, ASTM E 84 Class I (Unadhered)
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company
Design and colours: Cenk Kivrikoglu/ Luisa Allegri
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



PCL1202 PCL1302 PCL2001 PCL2401

STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS
Weight: 336 g/m2
Composition: 100% Trevira cs
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Cerftificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM
Light fastness: 5-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Inger Mosholt Nielsen
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SE64159 SE60999 SE60011 SE64013 SE67004

STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

Composition: 100% Trevira cs
Weight: 336 g/m2
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Cerftificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1
Light fastness: 5-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)





STM67004 STM64159 STM66018 STM60011

SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

Composition: 95% pure new wool, 5% polyamide
Weight: 400 g/m2 ±10%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0
Light fastness: 5 (EN ISO 105 - B02)
Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)
Environmental facts: EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Professional dry cleaning (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


SGY016


SGY017


SGY008


TECHNICOLOUR (KVADRAT) - PRICE GROUP 3

Technicolour is a worsted wool fabric made from 100% british wool. It is created by using a specially developed colour system which unfolds different ranges of melange colours. Each colourway unites two yarns in a plain weave construction, expressing a sense of subtle variation. Its colourmoods in combination with softness and strength gives it versatility in use across all types of work spaces.


Composition: 100% british wool, worsted
Weight: 430 g/lm
Abrasion resistance: 80 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, BA5852 Crib 5 (on request)*, CA TB 117-2013, BS 5852 part 1, BS 7176 Low Hazard, NF D 60013, UNI 9175 1IM, ASTM E84 Class A Unadhered/Adhered, IMO FTP Code 2010 Part 8,
Light fastness: 7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Peter Saville
Produced in: United Kingdom
Cleaning: Professional dry cleaning (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


TEH0690


TEH0110


TEH0890


TEH0520


TEH0260

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durabilty, soft touch and colour depth.The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 825 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered
Light fastness: 6 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 3-4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


STT682


STT190


STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 770 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)
Light fastness: 6–7 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


STT966


STT133


STT153


STT213


STT253


STT383



STT645


STT796

PALOMA (WOLLSDORF) - PRICE GROUP 6

Paloma is a high quality chrome free Semi-Aniline leather from cattle in the European Alpine region. All our standard colours from Paloma have a special finish adding a particular softness to the leather. It has excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: 2,0 N/cm ISO 11644
Tear-strength: 20 N/mm DIN 53329- A
Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company, Internal waste water treatment plant.
Produced in: Austria, predominantly using raw hides from red-spotted cattle
Animal Welfare All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal.Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)
Cleaning: Follow the leather care guide from our supplier – www.wollsdorfleather.com



PL55130 PL56100 PL55115 PL55185 PL05429 PL55206

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: ≥ 2 N/cm - ISO 11644
Tear-strength: ≥ 20 N/cm DIN 53329-A
Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO_2 neutral on energy.
Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)
Produced in: Sweden
Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)



EL99999 EL93068 EL33004

Product specific fabrics

This is Giroflex selection of special textiles for certain products.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric specially designed with Climatex® Dualcycle TM. It´s unique weave construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It´s honeycomb patterned texture creates depth and a smooth touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™(CVFR)
Weight: 415 g/lm
Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)
Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8
Light fastness: 6-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)
Environmental facts: Cradle to Cradle Certified™ gold, Oeko-Tex® Standard 100, recyclable
Design: Climatex Design team
Produced in: Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

SYNERGY QUILT HOURGLASS (CAMIRA) - PRICE GROUP OD*

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

Composition: 95% pure new wool, 5% nylon with polyester and polyrethane foam backing
Weight: 700 g/m2 ±10%
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)
Light fastness: 5 (EN ISO 105 - B02)
Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)
Environmental facts: Non metallic dyestuffs, ISO 14001 certified company
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable to 60 ☒C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)

Only for giroflex 64-3578-QUI (Available on Demand as long as stock lasts)



QSH17



QSH35



QSH62



QSH69




QSH84

SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.
Composition: 76% polyester, 23% ployamide, 1% stainless steel
Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)
Flammability: EN 1021 1
Light fastness: 5-7 (EN ISO 105 - B02)
Rubbing fastness: 5/4 (Wet/Dry) (EN ISO 105X12)
Environmnetal facts: ISO 14001 certified company
Designed by: Krall & Roth design team
Produced in: Germany

Mesh fabric – only for backrest giroflex 68




N460

KNIT MESH (CAMIRA)

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It's solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.
Composition: 100% polyester
Abrasion resistance: 28 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard
Light fastness: 6 (EN ISO 105 - B02)
Pilling: 4-5 (BS EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Free of heavy metals
Design: Camira Technical Knitting team & Flokk Design team
Produced in: United Kingdom
Cleaning & disinfection: Bleach cleanable (For further info follow Camira´s cleaning guidelines – (www.camirafabrics.com)

KNI100, KNI101, KNI102, KNI104 available as long as stock lasts

Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI



KNI099 KNI100 KNI101 KNI102 KNI104


NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

Composition: 100% polyester flame retardant (Trevira CS)
Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)
Flammability: DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M
Light fastness: 4-5 (EN ISO 105 - B02)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

N471, N472, N474 available as long as stock lasts

Mesh only for giroflex 434



N470 N471 N472 N474 N475 N476 N477

* OD – Price on demand

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

COM (Customer's Own Material)
Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special
Other fabrics. Prices and delivery on request.

Supplier/Collection	Price group
Camira Fabrics – www.camirafabrics.com	
Blazer	3
Mainline Flax*	3
Oceanic*	3
Quest	3
RePlay	3
Synergy*	3
Xtreme*	3
Climatex/Jab - www.climatex.jab.de	
Grano*	3
Strong*[2)]	3
Elmo – www.elmoleather.com	
Elmosoft*[1)]	OR
Gabriel – www.gabriel.dk	
Capture*	3
Cura Loop*	3
Cura	3
Comfort+	5
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic*	3
Lense	3
Nobel	4
Parcel Loop*	3
Renewed Loop	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3
Tonal	3

Supplier/Collection	Price group
Kvadrat – www.kvadrat.dk	
Canvas 2	4
Naveli	4
Remix 3	3
Steelcut 3*	4
Steelcut Quartet	4
Steelcut Trio 3*	4
Technicolour*	3
Vidar 4	6
Ludvig Svensson – www.ludvigsvensson.com	
Semi	3
Skai – www.skai.com	
Skai Palma*	3
Wollsdorf - www.wollsdorf.com	
Paloma - Leather*	OR

* Non standard colours
OR = on request

[1)] = Not for LAB/24H/cashier
[2)] = Only for giroflex 60 and 64 -24h chairs

Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.
From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.
The name Flokk comes from the Norwegian word for "group" or "herd". It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.
We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.
Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person.
Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work**

Flokk AB
Showroom Försäljning
Box 17198 | 104 62 Stockholm
Rosenlundsgatan 40, trapphus B 3 tr.
118 53 Stockholm
Sweden
info-se@flokk.com

Showroom & Produktion
Vallgatan 1 | Box 294 | 571 23 Nässjö
Tel: 0380-55 53 00 | Fax: 0380-182 85
Email: info-se@flokk.com
Web: www.flokk.com

Front page
Chair model: Giroflex 313
Fabric: Back // Light beige Runner RUN61128. Seat// Leather Natura (ICA) Light beige (LE123)