Luceplan

Price List 2026

Sweden

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO- TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmäkta vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

Vill du veta mer om hållbara alternativ,
kontakta oss:

+46 8 586 350 05
order.adda@senab.com

Sweden

LUCE PLAN

Price List **2026**

Index

Across	2
Alibel	4
Amisol	9
Ascent	10
Berenice	11
Blow	13
Bulbullia	14
Carrara	15
Cassette	16
Compendium	18
Compendium Circle	22
Compendium Plate	25
Costanzina	27
Costanza	29
Lady Costanza	33
Grande Costanza	35
Grande Costanza Open Air	36
Counterbalance	38
Counterbalance Spot	39
Counterbalance Floor	40
Dix Bougies	41
Doi	44
E04 Ceiling	48
E04 Wall	49
E04 Suspension	50
E04 Optics	52
E06	54
Ecran In&Out	56
Farel	57
Fienile Outdoor	58
Flia	60
Fortebraccio	63
Garbì	65
Hono	66
Hope	69
Illan	71
J-us	73
Koinè	76
Koinè Multiple Ceiling Rose	82
Levante	83
Liiu	85
Lita	89
Lola	92
Luthien	93
Malamata	94
Mesh	97
Metropoli	104
Metropoli Outdoor	105
Millimetro	106
Nui	109
Nui Mini	112
Otto Watt	113
Pétale	114
Silenzio	116
Soleil Noir	118
Stochastic	119
Titania	120
Titania Queen	121
Zile	122
Binari / Track System	124
Accessori / Accessories	132

Legend

□	Light source included
H	Height
L	Length
W	Width
Ø	Diameter
F	Fixture fit for direct assembly on normally inflammable surfaces.
IP20	Protected against ingress of solid objects greater than 12 mm.
IP40	Protected against ingress of solid objects greater than 1.0 mm.
IP54	Protected against ingress of dust and against splashes of water from all directions.
IP65	Dust-tight. Protected against water jets.
IK	Degree of protection against external mechanical impacts.
⏚	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
⧈	Device in wich the protection against electric shock is based not only on basic insulation, but also on additional security measures such as double insulation or strengthened insulation.
⧫	Device in wich the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
FSC	The product FSC® certified os made in certified wood FSC® (Forest Stweardship Council®), from forests managed in a correct, responsible way. Look for our FSC certified products.
▼	Discontinued


Important notice

The products in this price list are intended for the countries corresponding to the price list itself.
Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

PRICE LIST

A08 ACROSS

Pio & Tito Toso



A08SW1-A0801 A08SW2-A08S02 A08SW2-A08S02	A08/1D-A06/1T-A08/3-A08/4 A08/1D-A08/3 A08/1T-A08/4	35W 60W 59W

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**A08SW1** suspension structure dimmable 24Vdc SELV L min 1020 - max 1600 x W 90 x H min 240 - max 620 L cable: 3000	1A080SW10001	black	LED 32W 2700K CRI 90	☐	9.768,00
		1A080SW10002	white			9.768,00
		1A080SW10010	blu			9.768,00
	CE	1A080SW10011	green			9.768,00
	**A08SW2** suspension structure dimmable 24Vdc SELV L min 1800 - max 2600 x W 90 x H min 280 - max 750 L cable: 3000	1A080SW20001	black	LED 56W 2700K CRI 90	☐	12.624,00
		1A080SW20002	white			12.624,00
		1A080SW20010	blu			12.624,00
	CE	1A080SW20011	green			12.624,00
3000K versions						
	**A08S01** suspension structure dimmable 24Vdc SELV L min 1020 - max 1600 x W 90 x H min 240 - max 620 L cable: 3000	1A080S010001	black	LED 32W 3000K CRI 90	☐	9.768,00
		1A080S010002	white			9.768,00
		1A080S010010	blu			9.768,00
	CE	1A080S010011	green			9.768,00
	**A08S02** suspension structure dimmable 24Vdc SELV L min 1800 - max 2600 x W 90 x H min 280 - max 750 L cable: 3000	1A080S020001	black	LED 56W 3000K CRI 90	☐	12.624,00
		1A080S020002	white			12.624,00
		1A080S020010	blu			12.624,00
	CE	1A080S020011	green			12.624,00

Light source included ☐

A08 ACROSS


Pio & Tito Toso

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
dimmable ceiling rose push/DALI						
	A08/1D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01D001	black			2.580,00
		1A080/01D002	white			2.580,00
dimmable ceiling rose phase cut						
	A08/1T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01T001	black			2.460,00
		1A080/01T002	white			2.460,00
remote power supplies						
	**A08/4** driver phase cut 24V, 75W 220-240V ~ 50/60Hz SELV L 180 x W 60 x H 35	1A080/040000				2.088,00
remote driver						
	**D81/10** remote driver dimmable push/DALI 24V, 60W 220-240V ~ 50/60Hz SELV L 225 x W 43 x H 30.2	1D810/100000				2.172,00

Light source included ☐

A13 ALIBEL

Alessandro Zambelli



Calculate the price of the lamp by adding the body to the diffuser.

It is specified that the lamps indicated must only be installed using the track system described and illustrated in the final section of the price list.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**A13WB0DO** track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DO001	matt black	LED 2W 2700K CRI 90	☐	3.300,00
	**A13WB0DL** track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DL001	matt black	LED 9W 2700K CRI 90	☐	3.516,00
	A13WBCDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDO001	matt black	LED 2W 2700K CRI 90	☐	4.536,00

Light source included ☐

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	A13WBCDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDL001	matt black	LED 9W 2700K CRI 90	☐	4.752,00
	A13WBLDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLDO001	matt black	LED 2W 2700K CRI 90	☐	4.584,00
	A13WBLDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLDL001	matt black	LED 9W 2700K CRI 90	☐	4.800,00
	A13WBCU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A13WBCU2001	matt black	LED 6W 2700K CRI 90	☐	4.728,00
	A13WBLU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A13WBLU2001	matt black	LED 6W 2700K CRI 90	☐	4.776,00
	**A13WBCV5** track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235	1A13WBCV5001	matt black	LED 6W 2700K CRI 90	☐	7.068,00

Light source included ☐

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A13WBLV5** track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650	1A13WBLV5001	matt black	LED 6W 2700K CRI 90	☐	7.212,00
	**A13WAD** wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAD00001	matt black	LED 10W 2700K CRI 90	☐	5.100,00
	**A13WAT** wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAT00001	matt black	LED 11W 2700K CRI 90	☐	4.980,00

3000K versions

	**A13B0DO** track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A130B0DO001	matt black	LED 2W 3000K CRI 90	☐	3.192,00
	**A13B0DL** track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A130B0DL001	matt black	LED 2W 3000K CRI 90	☐	3.516,00
	A13BCDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A130BCDO001	matt black	LED 2W 3000K CRI 90	☐	4.416,00

Light source included ☐

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A13BCDL** track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A130BCDL001	matt black	LED 9W 3000K CRI 90	☐	4.752,00
	A13BLDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDO001	matt black	LED 2W 3000K CRI 90	☐	4.464,00
	A13BLDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDL001	matt black	LED 9W 3000K CRI 90	☐	4.800,00
	A13BCU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A130BCU2001	matt black	LED 6W 3000K CRI 90	☐	4.728,00
	A13BLU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A130BLU2001	matt black	LED 6W 3000K CRI 90	☐	4.776,00
	**A13BCV5** track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235 Ø 500	1A130BCV5001	matt black	LED 6W 3000K CRI 90	☐	7.068,00

Light source included ☐

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A13BLV5** track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650 Ø 500	1A130BLV5001	matt black	LED 6W 3000K CRI 90	☐	7.212,00
	**A13AD** wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AD00001	matt black, shade: satin opal	LED 10W 3000K CRI 90	☐	5.292,00
	**A13AT** wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AT00001	matt black, shade: satin opal	LED 11W 3000K CRI 90	☐	4.980,00


accessories

	**A13/1** accessory only for A13WBCU2, A13BCU2, A13WBLU2, A13BLU2 L 500 x W 9 x H 335	1A130/010002	opal white			2.016,00

Light source included ☐

D91 AMISOL

Daniel Rybakken



Calculate the price of the lamp adding the structure to the reflector/diffuser disk.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
structure						
	**D91S** suspension structure dimmable push/DALI 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø 180x40	1D910S000002	white	LED 53W 3000K CRI 90	☐	7.992,00
reflector/diffuser disc						
	**D91/1** reflector diffuser Ø 75cm 220-240V ~ 50/60Hz H min 2250 - max 3950 diffuser ø 750	1D910/100002 1D910/100020 1D910/100030	opale argent gold			7.236,00 7.548,00 7.548,00
	**D91/2** reflector diffuser Ø 110cm 220-240V ~ 50/60Hz H min 3000 - max 4200 diffuser ø 1080	1D910/200002 1D910/200020 1D910/200030	opale argent gold			8.820,00 9.420,00 9.420,00
accessories						
	**D91/0AAR** anti-rotation accessory L cable: 3000	1D91/0AAR000				756,00

Light source included ☐

D78 ASCENT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D78** table with base dimmer on board driver 24V 220-240V ~ 50/60Hz L 170 x W 170 x H 650 head 84	1D780=000001	black	LED 10W 2700K CRI 90	☐	6.828,00
	**D78pt** table with fixing pin (tickness max 5,7) - dimmer on board driver 24V 220-240V ~ 50/60Hz H 650 head 84	1D780PT00001	black	LED 10W 2700K CRI 90	☐	6.888,00

Light source included ☐

D12 BERENICE

Alberto Meda,Paolo Rizzatto



Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D12N** table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 base Ø 150	1D120=00N001 1D120=00N020	black alu	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm *CRI 80	☐	4.968,00 4.968,00
	**D12NPI** table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 base Ø 135	1D120=P0N001 1D120=P0N020	black alu	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm *CRI 80	☐	4.728,00 4.728,00
	**D12NT** floor structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 800 + 300 base Ø 150	1D120T00N001 1D120T00N020	black alu	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm *CRI 80	☐	5.400,00 5.412,00
	**D12NA45** wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 x W 60x22x45 wall mount	1D120A45N001 1D120A45N020	black alu	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm *CRI 80		4.284,00 4.320,00
	**D12NAPI** wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 x W 60x22x45 wall mount	1D120AP0N001 1D120AP0N020	black alu	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm *CRI 80		4.164,00 4.188,00

Light source included ☐

D12 BERENICE


Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
reflectors						
	**D12/4/1** glass reflector Ø 79 CE	1D120/4/1503	white			852,00
		1D120/4/1524	pink			852,00
		1D120/4/1527	yellow			852,00
		1D120/4/1537	sage green			852,00
	**D12/5/1** metal reflector Ø 79 CE	1D120/5/1501	black			564,00
		1D120/5/1520	alu			564,00
		1D120/5/1530	brass			564,00

Light source included ☐

D28 BLOW

Ferdi Giardini



Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D28** ceiling body dimmable push remote controlled 220-240V ~ 50/60Hz H 400 Ø 240 CE ⏚ F	1D2800000002	opal	LED bulb E27 dimmable max 21 W; fan power 55W max		6.612,00



accessories

	**D28/1** blades set tot Ø 1400 CE F	1D280P000000 1D280P000088	trasparent mix (orange, green, blue)			1.200,00 1.200,00
	**D28/2** screenprinted blades set tot Ø 1400 CE F	1D280P200000	trasparent			1.320,00
	**D28r** infrared remote control CE	1D280R000000	white			912,00

Light source included ☐

D95 BULBULLIA

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D95A3** wall/ceiling structure dimmable phase cut 220-240V ~ 50/60Hz L 310 x W 70 x H 370 CE	1D950A300002	white	LED 17 W 2700K CRI 90	☐	5.052,00
	**D95A5** wall/ceiling structure dimmable phase cut 220-240V ~ 50/60Hz L 370 x W 70 x H 620 CE	1D950A500002	white	LED 27 W 2700K CRI 90	☐	7.512,00

Light source included ☐

D38 CARRARA

Alfredo Haberli


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D38L** floor - foot dimmer 220-240V ~ 50/60Hz L 350 x W 225 x H 1850 base Ø 205 CE	1D380DL00001	black	LED 45W 3000K CRI 80	☐	20.244,00
		1D380DL00002	white			20.244,00

Light source included ☐

A03 CASSETTE

Daniel Rybakken

Power consumption: structure + power supply



A03W44	A03/1	23W
A03W44	A03/2	28W
A03W66	A03/1	41W
A03W66	A03/3	38W
A03H66	A03/1	59W
A03H66	A03/3	56W
A03W99	A03/1	58W
A03W99	A03/3	53W

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**A03W44** wall/ceiling L 400 x W 400 x H 85	1A030AW44002	matt white	LED 2700K CRI 90	☐	5.808,00
	**A03W66** wall/ceiling L 600 x W 600 x H 85	1A030AW66002	matt white	LED 2700K CRI 90	☐	8.172,00
	**A03W99** wall/ceiling L 900 x W 900 x H 85	1A030AW99002	matt white	LED 2700K CRI 90	☐	12.600,00

Light source included ☐

A03 CASSETTE


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
3000K versions						
	**A03H66** wall/ceiling high output version with prismatic diffuser L 600 x W 600 x H 85	1A030AH66002	matt white	LED 3000K CRI 90	☐	10.428,00
power supplies						
	**A03/1** power supply kit phase cut compatible with A03W44, A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/010000				1.140,00
	**A03/2** power supply kit dimmable push dim/DALI compatible with A03W44 220-240V ~ 50/60Hz	1A030/020000				1.740,00
	**A03/3** power supply kit dimmable push dim/DALI compatible with A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/030000				1.980,00

Light source included ☐

D81 COMPENDIUM

Daniel Rybakken



D81B2/D81BW2 D81U2/D81WU2	AD81/25D-D81/21-D81/25T-D81/22 D81/25D-D81/21-D81/25T-D81/22	37W 32W

Calculate the price of the lamp adding the structure to the base to the floor version or the ceiling rose at the suspension version.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	D81TW2 floor L 30 x W 46 x H 1610	1D810TW20001	black	LED 37W 2700K CRI 90	☐	7.632,00
		1D810TW20020	alu			7.632,00
		1D810TW20030	brass			7.632,00
3000K versions						
	D81T2 floor L 30 x W 46 x H 1610	1D810T020001	black	LED 37W 3000K CRI 90	☐	7.632,00
		1D810T020020	alu			7.632,00
		1D810T020030	brass			7.632,00

Light source included ☐

D81 COMPENDIUM

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D81/26D** base - foot dimmer 220-240V ~ 50/60Hz H 170 ø 145	1D810/26D001	black			3.768,00

suspension structure 2700K version

	**D81BW2** suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810BW20001 1D810BW20020 1D810BW20030	black alu brass	LED 33W 2700K CRI 90	☐	7.476,00 7.476,00 7.476,00

suspension structure 3000K version

	**D81B2** suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810B020001 1D810B020020 1D810B020030	black alu brass	LED 33W 3000K CRI 90	☐	7.476,00 7.476,00 7.476,00

suspension structure 2700K UGR version

	**D81UW2** suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810UW20001	black	LED 28W 2700K CRI 90	☐	7.476,00



suspension structure 3000K UGR version

	**D81U2** suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810U020001	black	LED 28W 3000K CRI 90	☐	7.476,00

Light source included ☐

D81 COMPENDIUM

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
ceiling rose						
	D81/25D ceiling rose - dimmable push/DALI L 180 x W 130 x H 40	1D810/25D000	white			3.216,00
	D81/25T ceiling rose - dimmable phase cut L 180 x W 130 x H 40	1D810/25T000	white			1.968,00
remote driver						
	**D81/21** remote driver dimmable push/DALI L 180 x W 80 x H 30	1D810/210000				768,00
	**D81/22** remote driver dimmable phase cut L 130 x W 68 x H 31	1D810/220000				540,00
accessories						
	**D81/2** accessory kit for mechanical joining 180° L 8	1D810/200001	black			324,00
	**D81/3** accessory kit for mechanical joining 90° L 4	1D810/300001	black			732,00

Light source included ☐

D81 COMPENDIUM


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D81/27** 2 extra cable kit 10 m 2 electric + metal cable CE	1D810/270000				2.460,00

Light source included ☐

D81C COMPENDIUM circle

Daniel Rybakken



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**D81C07W** suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000	1D810C07W001	black	54W 2700K CRI 90	☐	19.212,00
		1D810C07W020	alu			19.212,00
		1D810C07W030	brass			19.212,00
	**D81C11W** suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000	1D810C11W001	black	72W 2700K CRI 90	☐	22.104,00
		1D810C11W020	alu			22.104,00
		1D810C11W030	brass			22.104,00
	**D81C20W** suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000	1D810C20W001	black	125W 2700K CRI 90	☐	36.600,00
		1D810C20W020	alu			36.600,00
		1D810C20W030	brass			36.600,00

Light source included ☐

D81C COMPENDIUM circle

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
3000K versions						
	**D81C07** suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000	1D810C070001	black	54W 3000K CRI 90	☐	19.116,00
		1D810C070020	alu			19.116,00
		1D810C070030	brass			19.116,00
	**D81C11** suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000	1D810C110001	black	72W 3000K CRI 90	☐	21.336,00
		1D810C110020	alu			21.336,00
		1D810C110030	brass			21.336,00
	**D81C20** suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000	1D810C200001	black	125W 3000K CRI 90	☐	34.548,00
		1D810C200020	alu			34.548,00
		1D810C200030	brass			34.548,00
ceiling rose						
	**D81/4** ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 50 ø 240	1D810/400000				4.872,00
	**D81/5** ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/500000				5.496,00
	**D81/6** ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/600000				6.444,00

Light source included ☐

D81 COMPENDIUM circle


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
remote driver						
	**D81/10** remote driver dimmable push/DALI 24V, 60W, SELV 220-240V ~ 50/60Hz L 225 x W 43 x H 30.2 CE	1D810/100000				2.172,00
	**D81/11** remote driver dimmable push/DALI 24V, 100W, SELV 220-240V ~ 50/60Hz L 295 x W 43 x H 30.2 CE	1D810/110000				2.544,00
	**D81/12** remote driver dimmable push/DALI 24V, 150W, SELV 220-240V ~ 50/60Hz L 325 x W 43 x H 30.2 CE	1D810/120000				3.240,00
	**D81/8** optional remote drivers cover for multiple configurations (up to 3) H 60 ø 400 CE	1D810/800002				2.436,00

Light source included ☐

D81P COMPENDIUM plate

Daniel Rybakken



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**D81P2W** wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560 CE IP40	1D810P2W0001	black	39W 2700K CRI 90	☐	9.768,00
		1D810P2W0020	alu			9.768,00
		1D810P2W0030	brass			9.768,00
3000K versions						
	**D81P2** wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560 CE IP40	1D810P200001	black	39W 3000K CRI 90	☐	9.768,00
		1D810P200020	alu			9.768,00
		1D810P200030	brass			9.768,00
ceiling rose						
	D81/28D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz H 30 ø 300 CE	1D810/28D000	white			3.144,00
	D81/28T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 300 CE	1D810/28T000	white			2.916,00

Light source included ☐

D81P COMPENDIUM plate


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
remote driver					
	**D81/29** remote driver dimmable push/DALI 220-240V ~ 50/60Hz SELV CE	1D810/290000			1.140,00
	**D81/31** remote driver dimmable phase cut 220-240V ~ 50/60Hz SELV CE	1D810/310000			1.320,00

Light source included ☐

D13P COSTANZINA

Paolo Rizzatto



Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13pic.LED** complete version table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510 shade ø 260	1D13=NPLC020	alu body white shade	LED 5W E14	☐	3.324,00
	**D13pi** table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510	1D13=NP00017 1D13=NP00020 1D13=NP00030	black alu brass	LED E14 42W HSGSA E14		2.520,00 2.520,00 3.660,00
	**D13pipt** table with fixing pin (thickness max 57) on/off switch 220-240V ~ 50/60Hz H 510	1D13PNP00020	alu	LED E14 42W HSGSA E14		2.268,00
	**D13api** wall on/off switch 220-240V ~ 50/60Hz L 280 x H 540	1D13ANP00017 1D13ANP00020	black alu	LED E14 42W HSGSA E14		2.484,00 2.484,00
	**D13spi** suspension up and down - on/off switch 220-240V ~ 50/60Hz H min 1000 max 2500 ceiling rose: ø 120 H 30	1D13SNP00002	white counterweight	LED E14 42W HSGSA E14		2.388,00

Light source included ☐

D13P COSTANZINA


Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
shade						
	**D13/31** shade packing: 1 item H 170 ø 260 CE	9D1331437702	white			612,00
shades for Mezzo Tono collection						
	**D13/31** shade packing: 1 item H 170 ø 260 CE	9D1331437724	ed.pnk			720,00
		9D1331437734	m.whit			720,00
		9D1331437737	c.gree			720,00
		9D1331437738	sf.skn			720,00
		9D1331437739	sh.stn			720,00
shades for Radieuse collection						
	**D13/31** shade packing: 1 item H 170 ø 260 CE	9D1331437701	black			828,00
		9D1331437705	con.gr			828,00
		9D1331437706	sm.yel			720,00
		9D1331437708	pr.red			720,00
		9D1331437736	pet.bl			720,00
accessories						
	**D13/25** off-center ceiling rose H 30 ø 120	9D1325476800	white			612,00
	**D13/50** wall mount ceiling rose for D13 a.pi	9D1350620701	black			840,00
		9D1350620720	alu			840,00

Light source included ☐

D13 COSTANZA

Paolo Rizzatto



Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
We recommend the use of accessory for a better diffusion of light with halogen bulbs and white shade.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D13c** complete version table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100 shade ø 400	1D13N=00C020A	alu body white shade and diffuser	LED E27 dimmable HSGA max 105W E27	6.000,00
	**D13** table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100	1D13N=000017 1D13N=000020 1D13N=000030	black alu brass	LED E27 dimmable HSGA max 105W E27	4.512,00 4.512,00 6.036,00
	**D13i** table telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800	1D13N=010020	alu	LED E27 HSGA max 105W E27	3.732,00
	**D13if** table fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800	1D13N=01F020	alu	LED E27 HSGA max 105W E27	3.492,00
	**D13pt** table telescopic with fixing pin sensor dimmer on board 220-240V ~ 50/60Hz H min 760 - max 1100	1D13NPT00020	alu	LED E27 dimmable HSGA max 105W E27	3.864,00

Light source included ☐

D13 COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D13pti** table telescopic with fixing pin on/off switch 220-240V ~ 50/60Hz H min 760 - max 1100	1D13NPT10020	alu	LED E27 HSGA max 105W E27	3.144,00
	**D13tc** complete version floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600 shade ø 400	1D13NT00C020A	alu body white shade and diffuser	LED E27 dimmable HSGA max 105W E27	6.576,00
	**D13t** floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT000017 1D13NT000020 1D13NT000030	black alu brass	LED E27 dimmable HSGA max 105W E27	4.980,00 4.980,00 6.576,00
	**D13ti** floor telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT010020	alu	LED E27 HSGA max 105W E27	4.284,00
	**D13tif** floor fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 1530	1D13NT01F020	alu	LED E27 HSGA max 105W E27	4.044,00
	**D13a** wall telescopic sensor dimmer on board 220-240V ~ 50/60Hz W min 440 - max 570 x H min 760 - max 1100	1D13NA000020	alu	LED E27 HSGA max 105W E27	3.924,00

Light source included ☐

D13 COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13aif** wall fixed on/off switch 220-240V ~ 50/60Hz W 460 x H 800 CE	1D13NA01F020	alu	LED E27 HSGA max 105W E27		3.048,00
	**D13s** suspension telescopic 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 70 H 40 CE	1D13NS000020	alu	LED E27 HSGA max 105W E27		3.264,00
	**D13sas** suspension up and down 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 120 H 30 CE	1D13NSA20020	counterweight steel matt chrome	LED E27 HSGA max 105W E27		2.436,00

shade

	**D13/1** shade packing 1 item H 280 ø 400 CE	9D1301511702	white			1.008,00

shades for Mezzo Tono collection

	**D13/1** shade packing 1 item H 280 ø 400 CE	9D1301511724 9D1301511734 9D1301511737 9D1301511738 9D1301511739	edgy pink mistic white comfort green soft skin shaded stone			1.524,00 1.524,00 1.524,00 1.524,00 1.524,00

shades for Radieuse collection

	**D13/1** shade packing 1 item H 280 ø 400 CE	9D1301511701 9D1301511705 9D1301511706 9D1301511708 9D1301511736	black concrete grey smart yellow primay red petroleum blue			1.824,00 1.824,00 1.524,00 1.524,00 1.524,00

Light source included ☐

D13 COSTANZA


Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
accessories						
	**D13/25** off-center ceiling rose H 30 ø 120 CE	9D1325476800	white			612,00
	**D13/50** wall mount accessory for D13a - D13aif CE	9D1350620701 9D1350620720	black alu			840,00 840,00
shades and accessories						
	**D13/91** diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121 CE	1D13N/910000				312,00


Light source included ☐

D13E LADY COSTANZA

Paolo Rizzatto



Calculate the price of the lamp adding the cost of the body to the shade.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D13E d.** floor telescopic dimmer on board 220-240V ~ 50/60Hz L 203 x W base 360x360 x H 217 - 250	1D13GED00017	black	LED E27 dimmable HSGSA 105W E27	15.096,00
		1D13GED00020	alu		15.024,00
	**D13Ea d.** wall telescopic dimmer on board 220-240V ~ 50/60Hz L 191 x H 215 - 248	1D13GEDA0020	alu	LED E27 dimmable HSGSA 105W E27	12.576,00
	**D13E sas** suspension up and down 220-240V ~ 50/60Hz H 100 ø 500 L cable: 3000 ceiling rose: Ø120 x 30	1D13GESA0020	alu	LED E27 dimmable HSGSA 105W E27	2.724,00
	**D13E/1** shade H 350 ø 500	1D13GE/01001	black		3.804,00
		1D13GE/01002	white		2.328,00
		1D13GE/01013	red		3.504,00
		1D13GE/01039	shaded stone		2.724,00
	**D13/25** off-center ceiling rose H 30 ø 120	9D1325476800	white		612,00

Light source included ☐

D13E LADY COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13/91** diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121 CE F	1D13N/910000				312,00

Light source included ☐

D13G GRANDE COSTANZA


Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13Gt** floor telescopic sensor dimmer 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700	1D13GTDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27		16.812,00
	**D13Gti** floor telescopic on/off switch 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700	1D13GTIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27		16.656,00
	**D13Gs** suspension sensor dimmer 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30	1D13GSDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27		9.192,00
	**D13Gsi** suspension on/off switch 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30	1D13GSIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27		8.652,00

Light source included ☐

D130 GRANDE COSTANZA OPEN AIR

Paolo Rizzatto



Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13G.air** floor outdoor on/off switch 220-240V ~ 50/60Hz H 2210 ø 21 CE IP65	1D13GT/00013 1D13GT/00020	rust alu	LED E27 205W HSGST E27		11.520,00 11.520,00
	**D13GSO** suspension structure on/off switch 220-240V ~ 50/60Hz H max 5000 ø 106 H 237 CE IP65	1D13GSOUT020	alu	LED E27 max 15W		9.000,00
	**D13G/1** shade for floor and suspension version H 350 ø 700 CE	1D13GP/01002 1D13GP/01011 1D13GP/01013	white green rust			3.684,00 5.016,00 5.016,00

Light source included ☐

D130 GRANDE COSTANZA OPEN AIR

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D13E/2** shade only for suspension structure H 350 ø 500 CE	1D13GE/02002	white			2.256,00
	**D13G.air/2** base L 530 x W 125 x H 530 CE	1D13GT/02013 1D13GT/02020	rust alu			5.148,00 5.148,00
	**D13G.air/3** stake for inserting into the soil L stem 21 x H 507 base ø 500 CE	1D13GT/03020	alu			1.584,00
	**D13G.air/4** fixed base for dowels L 125 x H 13 CE	1D13GT/04013 1D13GT/04020	rust alu			1.584,00 1.584,00

Light source included ☐

D73 COUNTERBALANCE

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D73N** wall step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz L 85 x W min 710 - max 1990 x H min 240 - max 2220	1D73N0000001	black	LED 16W 2700K CRI 90	☐	11.352,00
		1D73N0000007	red			11.352,00

Light source included ☐

D73 COUNTERBALANCE SPOT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D73NA1** wall/ceiling dimmable trailing edge 220-240V ~ 50/60Hz L 280 ceiling rose ø 120, head ø 85	1D73NA100001	black	LED 12W 2700K CRI 90	☐	5.556,00

Light source included ☐


D73 COUNTERBALANCE FLOOR

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
Add the cost of the body (D73NT) to the base (D73/1)						
	**D73NT** floor step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz H 1560	1D73NT000001	black	LED 16W 2700K CRI 90	☐	6.408,00
	**D73/1** base H 240 ø 145	1D730/100001	black			2.868,00

Light source included ☐

A14 DIX BOUGIES




struttura
A14S10W

push/DALI ceiling rose
A14/3D

diffusori
A14/2

lampada completa



structure
A14S10W

phase cut ceiling rose
A14/3T

diffuser
A14/2

complete lamp



structure
A14S06W

push/DALI ceiling rose
A14/5D

diffuser
A14/1

complete lamp



structure
A14S06W

phase cut ceiling rose
A14/5T

diffuser
A14/1

complete lamp

A14S10W	A14/3D	75W
A14S10W	A14/3T	80W
A14S06W	A14/5D	45W
A14S06W	A14/5T	47W

Calculate the price of the lamp adding the ceiling rose to the diffuser.

A14 DIX BOUGIES

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
structure						
	**A14S10W** suspension I: max 2A, V: 37 Vdc, SELV L 1930 x W 747 x H 35 L cable: 5000	1A140S10W001	black	LED 67W 2700K CRI 90	☐	13.692,00
dimmable ceiling rose push/DALI						
	**A14/3D** dimmable ceiling rose push/DALI for A14S10W 220-240V ~ 50/60Hz L 550 x W 43 x H 30	1A140/03D001	black			2.592,00
dimmable ceiling rose phase cut						
	**A14/3T** dimmable ceiling rose phase cut for A14S10W 220-240V ~ 50/60Hz L 310 x W 51 x H 84	1A140/03T001	black			3.240,00
remote driver						
	**A14/4** remote driver push/DALI dimmerabile 2000 mA, 100W SELV L 235 x W 100 x H 31	1A140/040000				1.164,00
diffusers						
	**A14/2** 10 diffusers for A14S10W H 150 Ø 23	1A140/020002	white			4.104,00

Light source included ☐

A14 DIX BOUGIES


Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
structure PETITE						
	**A14S06W** suspension I: max 1,2A, V: 37 Vdc, SELV L 1100 x W 447 L cable: 5000	1A140S06W001	black	LED 40W 2700K CRI 90	☐	6.012,00
dimmable ceiling rose push/DALI						
	**A14/5D** dimmable ceiling rose push/DALI for A14S06W 220-240V ~ 50/60Hz L 550 x W 43 x H 30	1A140/05D001	black			2.868,00
dimmable ceiling rose phase cut						
	**A14/5T** dimmable ceiling rose phase cut for A14S06W 220-240V ~ 50/60Hz L 270 x W 74 x H 34	1A140/05T001	black			2.724,00
remote driver						
	**A14/6** remote driver push/DALI dimmerabile 1200 mA, 100W SELV L 235 x W 100 x H 31	1A140/060000				1.164,00
diffusers						
	**A14/1** 6 diffusers for A14S06W H 150 Ø 23	1A140/010002	white			2.700,00

Light source included ☐

A05 DOI

Meneghello Paolelli



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
complete wall version 2700K. Ceiling rose finish / optic finish						
	**A05ADW** wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60	1A050ADW0001	black/black	LED 7W 2700K CRI 90	☐	4.668,00
		1A050ADW0002	white/ribbed white			4.668,00
		1A050ADW0030	black/brass			4.668,00
		1A050ADW0035	white/black			4.668,00
	CE	1A050ADW0098	black/ribbed white			4.668,00
complete wall version 3000K. Ceiling rose finish / optic finish						
	**A05AD** wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60	1A050AD00001	black/black	LED 7W 3000K CRI 90	☐	4.668,00
		1A050AD00002	white/ribbed white			4.668,00
		1A050AD00030	black/brass			4.668,00
		1A050AD00035	white/black			4.668,00
	CE	1A050AD00098	black/ribbed white			4.668,00

Light source included ☐

A05 DOI

Meneghello Paolelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
bodies suspension version 2700K						
	**A05S1W** suspension body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S1W0001 1A050S1W0030	black brass	LED 5W 2700K CRI 90	☐	2.760,00 3.168,00
	**A05S2W** suspension ribbed body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S2W0002	white	LED 5W 2700K CRI 90	☐	2.760,00
bodies suspension version 3000K						
	**A05S1** suspension body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S100001 1A050S100030	black brass	LED 5W 3000K CRI 90	☐	2.760,00 3.168,00
	**A05S2** suspension ribbed body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S200002	white	LED 5W 3000K CRI 90	☐	2.760,00
ceiling rose						
	**A05/1T** ceiling rose dimmable phase cut 220-240V ~ 50/60Hz H 65 Ø 110	1A050/01T001	black			1.332,00
	**A05/1D** ceiling rose dimmable DALI 220-240V ~ 50/60Hz H 65 Ø 110	1A050/01D001	black			1.620,00

Light source included ☐

A05 DOI

Meneghello Paolelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
counterweight						
	**A05/2** counterweight W 15 Ø 105 L cable: 3000 CE F	1A050/020001	black			1.392,00
accessory counterweight						
	A05/3 counterweight accessory for B configuration CE	1A050/030000	metal			492,00
cover plate						
	A05/6 cover plate accessory only for wall/ ceiling structure L 270 x W 20 x H 140 Ø 95 CE	1A050/060001 1A050/060002	black white			528,00 528,00
track adapter						
	**A05/7** track adapter dimmable DALI 48V dc, SELV L 70 x W 11 x H 160 CE F	1A050/070001 1A050/070002	black white			1.080,00 1.080,00
remote driver						
	**A07/4** remote driver dimmable push/DALI 500 mA, 42W, SELV 220-240V 50/60Hz L 98 x W 43 x H 22 CE	1A070/040000				636,00

Light source included ☐

A05 DOI

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A07/6** remote driver dimmable phase cut 501 mA, 30W, SELV 220-240V 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/060000				312,00

spot for track version 2700K


	**A05WB1** track dimmable DALI 48Vdc, SELV H 180 Ø 25 CE	1A05WB010001	black	LED 6W 2700K CRI 90	☐	2.520,00
		1A05WB010002	white			2.520,00
		1A05WB010030	brass			2.520,00

spot for track version 3000K

	**A050B1** track dimmable DALI 48Vdc, SELV H 180 Ø 25 CE	1A050B010001	black	LED 6W 3000K CRI 90	☐	2.520,00
		1A050B010002	white			2.520,00
		1A050B010030	brass			2.520,00

Light source included ☐


E04 CEILING



Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**E04200** ceiling direct light H 279 Ø 70 CE F	1E0400200001	black		1.356,00
		1E0400200002	white		1.356,00
		1E0400200030	brass		1.356,00

Light source included ☐



Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**E04250** wall direct and direct/indirect light L 168 x W 134 x H 465 CE F	1E0400250001	black			2.460,00
		1E0400250002	white			2.460,00
		1E0400250030	brass			2.460,00

top cover to use with retrofit optics


	**E0401** top cover CE F	1E040/010001	black			276,00

Light source included ☐


E04270



E04280



E04280



Calculate the price of the lamp adding the body to the optic (see following pages).

E04 SUSPENSION

Habits Studio

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**E04270** suspension direct light H 279 Ø 70 L cable: 3000 CE F	1E0400270001 1E0400270002 1E0400270030	black white brass			2.280,00 2.280,00 2.280,00
	**E04280** suspension direct and direct/indirect light H 465 Ø 70 L cable: 3000 CE F	1E0400280001 1E0400280002 1E0400280030	black white brass			2.256,00 2.256,00 2.256,00

accessories

	**EA1096** 5-pole ceiling rose kit ceiling rose: Ø 120 x 30 CE	1EA100096000	white			240,00
	**E0402** top cover for E04280 CE	1E040/020001	black			432,00

Light source included ☐

E04 optics

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
optics for E04 (ceiling, wall e suspension)						
	**E041M** medium beam optic 45° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz CE ⏚	1E040/1M0000		COB LED module 12 W 2700K CRI 90	☐	2.244,00
	**E041R** retrofit optic dimmable phase cut for body Ø 70 220-240V ~ 50/60Hz CE ⏚	1E040/1R0000		LED retrofit GU10	☐	924,00
	**E041W** large beam optic 60° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz CE ⏚	1E040/1W0000		COB LED module 12 W 2700K CRI 90	☐	2.244,00
	**E042M** medium beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz CE ⏚	1E040/2M0000		COB LED module 19 W 2700K CRI 90	☐	2.820,00
	**E042W** large beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz CE ⏚	1E040/2W0000		COB LED module 19 W 2700K CRI 90	☐	2.820,00
	**E042R** retrofit optic dimmable phase cut for body Ø 134 220-240V ~ 50/60Hz CE ⏚	1E040/2R0000		LED retrofit GU53	☐	1.908,00

Light source included ☐

E04 optics

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**E043M** medium beam optic 30° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz CE ⏚	1E040/3M0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97	☐	2.364,00
	**E043W** large beam optic 42° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz CE ⏚	1E040/3W0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97	☐	2.364,00

Light source included ☐

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
bodies for LED optics						
	**E06100** ceiling fixture dimmable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70 CE	1E0600100001 1E0600100002 1E0600100030	black white brass			3.756,00 3.756,00 3.756,00
	**E06150** electrified EUTRAC fixture dimmable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70 CE	1E0600150001 1E0600150002 1E0600150030	black white brass			4.236,00 4.236,00 4.236,00
LED optics						
	**E061M** LED optic medium beam 45° CE	1E060/1M0000		LED module COB 11W 2700K CRI 90	☐	1.512,00
	**E061W** LED optic large beam 60° CE	1E060/1W0000		LED module COB 11W 2700K CRI 90	☐	1.512,00
	**E062M** LED optic medium beam 45° CE	1E060/2M0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97	☐	1.728,00
	**E062W** LED optic large beam 60° CE	1E060/2W0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97	☐	1.728,00

Light source included ☐

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
bodies for retrofit optics					
	**E06200** ceiling fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE	1E0600200001 1E0600200002 1E0600200030	black white brass		3.456,00 3.456,00 3.456,00
	**E06250** electrified EUTRAC fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE	1E0600250001 1E0600250002 1E0600250030	black white brass		3.972,00 3.972,00 3.972,00
retrofit optic					
	**E041R** retrofit optic dimmable phase cut for body Ø 7 220-240V ~ 50/60Hz CE	1E040/1R0000		LED retrofit GU10	924,00

Light source included ☐

D67P ECRAN IN&OUT


Inga Sempé

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D67PLN1** wall indoor/outdoor H 145 Ø 185 CE **IP65**	1D670PN10002	white	LED 8W 3000K CRI 80	☐	2.880,00

Light source included ☐

D96 FAREL

Diego Sferrazza




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
LED optics. 2700K version						
	**D96/6DW** optic + suspension cables dimmable push/DALI - 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6DW001	black	LED module 23W 2700K CRI 90	☐	5.412,00
		1D960/6DW020	alu			5.412,00
LED optics. 3000K version						
	**D96/6D** optic + suspension cables dimmable push/DALI 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6D0001	black	LED module 23W 3000K CRI 90	☐	5.412,00
		1D960/6D0020	alu			5.412,00
sound-absorbing body						
	**D96C** recycled acoustic material and flame retardant H 400 Ø 800	1D960C0000A4	dark grey / white			9.588,00
		1D960C0000A5	light grey / white			9.588,00
		1D960C0000B3	rust/black			9.588,00
		1D960C0000G3	ocher/black			9.588,00
finishing ring						
	**D96A** lower finishing ring Ø 800	1D960A000001	black			3.312,00
		1D960A000020	alu			3.312,00

Light source included ☐

D980 FIENILE outdoor

Daniel Rybakken



The lamp has an IK05 grade

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
optic (the lamp is supplied without power supply)						
	**D98TM1** floor outdoor 24Vdc L 450 x W 280 x H 20 CE IP65 IK5	1D980TM10005 1D980TM10020	dark grey light grey	LED 22W 3000K CRI 90	☐	4.584,00 4.296,00
structures						
	**D98/2** floor outdoor L 320 x W 150 x H 300 CE	1D980/020005 1D980/020020	dark grey light grey			2.736,00 2.736,00
	**D98/3** floor outdoor L 320 x W 150 x H 700 CE	1D980/030005 1D980/030020	dark grey light grey			3.624,00 3.624,00
remote drivers (the junction box is recommended watertight IP68)						
	**D98/5** remote driver on/off 24V, 30W, SELV L 153 x W 32 x H 41 CE	1D980/050000	white			612,00

Light source included ☐

D980 FIENILE outdoor


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D94/1** remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz SELV L 187 x W 45 x H 30.5 CE	1D940/100000				1.200,00

Light source included ☐

A04 FLIA

Alessandro Zambelli



The lamp has an IK03 grade. Calculate the price of the lamp adding the structure to the picket or base to the driver (optional).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.

structure (the lamp is supplied without power supply). 3000K versions

	A04WTF1A floor single structure I: max 300mA V: 8,5Vdc H 750 Ø 50 CE IP65 IK03	1A04WTF1A001	matt black	LED 2.5 W 3000K CRI 90	☐	5.256,00
	A04WTF1B floor single structure I: max 300mA V: 8,5Vdc H 1200 Ø 50 CE IP65 IK03	1A04WTF1B001	matt black	LED 2.5 W 3000K CRI 90	☐	5.448,00
	A04WTF1C floor single structure I: max 300mA V: 8,5Vdc H 1800 Ø 50 CE IP65 IK03	1A04WTF1C001	matt black	LED 2.5 W 3000K CRI 90	☐	5.868,00
	A04WTF2 floor multiple structure 2 stems I: max 600mA V: 8,5Vdc L 750 x H 1200 Ø 50 CE IP65 IK03	1A04WTF20001	matt black	LED 5 W 3000K CRI 90	☐	8.556,00

Light source included ☐

A04 FLIA

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A04WTF3** floor multiple structure 3 stems I: max 900mA V: 8,5Vdc L 2x 1200 x H 1800 Ø 50 CE **IP65 IK03**	1A04WTF30001	matt black	LED 7.5 W 3000K CRI 90	☐	12.132,00

track 2700K versions

	**A04WB1** track dimmable push/DALI 48Vdc SELV L 160 x H 700 CE	1A04WB010001	matt black	LED 3,3W 3000K CRI 90	☐	4.212,00

track 3000K versions

	**A04B1** track dimmable push/DALI 48Vdc SELV L 160 x H 700 CE	1A040B010001	matt black	LED 3,3W 2700K CRI 90	☐	4.212,00

accessories

	**A04/1** base standing L 140 x W 100 x H 50 CE	1A040/010001	matt black			912,00
	**A04/2** picket H 280 Ø 50 CE	1A040/020000	matt black			1.680,00

remote drivers (the junction box is recommended watertight IP68)

	**A04/3** driver on/off I: 300/600/900 A, 42W L 146 x W 43.5 x H 22 CE	1A040/030000				276,00

Light source included ☐

A04 FLIA

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A04/4** driver dimmable push/DALI I: 300/600/900 A, 40W L 98 x W 43 x H 22 CE	1A040/040000				600,00

portable/rechargeable lamp (USB charger not included in the package)

	A04TP1B floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1200 CE **IP65 IK03**	1A040TP1B001	matt black	LED 4W 3000K CRI 90	☐	6.108,00
	A04TP1C floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1800 CE **IP65 IK03**	1A040TP1C001	matt black	LED 4W 3000K CRI 90	☐	6.468,00


USB charger for A04TP1B and A04TP1C

	**A02/1** USB charger input 110/240V -50/60Hz output 5v 2,4A CE	1A020/010000				432,00

Light source included ☐

D33 FORTEBRACCIO

Alberto Meda,Paolo Rizzatto



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D33N.100** table/wall on/off switch 220-240V ~ 50/60Hz L arms L 440 + 355 head Ø 160	1D33N2GI00AA	metal	LED filament E27 max 42W HSGSA E27	2.796,00
		1D33N2GI0001	black		3.252,00
		1D33N2GI0002	white		2.952,00
	**D33Nsp.60** ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 110	1D33NSPI00AA	metal	LED E14 max 28W Spot R50 E14	2.088,00
		1D33NSPI0001	black		2.328,00
		1D33NSPI0002	white		2.148,00
	**D33Nsp.100** ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 160	1D33NSGI00AA	metal	LED filament E27 max 42W HSGSA E27	2.172,00
		1D33NSGI0001	black		2.472,00
		1D33NSGI0002	white		2.316,00

accessories

	**D33N/01** base Ø 236	1D33N/01000A	metal		1.356,00
		1D33N/010001	black		1.428,00
		1D33N/010002	white		1.356,00

Light source included ☐

D33 FORTEBRACCIO

Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D33N/03** universal joint H 118 CE	1D33N/03000A	metal			552,00
	**D33N/04** clamp H min 10 - max 65 CE	1D33N/04000A	metal			552,00
	**D33N/05** fixing pin Ø 125 CE	1D33N/05000A	metal			888,00

Light source included ☐


D90 GARBÌ

David Dolcini

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K versions						
	**D90NW1** wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140	1D90NAW10002	white	LED 20W 2700K CRI 90	☐	4.236,00
3000K versions						
	**D90NC1** wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140	1D90NAC10002	white	LED 20W 3000K CRI 90	☐	4.236,00

Light source included ☐


A16 HONO



body
A16=1W

A16/1
diffuser

complete lamp



body
A16T1W

base
A16/5

diffuser
A16/3


complete lamp



body
A16S2W/A16SD2W

diffuser
A16/4


complete lamp



body
A16S1W/A16SD1W

diffuser
A16/2

complete lamp



body
A16B1W

diffuser
A16/2

complete lamp

A16 HONO

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
Table version (Determine the price of the lamp by adding the structure and the diffuser)						
	A16=1W table structure 220-240V - 50/60 Hz H 672 base ø 50	1A160=01W001	black	LED 21W 2700K CRI 90	☐	4.320,00
	A16/1 table diffuser L 410 ø 50	1A160/010002	white			1.068,00
Floor version (Determine the price of the lamp by adding the structure and the diffuser)						
	A16/5 floor base L 203 ø 80	1A160/050001	black			2.532,00
	A16T1W floor structure 220-240V - 50/60 Hz H 1806 ø 80	1A160T01W001	black	LED 46W 2700K CRI 90	☐	4.812,00
	A16/3 floor diffuser L 640 ø 50	1A160/030002	white			1.536,00
Horizontal suspension version (Determine the price of the lamp by adding the structure and the diffuser)						
	**A16S2W** horizontal suspension structure dimmable phase cut 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, l 1080	1A160S02W001	black	LED 50W 2700K CRI 90	☐	6.096,00

Light source included ☐

A16 HONO

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A16SD2W** horizontal suspension structure dimmable DALI 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, l 1080	1A160SD2W001	black	LED 50W 2700K CRI 90	☐	5.652,00
	A16/4 suspension horizontal diffuser L 940 ø 50	1A160/040002	white			1.332,00

Suspension and track version (Determine the price of the lamp by adding the structure and the diffuser)

	A16S1W vertical suspension structure dimmable phase cut 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, l 1000	1A160S01W001	black	LED 37W 2700K CRI 90	☐	5.592,00
	A16SD1W vertical suspension structure dimmable DALI 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, l 1000	1A160SD1W001	black	LED 37W 2700K CRI 90	☐	5.304,00
	**A16B1W** track system H 1000 ø 50	1A160B01W001	black	LED 37W 3000K CRI 90	☐	2.832,00
	A16/2 suspension vertical/track diffuser L 410 ø 50	1A160/020002	white			1.236,00

Light source included ☐

D66 HOPE

Francisco Gomez Paz,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D66/12** suspension 220-240V ~ 50/60Hz H 490 Ø 610 L cable: 3000 ceiling rose: Ø 120 x 30	1D6612S00000	methacrylate	LED E27 max 20W		13.884,00
	**D66/18** suspension 220-240V ~ 50/60Hz H 540 Ø 720 L cable: 3000 ceiling rose: Ø 120 x 30	1D6618S00000	methacrylate	LED E27 max 20W		18.444,00
	**D66/42** suspension 220-240V ~ 50/60Hz H 660 Ø 1100 L cable: 3000 ceiling rose: Ø 160 x 40	1D6642S00000	methacrylate	3x LED E27 max 20W		55.488,00
	**D66/105** suspension 220-240V ~ 50/60Hz H 900 Ø 2000 L cable: 3000 ceiling rose: Ø 160 x 40	1D66105S0000	methacrylate	5x LED E27 max 20W		153.984,00

for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).

	**D66/18td** floor structure foot dimmer 220-240V ~ 50/60Hz H 540 Ø 720	1D6618TD0000	methacrylate	LED E27 max 20W		18.768,00
	**D66/18t.1** ground rod L 51.7 x H 1640	1D6618T01019	polished			8.004,00

Light source included ☐

D66 HOPE

Francisco Gomez Paz,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D66/03a** wall 220-240V ~ 50/60Hz L 480 x W 285 x H 430 CE ⏚ F	1D6603A00000	methacrylate	LED dimmable R7s L 78mm, ø max: 22mm max 120W R7S HDG L 78 mm		4.584,00
	**D66/08a** wall 220-240V ~ 50/60Hz L 610 x W 456 x H 490 CE ⏚ F	1D6608A00000	methacrylate	MAX 20W LED E27		10.728,00
	**D66/12p** ceiling 220-240V ~ 50/60Hz H 420 Ø 690 CE ⏚ F	1D6612P00000	methacrylate	3 x 12W LED E14		15.588,00
	**D66/30p** ceiling 220-240V ~ 50/60Hz H 640 Ø 1090 CE ⏚ F	1D6630P00000	methacrylate	3 x 20W SB LED E27		38.472,00

accessories

	**D66R/KT** kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit) L cable: 15000 CE	9D66000000000	metal			4.608,00

Light source included ☐

D82 ILLAN

Zsuzsanna Horvath

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D82S1** suspension dimmable phase cut 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60	1D82YS100099	birch	LED 25W 2700K CRI 90	☐	11.172,00
	**D82S1D** suspension dimmable push/DALI 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60	1D82YS1D0099	birch	LED 25W 2700K CRI 90	☐	11.796,00
	**D82S2** suspension dimmable phase cut 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60	1D82YS200099	birch	LED 32W 2700K CRI 90	☐	14.220,00
	**D82S2D** suspension dimmable push/DALI 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60	1D82YS2D0099	birch	LED 32W 2700K CRI 90	☐	14.916,00
	**D82S3** suspension dimmable phase cut 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60	1D82YS300099	birch	LED 40W 2700K CRI 90	☐	16.764,00
	**D82S3D** suspension dimmable push/DALI 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60	1D82YS3D0099	birch	LED 40W 2700K CRI 90	☐	17.472,00

Light source included ☐

D82 ILLAN

Zsuzsanna Horvath

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D82/1** extra cable kit 10m L cable: 10000 CE F	1D820/010000	transparent			2.148,00

wall structure


	**D82A1TW** wall structure dimmable phase cut H 300 ø 300 CE F	1D82YA1TW099	birch	LED 21W 2700K CRI 90	☐	4.992,00
	**D82A1T** wall structure dimmable phase cut H 300 ø 300 CE F	1D82YA1T0099	birch	LED 21W 3000K CRI 90	☐	4.992,00

The brand of management
responsible forestry
FSC™ C151310

Light source included ☐

A09 J-US

Alessandro Zambelli



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
structure						
	A09/1D suspension dimmable push/DALI 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52	1A090/01D001 1A090/01D030	matt black satin gold			6.120,00 6.720,00
	A09/1T suspension dimmable phase cut 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52	1A090/01T001 1A090/01T030	matt black satin gold			5.892,00 6.468,00
	**A09/2D** suspension dimmable push/DALI 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52	1A090/02D001 1A090/02D030	matt black satin gold			6.684,00 7.260,00

Light source included ☐

A09 J-US

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A09/2T** suspension dimmable phase cut 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE	1A090/02T001 1A090/02T030	matt black satin gold			6.456,00 6.996,00
	A09/3D suspension dimmable push/DALI 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50 CE	1A090/03D001 1A090/03D030	matt black satin gold			7.896,00 8.100,00
	A09/3T suspension dimmable phase cut 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50 CE	1A090/03T001 1A090/03T030	matt black satin gold			10.668,00 10.932,00

wall structure

	A09A1T wall phase cut dimmable 220-240V ~ 50/60Hz H 870 ø 28 CE	1A090A01T001 1A090A01T030	matt black satin gold			4.392,00 4.392,00

arms

	**A09C12WN** 2 single arms kit L 240 x W 226 CE	1A09NC12W001 1A09NC12W030	matt black satin gold	LED 2 x 3W 2700K CRI 90	☐	2.796,00 2.796,00
	A09C16WN 6 single arms kit L 240 x W 226 CE	1A09NC16W001 1A09NC16W030	matt black satin gold	LED 6 x 3W 2700K CRI 90	☐	7.524,00 7.524,00

Light source included ☐


A09 J-US


Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A09C22WN** 2 double arms kit L 456 x W 317 CE	1A09NC22W001 1A09NC22W030	matt black satin gold	LED 2 x 6W 2700K CRI 90	☐	4.668,00 4.668,00
	**A09C23WN** 3 double arms kit L 456 x W 317 CE	1A09NC23W001 1A09NC23W030	matt black satin gold	LED 6 x 6W 2700K CRI 90	☐	6.960,00 6.960,00
	**A09C32WN** 2 triple arms kit L 673 x W 408 CE	1A09NC32W001 1A09NC32W030	matt black satin gold	LED 3 x 9W 2700K CRI 90	☐	7.680,00 8.040,00
	A09C01WN single arm small L 147 x W 226 CE	1A09NC01W001 1A09NC01W030	matt black satin gold	LED 3W 2700K CRI 90	☐	708,00 708,00
	**A09C11WN** single arm L 240 x W 226 CE	1A09NC11W001 1A09NC11W030	matt black satin gold	LED 3W 2700K CRI 90	☐	1.404,00 1.404,00

Light source included ☐

A07 KOINÈ









A07S20W/A07S20	A07/3D-A07/3T-A07/12-A07/13	15W
A07S37WN/A07S55WN A07S37N/A07S55N	A07/1D-A07/04	21W
A07S37WN/A07S55WN A07S37N/A07S55N	A07/1T-A07/06	22W
A07S55WN/A07S55N	A07TD	19W
A07S86W//A07S86/A07S11WN/A07S11N A07F86WN/A07F86N/A07F11WN/A07F11N	A07/2D-A07/05	30W
A07S86W//A07S86/A07S11WN/A07S11N A07F86WN/A07F86N/A07F11WN/A07F11N	A07/2T-A07/07	31W

Calculate the price of the lamp adding the body to the ceiling rose.

A07 KOINÈ

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K bodies						
	A07S20W suspension I: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50	1A070S20W001 1A070S20W002 1A070S20W007 1A070S20W010	matt black matt white matt red matt blue	LED 12W 2700K CRI 90	☐	5.316,00 5.316,00 5.316,00 5.316,00
	A07S37WN suspension I: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50	1A07NS37W001 1A07NS37W002 1A07NS37W007 1A07NS37W010	matt black matt white mat red mat blue	LED 19W 2700K CRI 90	☐	6.288,00 6.288,00 6.288,00 6.288,00
	A07S55WN suspension I: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50	1A07NS55W001 1A07NS55W002 1A07NS55W007 1A07NS55W010	matt black matt white mat red mat blue	LED 19W 2700K CRI 90	☐	7.488,00 7.488,00 7.488,00 7.488,00
	**A07S86W** suspension I: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A070S86W001 1A070S86W002 1A070S86W007 1A070S86W010	matt black matt white mat red mat blue	LED 26W 2700K CRI 90	☐	13.656,00 13.656,00 14.268,00 14.268,00
	**A07S11WN** suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NS11W001 1A07NS11W002 1A07NS11W007 1A07NS11W010	matt black matt white mat red mat blue	LED 26W 2700K CRI 90	☐	16.884,00 17.244,00 17.268,00 17.268,00
3000K bodies						
	A07S20 suspension I: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50	1A070S200001 1A070S200002 1A070S200007 1A070S200010	matt black matt white matt red matt blue	LED 12W 3000K CRI 90	☐	5.316,00 5.316,00 5.316,00 5.316,00

Light source included ☐

A07 KOINÈ

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	A07S37N suspension I: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50	1A07NS370001	matt black	LED 19W 3000K CRI 90	☐	6.288,00
		1A07NS370002	matt white			6.288,00
		1A07NS370007	mat red			6.288,00
	CE	1A07NS370010	mat blue			6.288,00
	A07S55N suspension I: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50	1A07NS550001	matt black	LED 19W 3000K CRI 90	☐	7.488,00
		1A07NS550002	matt white			7.488,00
		1A07NS550007	mat red			7.488,00
	CE	1A07NS550010	mat blue			7.488,00
	**A07S86** suspension I: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A070S860001	matt black	LED 26W 3000K CRI 90	☐	13.656,00
		1A070S860002	matt white			13.656,00
		1A070S860007	mat red			14.268,00
	CE	1A070S860010	mat blue			14.268,00
	**A07S11N** suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NS110001	matt black	LED 26W 3000K CRI 90	☐	16.944,00
		1A07NS110002	matt white			17.292,00
		1A07NS110007	mat red			17.328,00
	CE	1A07NS110010	mat blue			17.328,00

sound-absorbing body 2700K

	**A07F86WN** suspension I: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07NF86W004	medium grey	LED 26W 2700K CRI 90	☐	12.156,00
		1A07NF86W005	anthracite			12.156,00
		1A07NF86W011	green			12.156,00
	CE					
	**A07F11WN** suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NF11W004	medium grey	LED 26W 2700K CRI 90	☐	12.528,00
		1A07NF11W005	anthracite			12.528,00
		1A07NF11W011	green			12.528,00
	CE					

Light source included ☐

A07 KOINÈ

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
sound-absorbing body 3000K						
	**A07F86N** suspension I: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07NF860004 1A07NF860005 1A07NF860011	medium grey anthracite green	LED 26W 3000K CRI 90	☐	12.156,00 12.156,00 12.156,00
	**A07F11N** suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NF110004 1A07NF110005 1A07NF110011	medium grey anthracite green	LED 26W 3000K CRI 90	☐	12.528,00 12.528,00 12.528,00
floor structure						
	**A07TD** floor structure only for A07S55WN, A07S55N foot dimmer stem Ø 8, L 1900 L cable: 3000	1A070TD00001	matt black			6.408,00
2700K wall structure						
	**A07A20W** wall 220-240V ~ 50/60Hz L 320 x W 200 x H 580 L cable: 2400	1A070A20W001	matt black	LED 12W 2700K CRI 90	☐	7.320,00
ceiling rose						
	**A07/3D** ceiling rose dimmable push/DALI for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03D001	black			2.136,00
	**A07/3T** ceiling rose dimmable phase cut for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03T001	black			1.980,00

Light source included ☐

A07 KOINÈ

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A07/1D** ceiling rose dimmable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/01D001	matt black			2.148,00
	**A07/1T** ceiling rose dimmable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/01T001	matt black			1.956,00
	**A07/2D** ceiling rose dimmable push/DALI for A07S86W/A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/02D001	matt black			2.148,00
	**A07/2T** ceiling rose dimmable phase cut for A07S86W/A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/02T001	matt black			1.956,00

remote driver

	**A07/12** remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22	1A070/120000				828,00
	**A07/13** remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 125 x W 41 x H 23	1A070/130000				552,00

Light source included ☐

A07 KOINÈ

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A07/4** remote driver dimmable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22 CE	1A070/040000				636,00
	**A07/5** remote driver dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 750mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22 CE	1A070/050000				612,00
	**A07/6** remote driver dimmable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/060000				312,00
	**A07/7** remote driver dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 700mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/070000				336,00

track adapter


	**A07/11** track adapter only for version Ø 20 dimmable DALI 48V dc, SELV L 160 x W 11 x H 70 CE	1A070/110001 1A070/110002	black white			1.152,00 1.152,00

off-center ceiling rose

	A07/10 off-center for versions Ø20, Ø37, Ø55 L cable: max 5000 CE	1A070/100001 1A070/100000	black white, red, blue			444,00 444,00

Light source included ☐

A07 KOINÈ multiple ceiling rose




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
multiple ceiling rose						
	A07/8D ceiling rose dimmable push/DALI only for A07S20W, A07S20 2 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/08D001	matt black			3.300,00
	A07/9D ceiling rose dimmable push/DALI only for A07S20W, A07S20 3 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/09D001	matt black			2.640,00

Light source included ☐

A06 LEVANTE

Marco Spatti



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
structure						
	**A06/1D** suspension dimmable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01D002	matt white	LED 25W 2700K CRI 90	☐	8.520,00
	**A06/1T** suspension dimmable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01T002	matt white	LED 28W 2700K CRI 90	☐	7.992,00
	**A06/2D** suspension dimmable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/02D002	matt white	LED 54W 2700K CRI 90	☐	11.388,00

Light source included ☐

A06 LEVANTE

Marco Spatti

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A06/2T** suspension dimmable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60 CE	1A060/02T002	matt white	LED 54W 2700K CRI 90	☐	11.064,00


panels

	**A06C1** small diffusers for A06/1T, A06/1D and A06TD L 600 x H 440 CE	1A060C100002	matt white			6.252,00
	**A06C2** big diffusers for A06/2D, A06/2T L 1020 x H 720 CE	1A060C200002	matt white			10.560,00

floor structure (add A06C1 code for complete lamp)

	**A06TD** floor structure foot dimmer 220-240V ~ 50/60Hz L 620 x W 620 x H 1800 CE	1A060TD00002	matt white	LED 22W 2700K CRI 90	☐	13.836,00

Light source included ☐



For all possible lamp arrangements please consult the configurator at www.luceplan.com

A12 LIIU

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
optics						
	**A12C1W** 1 optic L 363 x W 108 x H 265 CE	1A120C01W000	satin white	LED 2,5W 2700K CRI 90	☐	1.440,00
	**A12C3W** 3 optics L 363 x W 108 x H 265 CE	1A120C03W000	satin white	LED 3 x 2,5W 2700K CRI 90	☐	3.624,00
	**A12C6W** 6 optics L 363 x W 108 x H 265 CE	1A120C06W000	satin white	LED 6 x 2,5W 2700K CRI 90	☐	6.840,00
floor structure						
	**A12/1** floor structure 220-240V ~ 50/60Hz H 99 ø 124 L cable: 5000 CE ⧈ F	1A120/010001	black			6.432,00
ceiling rose						
	**A12/22D** ceiling rose for 4 cables max 60W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 206 CE ⏚ F	1A120/22D001	black			4.932,00
	**A12/23D** ceiling rose for 6 cables max 100W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 265 CE ⏚ F	1A120/23D001	black			5.280,00

Light source included ☐

A12 LIIU

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A12/24D** ceiling rose for 12 cables max 150W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 451 CE ⏚ F	1A120/24D001	black			5.760,00

cables + weight

	**A12/58** Kit 4x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000 CE	1A120/580001	metal			5.016,00
	**A12/59** Kit 6x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000 CE	1A120/590001	metal			7.296,00
	**A12/60** Kit 4x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000 CE	1A120/600001	metal			6.840,00
	**A12/61** Kit 6x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000 CE	1A120/610001	metal			10.032,00
	**A12/62** Kit 4x 20m cables + counterweight L 125 counterweight ø 32 L cable: 20000 CE	1A120/620001	metal			10.176,00

Light source included ☐


A12 LIIU

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**A12/63** Kit 6x 20m cables + counterweight L 125 counterweight ø 32 L cable: 20000 CE	1A120/630001	metal			15.036,00

Light source included ☐

D92 LITA

David Dolcini



Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D92V14** complete version table on/off switch 220-240V ~ 50/60Hz H 130 ø 140	1D920V140000	white	max 16W LED G9 (max h.70mm)		2.520,00
		1D920V140030	brass			2.664,00
	**D92=18** table dimmer on board - for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 120 x H 280	1D920=180002	white	LED G9 min 4W, max 16W (max h.70mm)		3.408,00
	**D92V18** support base dimmer on board for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 100 x H 160	1D920V180000	white	LED G9 min 4W, max 16W (max h.70mm)		1.680,00
		1D920V180030	brass			2.052,00
	**D92=30** table structure dimmer on board for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 200 x H 460	1D920=300002	white	LED E27 70W HSGSA		3.936,00
	**D92V30** support base dimmer on cable for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 150 x H 260	1D920V300000	white	LED E27 70W HSGSA		1.848,00
		1D920V300030	brass			2.136,00

Light source included ☐

D92 LITA

David Dolcini

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D92P14** complete version wall/ceiling 220-240V ~ 50/60Hz H 120 140 CE IP40	1D920P140000	white	max 16W LED G9 (max h 70mm	1.608,00
	**D92P18** wall/ceiling dimmable for D92/2 diffuser 220-240V ~ 50/60Hz H 150 180 CE IP40	1D920P180000	white	max 16W LED G9 (max h 70mm	696,00
	**D92P30** wall/ceiling dimmable for D92/3 diffuser 220-240V ~ 50/60Hz H 260 300 CE IP40	1D920P300000	white	LED E27 70W HSGSA	744,00
	**D92S14** complete version suspension 220-240V ~ 50/60Hz ø 140 L cable: 3000 ceiling rose: ø 130 x 40 CE	1D920S140002 1D920S140030	white brass	max 16W LED G9 (max h 70mm	2.508,00 3.060,00
	**D92S18** suspension structure for D92/2 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40 CE	1D920S180002 1D920S180030	white brass	max 16W LED G9 (max h 70mm	1.968,00 2.304,00
	**D92S30** suspension structure for D92/3 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40 CE	1D920S300002 1D920S300030	white brass	LED E27 70W HSGSA	2.772,00 3.384,00

Light source included ☐

D92 LITA

David Dolcini

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	**D92S42** suspension structure for D92/4 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40 CE	1D920S420002 1D920S420030	white brass	LED E27 70W HSGSA	2.808,00 3.468,00

diffusers

	**D92/1** Opal glass diffuser H 112 ø 140 CE	1D920/100002	opale		852,00
	**D92/2** Opal glass diffuser H 150 ø 180 CE	1D920/200002	opale		1.236,00
	**D92/3** Opal glass diffuser H 250 ø 300 CE	1D920/300002	opale		2.016,00
	**D92/4** Opal glass diffuser H 360 ø 420 CE	1D920/400002	opale		3.384,00

Light source included ☐

D15 LOLA

Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D15ND** floor foot dimmer 220-240V ~ 50/60Hz W base Ø 480, head 180 x H min 1600 - max 2000	1D15=1ND0017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)		6.672,00
		1D15=1ND0020	alu			6.672,00
	**D15NA1** wall 220-240V ~ 50/60Hz L 180 x W 250 x H 250	1D15A1N00017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)		2.472,00
		1D15A1N00020	alu			2.472,00

Light source included ☐


D85 LUTHIEN

Monica Armani


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
3000K versions						
	**D85AC** wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270	1D850A0C0002	white	LED 21W 3000K CRI 80	☐	3.768,00
2700K versions						
	**D85A** wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270	1D850A000002	white	LED 21W 2700K CRI 80	☐	3.768,00

Light source included ☐


Malamata floor



Malamata wall





Malamata suspension



For all versions calculate the price of the lamp adding the structure to the diffuser.

B01 MALAMATA

Studio Shulab

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
floor version						
	**B01T22** floor dimmable structure for B01/1 diffuser foot dimmer 220-240V ~ 50/60Hz L 960 x H 1500 L cable: 3300 CE ▣ F	1B010T220001 1B010T220030	black brushed brass	LED E14 (max ø 40mm)		6.456,00 9.000,00
	B01/3 base H 15 ø 380 CE	1B010/300001 1B010/300030	black brushed brass			2.256,00 3.672,00
wall version						
	**B01A22** wall dimmable structure for B01/1 diffuser 220-240V ~ 50/60Hz L 1520 x H 330 CE ▣ F	1B010A220001 1B010A220030	black brushed brass	LED E14 (max ø 40mm)		8.460,00 12.132,00
suspension version						
	**B01S22** suspension structure for diffuser diameter 22 cm 220-240V ~ 50/60Hz L 1060 x H 860 L cable: 3000 ceiling rose: ø 133x40 CE ⏚ F	1B010S220001 1B010S220030	black brushed brass	LED E14 (max ø 40mm)		7.560,00 10.068,00
	**B01S48** suspension structure for diffuser diameter 48 cm 220-240V ~ 50/60Hz L 1190 x H 1320 L cable: 3000 ceiling rose: ø 133x40 CE ⏚ F	1B010S480001 1B010S480030	black brushed brass	LED E27		8.856,00 11.400,00
opal diffusers						
	**B01/1** opal diffuser ø 220 CE	1B010/100002	opal			1.404,00

Light source included ☐

B01 MALAMATA


Studio Shulab

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**B01/2** opal diffuser ø 480 CE	1B010/200002	opal			3.216,00

Light source included ☐

D86 MESH

Francisco Gomez Paz



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.

complete version phase cut Ø 800



D86KT081
suspension
dimmable phase cut
220-240V ~ 50/60Hz
H 600
ø 800
L cable: 1000
ceiling rose: Ø300 x 70

1D86KT081001 | black | LED 53W 2700K CRI 90 | ☐ | 38.316,00



D86KT082
suspension
dimmable phase cut
220-240V ~ 50/60Hz
H 600
ø 800
L cable: 2000
ceiling rose: Ø300 x 70

1D86KT082001 | black | LED 53W 2700K CRI 90 | ☐ | 39.720,00



D86KT083
suspension
dimmable phase cut
220-240V ~ 50/60Hz
H 600
ø 800
L cable: 3000
ceiling rose: Ø300 x 70

1D86KT083001 | black | LED 53W 2700K CRI 90 | ☐ | 39.720,00



D86KT084
suspension
dimmable phase cut
220-240V ~ 50/60Hz
H 600
ø 800
L cable: 4000
ceiling rose: Ø300 x 70

1D86KT084001 | black | LED 53W 2700K CRI 90 | ☐ | 39.720,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D86KT085** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D86KT085001	black	LED 53W 2700K CRI 90	☐	39.720,00

complete version with wireless kit Ø 800

	**D86KW081B** suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70	1D86KW081001B	black	LED 50W 2700K CRI 90	☐	40.932,00
	**D86KW082B** suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70	1D86KW082001B	black	LED 50W 2700K CRI 90	☐	42.984,00
	**D86KW083B** suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70	1D86KW083001B	black	LED 50W 2700K CRI 90	☐	42.984,00
	**D86KW084B** suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70	1D86KW084001B	black	LED 50W 2700K CRI 90	☐	42.984,00
	**D86KW085B** suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D86KW085001B	black	LED 50W 2700K CRI 90	☐	42.984,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
complete version phase cut Ø 1000						
	**D86KT101** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KT101001	black	LED 61W 2700K CRI 90	☐	49.332,00
	**D86KT102** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D86KT102001	black	LED 61W 2700K CRI 90	☐	50.568,00
	**D86KT103** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D86KT103001	black	LED 61W 2700K CRI 90	☐	50.568,00
	**D86KT104** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D86KT104001	black	LED 61W 2700K CRI 90	☐	50.568,00
	**D86KT105** suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D86KT105001	black	LED 61W 2700K CRI 90	☐	50.568,00
complete version with wireless kit Ø 1000						
	**D86KW101B** suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KW101001B	black	LED 61W 2700K CRI 90	☐	51.024,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D86KW102B** suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D86KW102001B	black	LED 61W 2700K CRI 90	☐	53.088,00
	**D86KW103B** suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D86KW103001B	black	LED 61W 2700K CRI 90	☐	53.088,00
	**D86KW104B** suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D86KW104001B	black	LED 61W 2700K CRI 90	☐	53.088,00
	**D86KW105B** suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D86KW105001B	black	LED 61W 2700K CRI 90	☐	53.088,00

complete version

	**D86C551** suspension dimmable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50	1D860C551001	black	LED 39W 2700K CRI 90	☐	21.372,00
	**D86C555** suspension dimmable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 5000 ceiling rose: Ø260 x 50	1D860C555001	black	LED 39W 2700K CRI 90	☐	23.004,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D86PLN** ceiling dimmable phase cut 220-240V ~ 50/60Hz H 320 ø 720 ceiling rose: Ø400 x 66	1D860PLN0001	black	LED 50W 2700K CRI 90	☐	32.328,00

complete version Ø 800 CASAMBI

	**D86S081** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70	1D860S081001	black	LED 50W 2700K CRI 90	☐	38.316,00
	**D86S082** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70	1D860S082001	black	LED 50W 2700K CRI 90	☐	39.720,00
	**D86S083** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70	1D860S083001	black	LED 50W 2700K CRI 90	☐	39.720,00
	**D86S084** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70	1D860S084001	black	LED 50W 2700K CRI 90	☐	39.720,00
	**D86S085** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D860S085001	black	LED 50W 2700K CRI 90	☐	39.720,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
complete version Ø 1000 CASAMBI						
	**D86S101** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D860S101001	black	LED 64W 2700K CRI 90	☐	49.332,00
	**D86S102** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D860S102001	black	LED 64W 2700K CRI 90	☐	50.568,00
	**D86S103** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D860S103001	black	LED 64W 2700K CRI 90	☐	50.568,00
	**D86S104** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D860S104001	black	LED 64W 2700K CRI 90	☐	50.568,00
	**D86S105** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D860S105001	black	LED 64W 2700K CRI 90	☐	50.568,00
complete version CASAMBI						
	**D86S051** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50	1D860S051001	black	LED 39W 2700K CRI 90	☐	21.372,00

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D86S055** suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 550 ø 550 L cable: 5000 ceiling rose: Ø260 x 50	1D860S055001	black	LED 39W 2700K CRI 90	☐	23.004,00
	**D86P** ceiling dimmable CASAMBI 220-240V ~ 50/60Hz H 320 ø 720	1D860P000001	black	LED 50W 2700K CRI 90	☐	32.328,00

Light source included ☐

D20 METROPOLI

Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
indoor complete versions						
	**D2017V1** wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017V01019	polished	LED E14 max 28W HSGSA E14		3.084,00
		1D2017V01020	alu			3.360,00
		1D2017V01040	satin bronze			4.968,00
	**D2017V7** wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017V07019	polished	12W LED 2700K CRI 90	☐	4.452,00
		1D2017V07020	alu			4.728,00
		1D2017V07040	satin bronze			6.300,00
	**D2027V1** wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027V01019	polished	LED E27 max 70W HSGSA E27		4.044,00
		1D2027V01020	alu			3.936,00
		1D2027V01040	satin bronze			5.808,00
	**D2027V9** wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027V09019	polished	17W LED 3000K CRI 90	☐	5.184,00
		1D2027V09020	alu			5.076,00
		1D2027V09040	satin bronze			6.936,00

Light source included ☐

D20O METROPOLI outdoor


Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
outdoor complete versions						
	**D2017P1** wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE **IP65**	1D2017P01020	alu	LED E14 max 28W HSGSA E14		3.204,00
	**D2017P7** wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE **IP65**	1D2017P07020	alu	12W LED 2700K CRI 90	☐	4.584,00
	**D2027P1** wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE **IP65**	1D2027P01020	alu	LED E27 max 70W HSGSA E27		3.792,00
	**D2027P9** wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE **IP65**	1D2027P09020	alu	17W LED 3000K CRI 90	☐	4.920,00


Light source included ☐

A11 MILLIMETRO

Daniel Rybakken



Calculate the price of the lamp adding the cost of the ceiling rose to the stem and to the disc.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
table complete						
	**A11=1W** table dimmer on board 220-240V ~50/60 Hz L 180 x W 235 x H 170	1A110=01W009	royal blue	LED 11 W 2700 90		2.892,00
		1A110=01W020	metal			2.892,00
		1A110=01W030	brass			2.892,00
wall complete structure 2700K						
	**A11A25W** wall dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 250	1A110A25W020	polished	LED 22W 2700K CRI 90	☐	2.928,00

Light source included ☐

A11 MILLIMETRO

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
wall complete structure 3000K						
	**A11A25** wall dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 250 CE	1A110A250020	polished	LED 22W 3000K CRI 90	☐	2.928,00
cover plate for wall version						
	**A11/6** cover plate H 2 ø 250 CE	1A110/060002	white			396,00
		1A110/060009	royal blue			396,00
		1A110/060020	metal			396,00
		1A110/060030	brass			396,00
suspension structure						
	A11/2 stem H 230 ø 10 CE	1A110/020030	brass			972,00
		1A110/020009	royal blue			792,00
		1A110/020020	alu			852,00
	A11/3 stem H 330 ø 10 CE	1A110/030030	brass			1.044,00
		1A110/030009	royal blue			852,00
		1A110/030020	alu			900,00
	A11/4 stem H 530 ø 10 CE	1A110/040030	brass			1.284,00
		1A110/040009	royal blue			984,00
		1A110/040020	alu			1.032,00
	A11/5 stem H 730 ø 10 CE	1A110/050030	brass			1.500,00
		1A110/050009	royal blue			1.116,00
		1A110/050020	alu			1.068,00

Light source included ☐

A11 MILLIMETRO


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
ceiling rose						
	A11/1D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz ceiling rose: ø 110x80	1A110/01D030	brass	39W		3.156,00
		1A110/01D009	royal blue			2.724,00
		1A110/01D020	alu			2.772,00
	A11/1T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz ceiling rose: ø 110x80	1A110/01T030	brass	37W		2.640,00
		1A110/01T009	royal blue			2.220,00
		1A110/01T020	alu			2.268,00
optic						
	A11S50W disc LED 927 220-240V ~ 50/60Hz ø 500	1A110S50W018	polished	LED 2700K CRI 90	☐	6.720,00
	A11S85W disc LED 927 220-240V ~ 50/60Hz ø 850	1A110S85W018	polished	LED 2700K CRI 90	☐	8.916,00

Light source included ☐

A02 NUI

Meneghello Paolelli



The lamp has an IK03 grade. Calculate the price of the lamp adding the cost of the base to the head to the optic+stem.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
version A (the lamp is supplied without power supply)						
	**A02TA1** outdoor floor base for A version H 340 ø 185 CE IK03	1A020TA10028	concrete grey			2.352,00
	**A02TA2** outdoor floor head for A version H 170 ø 185 CE IK03	1A020TA20028	concrete grey			2.352,00
version B (the lamp is supplied without power supply)						
	**A02TB1** outdoor floor base for B version H 200 ø 185 CE IK03	1A020TB10028	concrete grey			2.352,00
	**A02TB2** outdoor floor head for B version H 310 ø 185 CE IK03	1A020TB20028	concrete grey			2.352,00

Light source included ☐

A02 NUI

Meneghello Paolelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
version C (the lamp is supplied without power supply)						
	**A02TC3** outdoor floor base for C version H 460 ø 185 CE **IK03**	1A020TC30028	concrete grey			3.636,00
	**A02TC4** outdoor floor head for C version H 70 ø 320 CE **IK03**	1A020TC40028	concrete grey			2.976,00
optic						
	**A02LC1** optic + stem for versions A, B, and C CE **IP65 IK03**	1A020LC10000		LED 14W 3000K CRI 90	☐	2.352,00
version D. Complete version with optic + driver (on/off)						
	**A02TD2** outdoor wall/floor on-off 220-240V ~ 50/60Hz SELV H 140 ø 185 CE **IP65 IK03**	1A020TD20028	concrete grey	LED 14W 3000K CRI 90	☐	5.244,00
power supply can be inserted inside the lamp						
	**A02/2** driver on/off 24V, 14W, SELV 220-240V ~ 50/60Hz L 70 x W 38 x H 24.4 CE	1A020/020000				612,00

Light source included ☐

A02 NUI

Meneghello Paolelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
remote drivers (the junction box is recommended watertight IP68)						
	**D94/1** remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz L 187 x W 45 x H 30.5 CE	1D940/100000				1.200,00

Light source included ☐

A02R NUI mini


Meneghello Paolelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
table lamp portable/rechargeable (USB charger not included in the package)						
	**A02R1** table portable / rechargeable indoor/outdoor dimmer on board cable USB/USB-C included 5V H 280 ø 110 CE IP54	1A020=R10002 1A020=R10004 1A020=R10039	white sand greige	LED 4W 2700K CRI 90	☐	3.360,00 3.360,00 3.360,00
USB charger for A02R1						
	**A02/1** USB charger input 110/240V -50/60Hz output 5v 2,4A CE	1A020/010000				432,00

Light source included ☐

D72 OTTO WATT

Alberto Meda,Paolo Rizzatto



Calculate the price of the lamp adding the cost of the body to the accessories.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D72N1** table dimmer on board 220-240V ~ 50/60Hz L 550 x W 105 x H 470 CE	1D720=N10001	black soft touch	LED 8W 3000K CRI 80	☐	4.968,00
		1D720=N10002	white			4.800,00
		1D720=N10018	Mirror			4.968,00


accessories

	**D72/1** table base L 185 x W 185 x H 240 CE	1D72/1000001	black soft touch			1.104,00
		1D72/1000002	white			1.452,00
		1D72/1000018	Mirror			1.548,00

Light source included ☐

D71 PÉTALE

Studio Odile Decq



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
suspension structure						
	**D71PV** suspension + LED strip LED module dimmable DALI L 1360 x W 830 x H 150 ceiling rose: ø 120 X 30	1D710P0V0002	white	LED 17W 3000K (strip module)	☐	27.288,00
	**D71CV** suspension + LED strip LED module dimmable DALI H 150 ø 1200 ceiling rose: ø 120 X 30	1D710C0V0002	white	LED 18W 3000K (strip module)	☐	27.288,00
	**D71P1V** suspension + LED strip LED module dimmable DALI L 1545 x W 1200 x H 150 ceiling rose: ø 120 X 30	1D710P1V0002	white	LED 21W 3000K (strip module)	☐	32.748,00
optics 3000K versions						
	**D71/7DL** optic LED at direct/indirect light push dim / DALI 220-240V ~ 50/60Hz L cable: 3000	1D71/7DL0002		LED 45W + 25W 3000K CRI 90	☐	12.564,00

Light source included ☐

D71 PÉTALE

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D71/7DV** optic LED at direct light push dim / DALI 220-240V ~ 50/60Hz L cable: 3000 CE ⏚ F	1D71/7DV0002		LED 45W 3000K CRI 90	☐	8.964,00


top cover lamp body

	**D71/0AP** top cover lamp body for D71PV CE	1D71/0AP0002	white			2.904,00
	**D71/0AC** top cover lamp body for D71CV CE	1D71/0AC0002	white			2.904,00
	**D71/0AP1** top cover lamp body for D71P1V CE	1D71/0AP1002	white			3.084,00

Light source included ☐

D79 SILENZIO

Monica Armani



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.
Besides the fourcatalogue colors, other chromatic ranges have been selected for personalization of the lamps.
These custom hues are offered with a 10% surcharge.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D79/90c** suspension textile H 450 ø 900 CE F	1D7909C000A2	light grey 133			28.752,00
		1D7909C000A3	dark grey 152			28.752,00
		1D7909C000B1	sand 242			28.752,00
		1D7909C000B2	rust 252			28.752,00
	**D79/120c** suspension textile H 450 ø 1170 CE F	1D7912C000A2	light grey 133			31.248,00
		1D7912C000A3	dark grey 152			31.248,00
		1D7912C000B1	sand 242			31.248,00
		1D7912C000B2	rust 252			31.248,00
	**D79/150c** suspension textile H 450 ø 1485 CE F	1D7915C000A2	light grey 133			38.196,00
		1D7915C000A3	dark grey 152			38.196,00
		1D7915C000B1	sand 242			38.196,00
		1D7915C000B2	rust 252			38.196,00

optics

	**D79R/24** LED optic dimmable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40 CE ⏚ F	9D7924103200		LED 41W 2700K CRI 90	☐	8.736,00


Light source included ☐

D79L SILENZIO

Monica Armani

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D79R/25** LED optic dimmable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40 CE ⏚ F	9D7925103100		LED 41W 3000K CRI 90	☐	8.448,00

accessories

	**D79R/09** suspension kits for installation in parallel ropes (optional) CE	9D7909612000				372,00
	**D79R/07** lower screen (optional) CE	9D7907726000 9D7907726100 9D7907726200	satin ø 90 satin ø 120 satin ø 150			3.216,00 4.932,00 5.244,00

Light source included ☐

D89 SOLEIL NOIR


Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D89s** suspension dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 353 L cable: 3000 ceiling rose: ø 150x45	1D890S000002 1D890S000035	white white/black	LED 35W 3000K CRI 80	☐	25.704,00 26.244,00
	**D89P** ceiling dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 185	1D890P000002 1D890P000035	white white/black	LED 35W 3000K CRI 80	☐	25.704,00 26.244,00



Light source included ☐

D87 STOCHASTIC

Daniel Rybakken




Calculate the price of the lamp adding the structure to the kit.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
3000K versions						
	**D87CW1** suspension dimmable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CW10000	alu	LED 18W 2700K CRI 90	☐	10.104,00
2700K versions						
	**D87CC1** suspension dimmable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CC10000	alu	LED 18W 3000K CRI 90	☐	10.104,00
sphere + tie rod kit						
	**D87048** kit 48 spheres + rods 400, Sphere: Ø 87	1D8704800002	opal white			9.348,00
	**D87072** kit 72 spheres + rods 500, Sphere: Ø 87	1D8707200002	opal white			14.340,00

Light source included ☐

D17 TITANIA

Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D17** suspension up and down filter included 220-240V ~ 50/60Hz L 80 x W 270 x H 700 L cable: 3000 ceiling rose: ø 116 x 30	1D1700000020	alu	LED E27 ø max 38mm l 150 mm 205W HSGST/F E27		5.928,00



accessories

	**D13/25** off-center ceiling rose H 30 ø 120	9D1325476800	white			612,00

Light source included ☐


D17Q TITANIA QUEEN

Alberto Meda,Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
	**D17Q** suspension L 540 x W 1400 x H 160 L cable: 5000 ceiling rose: ø140x30	1D170QHAL020	alu	2xLED E27 ø max 38mm l 150 mm, 2x205W HSGST/F E27		13.968,00
	**D17Q/01** pair of polycarbonate filter L 218 x W 60 x H 0.75	1D170Q/01023	light blue			792,00
		1D170Q/01024	pink			792,00
		1D170Q/01027	yellow			792,00
	**D17Q/02** suspension kit with counterweight 100	1D170Q/02020	alu			2.832,00

Light source included ☐

B02 ZILE



For the table version B0240D and floor version B02T40D, add the price of the structure to the shade.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
table version						
	**B0220** complete version table on/off switch 220-240V ~ 50/60Hz W base ø 180 x H 420 ø 200 CE	1B020=200001	matt black	max 42W E27		3.540,00
		1B020=200002	matt white			3.540,00
		1B020=200013	matt brick red			3.540,00
		1B020=200039	matt dove grey			3.540,00
floor version						
	**B02T40D** floor dimmable structure dimmer on board 220-240V ~ 50/60Hz W base ø 400 x H 1710 CE	1B020T40D001	matt black	max 42W E27		6.576,00
		1B020T40D002	matt white			6.576,00
		1B020T40D013	matt brick red			6.576,00
		1B020T40D039	matt dove grey			6.576,00

Light source included ☐

B02 ZILE

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
shade						
	**B02/2** shade for B02T40D H 275 400 CE	1B020/200001	matt black			2.460,00
		1B020/200002	matt white			2.460,00
		1B020/200013	matt brick red			2.460,00
		1B020/200039	matt dove grey			2.460,00
suspension version						
	**B02S20** complete version suspension 220-240V ~ 50/60Hz H ø 200, H 225 L cable: 3000 ceiling rose: ø 130x40 CE ⏚ F	1B020S200001	matt black	max 53W E27		2.484,00
		1B020S200002	matt white			2.484,00
		1B020S200013	matt brick red			2.484,00
		1B020S200039	matt dove grey			2.484,00
	**B02S40** complete version suspension 220-240V ~ 50/60Hz H ø 400, H 275 L cable: 3000 ceiling rose: ø 130x40 CE ⏚ F	1B020S400001	matt black	max 53W E27		4.092,00
		1B020S400002	matt white			4.092,00
		1B020S400013	matt brick red			4.092,00
		1B020S400039	matt dove grey			4.092,00
	**B02/1** decentralization accessory L cable: 3000 CE	1B020/100001	black			228,00
		1B020/100002	white			228,00
		1B020/100013	matt brick red			228,00
		1B020/100039	matt dove grey			228,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
built-in						
	**A00BP1** linear recessed track dimmable DALI L 100 x W 49 x H 15 CE	9A000BP10001	black			1.212,00
	**A00BP2** linear recessed track dimmable DALI L 200 x W 49 x H 15 CE	9A000BP20001	black			2.340,00
	**A00BP3** linear recessed track dimmable DALI L 300 x W 49 x H 15 CE	9A000BP30001	black			3.456,00
ceiling/wall						
	**A00BS11** ceiling/wall linear track dimmable DALI L 1000 x W 19 x H 10 CE	9A000BS11001 9A000BS11002	black white			1.152,00 1.152,00
	**A00BS12** ceiling/wall linear track dimmable DALI L 2000 x W 19 x H 10 CE	9A000BS12001 9A000BS12002	black white			2.208,00 2.208,00
	**A00BS13** ceiling/wall linear track dimmable DALI L 3000 x W 19 x H 10 CE	9A000BS13001 9A000BS13002	black white			3.252,00 3.252,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
ceiling/wall curved track						
	**A00BS3O** ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 300 CE	9A000BS3O001 9A000BS3O002	black white			1.992,00 1.992,00
	**A00BS5O** ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 500 CE	9A000BS5O001 9A000BS5O002	black white			2.340,00 2.340,00
	**A00BS3V** ceiling/wall vertical curved track dimmable DALI W 19 x H 10 R 300 CE	9A000BS3V001 9A000BS3V002	black white			1.992,00 1.992,00
suspension						
	**A00BS21** suspension track dimmable DALI L 1000 x W 19 x H 25.8 CE	9A000BS21001 9A000BS21002	black white			1.236,00 1.236,00
	**A00BS22** suspension track dimmable DALI L 2000 x W 19 x H 25.8 CE	9A000BS22001 9A000BS22002	black white			2.388,00 2.388,00
	**A00BS23** suspension track dimmable DALI L 3000 x W 19 x H 25.8 CE	9A000BS23001 9A000BS23002	black white			3.540,00 3.540,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
end caps						
	**A00BT1** for ceiling/wall track L 8 x W 19 x H 10 CE	9A000BT10001	black			120,00
		9A000BT10002	white			120,00
	**A00BT5** for recessed track L 3 x W 20 x H 14 CE	9A000BT50001	black			120,00
	**A00BT6** for suspension track L 8 x W 19 x H 24 CE	9A000BT60001	black			120,00
		9A000BT60002	white			120,00
frontal cap						
	**A00BC1** front closure for wall/ceiling L 3000 x W 3 x H 12 CE	9A000BC10001	black			360,00
		9A000BC10002	white			360,00
	**A00BC5** front closure for recessed and pendant track L 3000 x W 3 x H 13 CE	9A000BC50001	black			360,00
		9A000BC50002	white			360,00
locking tool						
	**A00BT** locking tool for track cut CE	9A000BT00000	black			2.556,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
rope suspension bell						
	**A00BR** bell Ø 12 CE	9A000BR00000	black			312,00
brackets for suspension track						
	**A00BS1** short bracket L 25 x W 5 x H 15 CE	9A000BS10001 9A000BS10002	black white			144,00 144,00
	**A00BS2** long bracket L 50 x W 5 x H 15 CE	9A000BS20001 9A000BS20002	black white			192,00 192,00
screw for rope tensioner						
	**A00BT3V** n 5 pieces L 6 x H 3 CE	9A000BT3V000	black			60,00
rope tensioner						
	**A00BT3** gripper H 30 Ø 90 CE	9A000BT30000	steel			144,00


Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
steel cable						
	**A00BF5** steel cable for suspension track L 5000 Ø15 CE	9A000BF50000	alu			240,00
ceiling rose						
	A00BDP on-off ceiling rose for ceiling/wall track 48V 100w SELV L 435 x W 42 x H 32 CE	9A000BDP0001 9A000BDP0002	black white			3.960,00 3.960,00
	**A00BDS** on-off ceiling rose for suspension track 48V 100w SELV L 435 x W 42 x H 32 CE	9A000BDS0001 9A000BDS0002	black white			3.960,00 3.960,00
remote driver						
	**A00B10048** on-off remote driver 220-240V~50/60 Hz 48V 100w SELV L 298 x W 29.8 x H 16.5 CE	9A000B100480				804,00
end feed						
	**A00BTP** end feed only for ceiling/wall L 140 x W 10 x H 19 CE	9A000BTP0001 9A000BTP0002	black white			384,00 384,00
	**A00BTS** concealed end feed for all track L 116 x W 7 x H 11 L cable: 2500 CE	9A000BTS0001 9A000BTS0002	black white			636,00 636,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
joints						
	**A00BGP** jointing connector for all track L 113 x W 7 x H 11 CE	9A000BGP0001 9A000BGP0002	black white			348,00 348,00
	**A00BGL** Horizontal L joint for ceiling/wall and recessed track L 87 x W 7 x H 87 CE	9A000BGL0001 9A000BGL0002	black white			936,00 936,00
	**A00BGT** Vertical L joint ceiling-wall for ceiling-wall and recessed track L 87 x W 110 x H 87 CE	9A000BGT0001 9A000BGT0002	black white			936,00 936,00
	A00BGF adjustable corner for ceiling/wall and recessed track L 238 x W 7 x H 11 CE	9A000BGF0001 9A000BGF0002	black white			1.020,00 1.020,00
	**A00BCGO** horizontal corner joint cover for ceiling/wall track L 24 x W 1 x H 24 CE	9A000BCGO001 9A000BCGO002	black white			120,00 120,00
	**A00BCGV** vertical corner joint cover for ceiling/wall track L 22 x W 19 x H 22 CE	9A000BCGV001 9A000BCGV002	black white			120,00 120,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
2700K optics						
	A00WB303 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WB303001	black	LED 4,9W 2700K CRI 90	☐	2.448,00
	**A00WBE03** 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBE03001	black	LED 4,9W 2700K CRI 90	☐	2.448,00
	**A00WBU03** 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBU03001 9A00WBU03002	black white	LED 4,9W 2700K CRI 90	☐	2.640,00 2.640,00
	**A00WB067** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A00WB067001	black	LED 7,4W 2700K CRI 90	☐	3.084,00
	**A00WB117** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A00WB117001	black	LED 14,5W 2700K CRI 90	☐	5.124,00
	**A00WB167** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A00WB167001	black	LED 21,6W 2700K CRI 90	☐	5.688,00

Light source included ☐

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
3000K optics						
	**A00B303** 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000B303001	black	LED 4,9W 3000K CRI 90	☐	2.364,00
	**A00BE03** 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BE03001	black	LED 4,9W 3000K CRI 90	☐	2.364,00
	**A00BU03** 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BU03001 9A000BU03002	black white	LED 4,9W 3000K CRI 90	☐	2.544,00 2.640,00
	**A00B067** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A000B067001	black	LED 7,4W 3000K CRI 90	☐	2.940,00
	**A00B117** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A000B117001	black	LED 14,5W 3000K CRI 90	☐	4.704,00
	**A00B167** opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A000B167001	black	LED 21,6W 3000K CRI 90	☐	5.220,00

Light source included ☐

A00 ACCESSORI / ACCESSORIES

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source		SEK VAT excl.
Dimmer						
	**A00/1** universal dimmer phase cut 230V 50/60Hz, 500W L 43 x W 43 x H 18.5	9A000/010000				1.008,00

Light source included ☐

© 2026 Luceplan Srl
All rights reserved

Italy

Headquarters
Via E. T. Moneta, 40
20161 Milano
T +39 02 66 242 1
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

Showroom
Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

USA

c/o Spring Place
Suite 702
6 St Johns Ln
Tribeca, New York, 10013
T +1 (212) 334 1809
F +1 (212) 334 7307
infous@luceplan.com

For info, contacts and information about international distributors please visit www.luceplan.com

luceplan.com