profim

A brand by Flokk

ARBETSSTOLAR

ADDA

Price List

All prices: SEK



SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO- TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmäkta vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

Vill du veta mer om hållbara alternativ,
kontakta oss:

+46 8 586 350 05
order.adda@senab.com


Contents

Profim ACCIS PRO
Profim LIGHTUP
Profim MICKEY
Profim MOTTO
Profim PACE
Profim TRILLO PRO
Profim VIOLLE
Technical details
Packaging - swivel chair
Technical details
Additional information
Fabrics and finishings
Profim Standard fabrics F abrics
and finishings
Fabrics and finishings - Extended
Legend

Profim ACCIS PRO

ITO Design

- Innovative system of independent side-to-side movement of both backrest and seat (SmartHPS)
- Easy adjustment of the basic functions of the mechanism ensuring synchronised tilt of the backrest and seat
- Adjustable armrests, lumbar support and seat extension
- For safety reasons, the gaps between moving parts are no more than 5 mm and where this was not possible special covers were used
- Blue Angel certificate - confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	6	Price
MAT150SF00	Profim ACCIS PRO 150SFL • swivel • mesh backrest • Synchro mechanism, sliding seat, seat forward tilit • seat side-movement function • base: black • armrests: P63TPU • gaslift with shock (gaslift cover - always in base colour)		7 354	7 566	7 799	8 110	8 442	8 391	9 365	
MAT151SF00	Profim ACCIS PRO 151SFL • swivel • mesh backrest • Synchro mechanism,sliding seat,seat forward tilit • seat side-movement function • base: black • armrests: P63TPU • gaslift with shock (gaslift cover - always in base colour) • headrest		8 404	8 638	8 884	9 240	9 612	9 464	10 441	
MAT0010000	Profim ACCIS PRO 001 Headrest (001) - height and angle adjustment (rear part of headrest black or light grey)		1 061	1 061	1 061	1 061	1 061	1 061	1 061	

	Accessories/Options/Surcharges:	
7BASC006	Base: lightgray - base color (Only for: 150SFL, 151SFL)	851
7BASC002	Base: white - base color (Only for: 150SFL, 151SFL)	1 296
7BASC005	Base: graphite - base color (Only for: 150SFL, 151SFL)	679
7BASC003	Base: polished aluminum - base color (Only for: 150SFL, 151SFL)	679
7LUSU003	Lumbar support TYPE B - height and depth adjustable - lumbar support TYPE B - height and depth adjustable (Only for: 150SFL, 151SFL)	346

Castors/glides:
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).
When ordering please clearly indicate the chosen option.

Armrest P63TPU - height adjustable armrest (range 100 mm), sliding pad (+/- 50 mm) with span option (+/- 27 mm), and pivot option (+/- 33°), polyurethane pad.
Armrest colour:
- black - used with base: black, graphite, polished aluminum
- lightgrey - used with base: lightgrey, white.
It is no possible to purchase the chair in version without armrests.

Plastic colours:
- bases: black / graphite / polished aluminium,
- plastics always black,
- bases: lightgrey / white - plastics always lightgrey.
Plastic elements: seat cover + adjustments levers, armrests, backrest frame, rear part of headrest, lumbar support, castors.

AccisPro can be upholstered in Runner or Rhythm mesh. When ordering please clearly indicate the chosen option.
Seat covers can be made also for Rhythm and Runner upholstery.



In the 150SFL model it is possible to buy a headrest (001) for self-assembly. The headrest can be made in the seat upholstery or in Runner or Rhythm meshes. When ordering, please clearly indicate the chosen option. The price does not change.

www.blauer-engel.de/uz117

Profim LIGHTUP

ITO Design

- The backrest comes in two variants: mesh and upholstered
- Two colours of the plastic finish and 3 colours of the base open up design possibilities
- Available as a hocker with footres
- Option with jacket hanger
- Consists of a very small number of components and is 95% recyclable
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	Price
MLY300SL00	Profim LIGHTUP 230SL • upholstered backrest • Synchro mechanism, sliding seat • base: black • non-arm version		3 480	3 788	3 986	4 146	5 208	4 624	
MLY300SF00	Profim LIGHTUP 230SFL • upholstered backrest • Synchro mechanism, sliding seat • seat and backrest forward tilt • base: black • non-arm version		3 640	3 948	4 134	4 300	5 368	4 796	
MLY300SN00	Profim LIGHTUP 230STN • upholstered backrest • Synchro Self mechanis • base: black • non-arm version		3 233	3 541	3 740	3 891	4 960	4 339	
MLY300TN00	Profim LIGHTUP 230STLN • upholstered backrest • Synchro Self mechanism • sliding seat • base: black • non-arm version		3 480	3 788	3 986	4 146	5 208	4 624	
MLY500SL00	Profim LIGHTUP 250SL • mesh backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 394	3 541	3 715	3 863	4 232	4 308	
MLY500SF00	Profim LIGHTUP 250SFL • mesh backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		3 541	3 715	3 875	4 030	4 382	4 495	

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	Price
MLY500SN00	Profim LIGHTUP 250STN • mesh backrest • Synchro Self mechanism • base: black • non-arm version		3 147	3 319	3 469	3 606	3 986	4 023	
MLY500TN00	Profim LIGHTUP 250STLN • mesh backrest • Synchro Self mechanism • sliding seat • base: black • non-arm version		3 394	3 541	3 715	3 863	4 232	4 308	
MLY330SN00	Profim LIGHT UP 330STN • hocker with footrest • upholstered backrest • Synchro Self mechanism • base: black • non-arm version		4 429	4 762	4 936	5 134	6 169	5 727	
MLY350SN00	Profim LIGHT UP 350STN • hocker with footrest • mesh backrest • Synchro Self mechanism • base: black • non-arm version		4 332	4 492	4 640	4 826	5 159	5 382	

Accessories/Options/Surcharges:

7BASC006	Base: lightgray (Only for: 230SL, 230SFL, 250SL, 250SFL)	679
7BASC003	Base: polished aluminum	679
7ARMR033	Armrests P67TPU Black (set) **	556
7ARMR034	Armrests P67TPU - light grey (set) ** (Only for: 230SFL, 230SL, 230STLN, 250SFL, 250SL, 250STLN)	692
7ARMR035	Armrests P68TPU - black (set) **	803
7LUSU004	Lumbar support TYPE A - height adjustable	111
7LUSU003	Lumbar support TYPE B - height and depth adjustable	210
7TGAS005	Gas lift with shock absorber - black or lightgrey, gas lift cover always in base colour (Only for: 230SL, 230SFL, 250SL, 250SFL)	346
7HANG002	Clothes hanger (HA), black or light grey, maximum load 4 kg.	333
7SEQU004	Quilting - front side of the seat (Q1)	456

Castors/glides:
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).
When ordering please clearly indicate the chosen option.

While ordering LightUp 230SL / 230SFL with light grey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be light grey as well.

P67TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Armrest colour:
- black - used with base: black, chrome (polished aluminum) (for armrest P67TPU and P68TPU),
- light grey - used with base: light grey, white (for armrest P67TPU).

In LightUp 330STN /350TNS castors are equipped with reverse brake, which enable chair from moving away while seated.

Types of mesh: Runner, String. When ordering please clearly indicate the chosen option.







Quilting - extra charge to all price groups, lead time 30-40 working days.

* Only models with mesh backrest



Profim MOTTO

- Wide range of colours and finishing fabrics
- Backrests tilting in any direction
- Adjustable armrests and headrest
- Collection is completed with two versions of conference chairs (with low and high backrest)
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	Price
MMO100S000	Profim MOTTO 10S • fully upholstered backrest • Synchro mechanism • base: black • non-arm version		3 602	4 010	4 270	4 441	5 690	4 954	
MMO100SL00	Profim MOTTO 10SL • fully upholstered backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 838	4 246	4 516	4 697	5 936	5 239	
MMO100SF00	Profim MOTTO 10SFL • fully upholstered backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		4 010	4 405	4 665	4 851	6 084	5 411	
MMO110S000	Profim MOTTO 11S • high backrest • Synchro mechanism • base: black • non-arm version • headrest		4 665	5 072	5 332	5 545	7 070	6 185	
MMO110SL00	Profim MOTTO 11SL • high backrest • Synchro mechanism • sliding seat • base: black • non-arm version • headrest		4 912	5 319	5 565	5 787	7 317	6 454	
MMO110SF00	Profim MOTTO 11SFL • high backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version • headrest		5 072	5 466	5 726	5 954	7 465	6 642	

	Accessories/Options/Surcharges:	
7BASC003	Base: polished aluminum	766
7ARMR033	Armrests P67TPU Black (set) *	556
7ARMR035	Armrests P68TPU - black (set) *	803
7LUSU002	Lumbar support - depth adjustable - depth adjustment (schukra)	333
7TGAS005	Gas lift with shock absorber	246
7TGAS003	Gas lift with memory	784
7SBQU005	Quilting - front side of the seat (Q1)	456
7SBQU006	Quilting - front of the backrest (Q2)	519

Castors/glides:
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

Glides in Motto 10F/20F:
- standard - teflon glides (universal),
- option - felt glides (for hard floors).
When ordering please clearly indicate the chosen option.

P67TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

The connector of the backrest with the seat is always black, irrespective of the colour of base.

Option of mixing two colours of the same fabric according to below scheme:
A - front of seat and backrest, B - sides of seat, rear part and sides of backrest
In case of order of such option, following example should be specifed: SC-67097/SC-60132 (gdzie SC-67097 - A, SC-60132 - B). Option is available at no extra charge.




Quilting - extra charge to all price groups, lead time 30-40 working days.

* Order entry day 17.03.2025.

Profim PACE

- Patented Synchro SFL MAX mechanism with synchronized backrest and seat adjustment, plus additional features such as seat depth adjustment and forward tilt for enhanced comfort.
- Innovative second-generation lumbar support adjustment – SmartADLS (available in the 150SFL MAX, 151SFL MAX models), which adapts the geometry of the entire backrest to support the spine's natural S-curve.
- Convenient backrest resistance adjustment with a single turn of a knob allows for quick customization of the chair to the user's weight and preferences, ensuring optimal support during work.
- Pace is partially made from recycled and recyclable materials, designed without the use of staples or glue for easier disassembly and sustainability.

ITO Design

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	⑥	Price
MNN100SF00	Profim Pace 100SFL MAX • upholstered backrest • Synchro mechanism, sliding seat, seat forward tilt • base: black • select additionally one of two types of armrests • no version without armrests,		5 068	5 282	5 335	5 548	5 815	6 189	7 149	
MNN101SF00	Profim Pace 101SFL MAX • upholstered backrest • Synchro mechanism, sliding seat, seat forward filt • base: black • select additionally one of two types of armrests • no version without armrests, • headrest		5 439	5 668	5 725	5 954	6 240	6 641	7 672	
MNN150SF00	Profim Pace 150SFL MAX • mesh backrest • Synchro mechanism, sliding seat, seat forward tilt • Innovative lumbar support with depth adjustment (changing backrest curvature) SmartADLS • base: black • select additionally one of two types of armrests • no version without armrests,		4 973	5 183	5 235	5 444	5 706	6 073	7 015	
MNN151SF00	Profim Pace 151SFL MAX • mesh backrest • Synchro mechanism, sliding seat, seat forward tilt • Innovative lumbar support with depth adjustment (changing backrest curvature) SmartADLS • base: black • select additionally one of two types of armrests • no version without armrests, • headrest		5 344	5 569	5 625	5 850	6 131	6 525	7 538	

	Accessories/Options/Surcharges:	
7HANG002	Clothes hanger	154
7LUSU003	Lumbar support TYPE B - height and depth adjustable (Only for: 100SFL MAX, 101SFL MAX)	339
7LUSU003	Lumbar support TYPE B - height and depth adjustable (Only for: 150SFL MAX, 151SFL MAX)	431
7ARMR025	Armrests P65TPU (set)	755
7ARMR027	Armrests P66TPU (set)	1 079
7TGAS005	Gas lift with shock absorber	308

	Accessories/Options/Surcharges:	
7BASC006	Base: lightgray (Only for: 100SFL MAX, 101SFL MAX)	657
7BASC006	Base: lightgray (Only for: 150SFL MAX, 151SFL MAX)	1 314
7BASC015	Base: polished aluminum	894

0 price group: Alba, Evo, Next
1 price group: Cura, Medley, Tonal, Valencia*, Xtreme
2 price group: Select
3 price group: Capture, Oceanic, Step, Synergy
4 price group: Steelcut 3, Steelcut Trio 3
5 price group: Leather
6 price group: Leather Premium

Castors/glides:
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).
When ordering please clearly indicate the chosen option.

While ordering Pace 100SFL MAX / 101SFL MAX / 150SFL MAX/ 151SFL MAX with light grey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be light grey as well.

Armrest colour:
- black - used with base: black, polished aluminum
- lightgrey - used with base: lightgrey.
It is no possible to purchase the chair in version without armrests.

Armrests:
P65TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad
P66TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Type of backrest mesh: String, Runner, Rhythm

SmartADLS - available in the 150SFL MAX, 151SFL MAX models.
Lumbar support element for 150SFL MAX and 151SFL MAX when backrest in Runner and Rhythm always the same upholstery as the seat, when backrest in String mesh – black Valencia



Irrespective of the type of the backrest, headrest is always the same upholstery as the seat.

* Only on models 150SFL MAX and 151SFL MAX.

Profim TRILLO PRO

ITO Design

- Easily adjustable basic functions.
- Synchro self mechanism ensures adjustment to user's weight,
- Several versions to choose from: backrest in plastic or with upholstered pad, plastics in two colours,
- Blue Angel certificate - confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	Price
MSX200ST00	Profim TRILLO PRO 20ST • plastic backrest • self mechanism • 5-star base • base: black		2 852	3 085	3 196	3 323	3 592	3 706	
MSX210ST00	Profim TRILLO PRO 21ST • plastic backrest with upholstered pad • self mechanism • 5-star base • base: black		3 333	3 665	3 886	4 042	4 617	4 508	
MSX200HS00	Profim TRILLO PRO 20HST • plastic backrest • self mechanism • 4-star base, high • base: black / white / graphite / polished aluminum / MetallicPro		3 991	4 261	4 400	4 568	4 838	5 107	
MSX210HS00	Profim TRILLO PRO 21HST • plastic backrest with upholstered pad • self mechanism • 4-star base, high • base: black / white / graphite / polished aluminum / MetallicPro		4 518	4 914	5 184	5 390	6 031	6 005	
MSX300ST00	Profim TrilloPro 30ST • hocker with footrest • plastic backrest • self mechanism • 5-star base • base: black		4 035	4 270	4 382	4 556	4 762	5 082	
MSX310ST00	Profim TrilloPro 31ST • hocker with footrest • plastic backrest with upholstered pad • self mechanism • 5-star base • base: black		4 492	4 825	5 035	5 237	5 775	5 840	

	Accessories/Options/Surcharges:	
7BASC006	Base: lightgray (Only for: MSX200ST00, MSX210ST00, 30ST, 30ST)	236

Castors/glides:
- glides (set)
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),

Plastic colours:- black, grey (RAL 7043), light grey (RAL 7047).
Plastic elements: backrest and armrests.

In models 20HST / 21HST:
- base colour black / MetallicPro - plastic elements black, castors black,
- base colour white - plastic elements lightgrey (RAL 7047), castors lightgrey,
- base colour graphite - plastic elements black or grey (RAL 7043), castors black,
- base colour polished aluminium - plastic elements black, grey (RAL 7043) and castors black or plastic elements light grey (RAL 7047) and castors lightgrey.



Please clearly indicate on your order the chosen option.

www.blauer-engel.de/uz117

Profim VIOLLE

ITO Design

- Innovative synchronous mechanism equipped with essential, easily accessible adjustments which are fully integrated with the seat
- Multigrip armrests with soft pad
- Backrest with mesh or upholstery and available with lumbar support, height and depth adjustable, upholstered headrest and jacket hanger
- Function instructions also in Braille
- Plastic and aluminium parts available in several colours (white, light grey and black)
- Available in a conference version on a 4-star aluminium base
- Blue Angel certificate - confirms that chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	6	Price
MLX130SF00	Profim VIOLLE 130SFL • swivel • high backrest • lumbar support TYPE B - height and depth adjustable • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum		8 688	9 192	9 700	10 087	11 637	10 983	12 389	
MLX131SF00	Profim VIOLLE 131SFL • swivel • high backrest • lumbar support TYPE B - height and depth adjustable • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum • headrest		9 700	10 193	10 687	11 114	12 895	11 981	13 574	
MLX150SF00	Profim VIOLLE 150SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black/ polished aluminum		8 193	8 415	8 661	9 008	9 304	9 454	10 033	
MLX151SF00	Profim VIOLLE 151SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black/ polished aluminum • headrest		9 170	9 440	9 663	10 049	10 588	10 441	11 192	

Castors/glides:
- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).
Glides in models 130F / 150F:
- standard - teflon glides (universal),
- option - felt glides (for hard floors).
When ordering please clearly indicate the chosen option.

Armrest P62PU black - height adjustable armrest (range 90 mm), sliding pad (range +/- 50 mm) with span option (+/- 28 mm).), polyurethane pad.

Armrest PU - fxed, aluminum, polyurethane pad.

Seat covers can be made also for Rhythm and Runner upholstery. When ordering please clearly indicate the chosen option.

Gas lift with shock absorber - colour of column cover always the same as base colour.

Models Violle 130,150, 151 can be upholstered in Runner or Rhythm mesh.

Headrest may be covered in seat-upholstery or in Rhythm or Runner-mesh. Please clearly indicate on your order the chosen option.

Plastic elements: seat cover+adjustments levers, outer frame in mesh backrest, lumbar support, rear part of headrest.

Aluminium elements: armrest frame, backrest frame. It is not possible to mix different colours in particular group of elements.

In models Violle 130F / 150F gas lift with memory as standard (without height adjustment). Colour of column cover - always the same as base colour.

In models Violle 130F:
- base white and polished aluminium - cover colour lightgrey,

In models Violle 150F:
- cover colour always the same as frame of backrest.

In models with armrests:
- base white and polished aluminium, armpad lightgrey - cover colour lightgrey,

When ordering please clearly indicate the chosen option.




.

Technical details

Technical details

VISOTR CHAIRS/SWIVEL CHAIRS



		A	B	C	D	E	F(G)	H	I	J	K(L)	M	N	O
Accis^{Pro}	**150SFL**	1030-1160	430-560	(390-520)	580		690 (ø 720)	500	470	805	390-460 (460)	720	650	P63 180-280
	151SFL	1030-1160	430-560	(390-520)	580	155	690 (ø 720)	500	470	805	390-460 (460)	720	650	P63 180-280
Action	**100SFL**	1130-1250	470-590	(410-530)	690		690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	105SFL	1130-1250	470-590	(410-530)	690		690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	110SFL	1260-1500	470-590	(410-530)	690	135-250	690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	115SFL	1260-1500	470-590	(410-530)	690	135-250	690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
Ellie^{Pro}	**10ST**	1000-1130	430-560	(400-530)	590		680 (ø 710)	420	450	680	440 (470)	650	630	190
	20ST	890-1020	430-560	(400-530)	480		680 (ø 710)	420	450	680	440 (470)	650	520	190
	10HST	1050	490	(460)	590		580	420	450	770	440 (470)	770	630	190
	20HST	940	490	(460)	480		580	420	450	770	440 (470)	770	520	190
	10V3	1050	490	(460)	590		570	420	450	790	440 (470)	790	630	190
	20V3	940	490	(460)	480		570	420	450	790	440 (470)	790	520	190
	10HW	1050	490	(460)	590		570	420	450	800	440 (470)	790	630	190
	20HW	940	490	(460)	480		570	420	450	800	440 (470)	790	520	190
LightUp	**230S**	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	230SL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	230SFL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	230STN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	230STLN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	250S	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	250SL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280

	250SFL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	250STN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	250STLN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	330STN	1200-1460	690-950	(650-910)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	180-280
	350STN	1200-1460	690-950	(650-910)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	180-280
Mickey			570-900	(550-880)			320			360				
Motto	**10S**	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395 (450)	660	590	P67 170-270 P68 170-270
	10SL	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	10SFL	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	11S	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395 (450)	660	590	P67 170-270 P68 170-270
	11SL	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	11SFL	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
MyTurn	**10S**	1200-1310	450-560	(400-510)	780		700 (ø 740)	530	500	PU/O - 730 FO - 700	480 (490)	660	870	O 230 PU 220
	20S	990-1100	450-560	(400-510)	560		700 (ø 740)	530	500	PU/O - 730 FO - 700	480 (490)	660	650	O 230 PU 220
Pace	**100SFL MAX**	1000-1135	420-555	(390-520)	580		705 (ø 730)	490	470	P65 720 P66 810	375-450 (455)	675	660	170-270
	101SFL MAX	1165-1395	420-555	(390-520)	580	165-260	705 (ø 730)	490	470	P65 720 P66 810	375-450 (455)	675	660	170-270
	150SFL MAX	1000-1135	420-555	(390-520)	580		705 (ø 730)	490	470	P65 720 P66 810	400-475 (455)	675	660	170-270
	151SFL MAX	1165-1395	420-555	(390-520)	580	165-260	705 (ø 730)	490	470	P65 720 P66 810	400-475 (455)	675	660	170-270
Trillo^{Pro}	**20HST**	910	460	(440)	480		580	490	450	770	440 (500)	770	460	210
	21HST	910	460	(440)	480		580	490	450	770	420 (500)	770	460	210
	20ST	880-1010	430-560	(370-500)	480		680 (ø 710)	490	450	680	440 (500)	650	460	210
	21ST	880-1010	430-560	(370-500)	480		680 (ø 710)	490	450	680	420 (500)	650	460	210
	30ST	1130-1380	680-930	(620-870)	480		680 (ø 710)	490	450	680	440 (500)	650	460	210
	31ST	1130-1380	680-930	(620-870)	480		680 (ø 710)	490	450	680	420 (500)	650	460	210
Veris Net	**100SFL**	1080-1190	490-600	(420-530)	610		690 (ø 720)	510	470	680	440-490 (500)	660	590	P48 160-260 P54 150-230
	101SFL	1080-1190	490-600	(420-530)	610		690 (ø 720)	510	470	680	440-490 (500)	660	590	P54 150-230 P48 160-260
	110SFL	1260-1420	490-600	(420-530)	610	190-240	690 (ø 720)	510	470	680	440-490 (500)	660	590	P48 160-260 P54 150-230
	111SFL	1260-1420	490-600	(420-530)	610	190-240	690 (ø 720)	510	470	680	440-490 (500)	660	590	P54 150-230 P48 160-260
Violle	**130SFL**	990-1130	440-580	(390-520)	580		690 (ø 720)	510	470	690	420-480 (470)	660	570	P62 150-240
	131SFL	1160-1360	440-580	(390-520)	580		690 (ø 720)	510	470	690	420-480 (470)	660	570	P62 150-240
	150SFL	1000-1140	440-580	(390-520)	590		690 (ø 720)	510	470	690	430-490 (470)	660	570	P62 150-240

	151SFL	1170-1370	440-580	(390-520)	580		690 (ø 720)	510	470	690	430-490 (470)	660	570	P62 150-240
	130F	1010	480	(430)	570		570 (ø 790)	500	470	570	450 (480)	610	570	680
	130F PU	1010	480	(430)	570		570 (ø 790)	500	470	570	450 (480)	610	570	680
	150F	1010	480	(430)	570		570 (ø 790)	500	470	570	470 (480)	610	570	680
	150F PU	1010	480	(430)	570		570 (ø 790)	500	470	570	470 (480)	610	570	680
Xenon	**10S**	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	10SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	10SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	10STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	10STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	11SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	11STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
Xenon Net	**110S**	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	110SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	110SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	110STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	110STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111S	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	111SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	111STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	100S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	101S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	100SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	100SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270

	100STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	101STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	100STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270

		Netto	Brutto				L	R			A B			
Accis^{Pro}	**150SFL**	18,0			•									
	151SFL	18,5			•									
Action	**100SFL**	20,5		•										
	105SFL	20,5		•										
	110SFL	21,5		•										
	115SFL	21,5		•										
Ellie^{Pro}	**10ST**	16,0		•	•									
	20ST	15,0		•	•									
	10HST	16,0		•	•									
	20HST	15,0		•	•									
	10V3	16,0		•	•									
	20V3	15,0		•	•									
	10HW	15,0		•	•									
	20HW	14,0		•	•									
LightUp	**230S**	17,0			•								•	
	230SL	17,0			•								•	
	230SFL	17,0			•								•	
	230STN	17,0			•								•	
	230STLN	17,0			•								•	
	250S	16,0			•								•	
	250SL	16,0			•								•	
	250SFL	16,0			•								•	
	250STN	16,0			•								•	
	250STLN	16,0			•								•	
	330S	18,0			•								•	
	350S	19,0			•								•	
Mickey		11,5	13,5		•									
Motto	**10S**	18,5			•									
	10SL	18,5			•									

	10SFL	18,5			•									
	11S	19,5			•									
	11SL	19,5			•									
	11SFL	19,5			•									
MyTurn	10S	22,5												
	20S	21,5												
Pace	100SFL MAX	19,5			•								•	
	101SFL MAX	20,0			•								•	
	150SFL MAX	18,5			•								•	
	151SFL MAX	19,0			•								•	
Trillo^{Pro}	20HST	12,5			•									
	21HST	13,0			•									
	20ST	11,5			•									
	21ST	12,0			•									
	30ST	14,5			•									
	31ST	14,0			•									
Veris Net	100SFL	16,5												
	101SFL	16,5												
	110SFL	17,5												
	111SFL	17,5												
Violle	130SFL	20,0			•								•	
	131SFL	20,5			•								•	
	150SFL	19,5			•								•	
	151SFL	20,0			•								•	
	130F	13,5		•	•									
	130F PU	13,5		•	•									
	130F 2P	16,0		•	•									
	150F	13,0		•	•									
	150F PU	13,0		•	•									
	150F 2P	15,5		•	•									
Xenon	10S	19,5			•								•	
	10SL	19,5			•								•	
	10SFL	19,5			•								•	
	10STN	19,5			•								•	
	10STLN	19,5			•								•	
	11S	20,5			•								•	
	11SL	20,5			•								•	
	11SFL	20,5			•								•	
	11STN	20,5			•								•	
	11STLN	20,5			•								•	
Xenon Net	110S	18,5			•								•	
	110SL	18,5			•								•	
	110SFL	18,5			•								•	
	110STN	18,5			•								•	

	110STLN	18,5			•								•	
	111S	18,5			•								•	
	111SL	18,5			•								•	
	111SFL	18,5			•								•	
	111STN	18,5			•								•	
	111STLN	18,5			•								•	
	100S	19,5			•								•	
	101S	19,5			•								•	
	100SL	19,5			•								•	
	101SL	19,5			•								•	
	100SFL	19,5			•								•	
	101SFL	19,5			•								•	
	100STN	19,5			•								•	
	101STN	19,5			•								•	
	100STLN	19,5			•								•	
	101STLN	19,5			•								•	

CASTORS / GLIDES

Castors / glides	Models	Type
	Accis^{Pro}, Action, Ellie^{Pro}, LightUp, Motto, Noor, Trillo^{Pro}, Veris, Veris Net, Violle, Xenon, Xenon Net	soft / hard (ø 65 mm)
	Accis^{Pro}, Action, LightUp, Motto, Veris, Violle, Xenon, Xenon Net	teflon (ø 50 mm)
	LightUp 330ST/350ST Trillo^{Pro} 30ST/31ST	soft / hard (ø 65 mm)

BASES

Base	Applied to the models	Colour	Type of material	Diameter (mm)
	Accis^{Pro}, Fan, LightUp, Motto, Veris, Veris Net, Violle, Xenon, Xenon Net	black	plastic - polyamide	720
	Accis^{Pro}, LightUp, Violle	light grey	plastic - polyamide	720
	Accis^{Pro}, Violle	white	powder coated aluminum	720
	Accis^{Pro}	graphite	powder coated aluminum	720
	Accis^{Pro}, Action, Fan, LightUp ,Motto, Veris, Veris Net, Violle, Xenon, Xenon Net	polished aluminum	aluminum	720
	Pace	light grey	plastic - polyamide	730
	Pace	black	plastic - polyamide	730
	Pace	polished aluminum	aluminium	730



SYNCHRO*

Accis^{Pro}

A - Seat height
B - Value of the backrest reclining force
C - Seat side-movement function
D - Tilt angle of the backrest and the seat / additional backrest and seat angle
E - Seat depth



SYNCHRO*

Violle

A - Seat height
B - Tilt angle of the backrest and the seat
C - Value of the backrest reclining force
D - Seat depth
E - Additional seat angle



SYNCHRO*

LightUp / Motto / Xenon / Xenon Net

A - Seat height
B - Tilt angle of the backrest and the seat
C - Value of the backrest reclining force
D - Seat depth
E - Additional backrest and seat angle (only in SFL models)



SYNCHRO SELF

LightUp / Xenon / Xenon Net

A - Seat height
B - Value of the backrest and seat reclining force
C - Tilt angle of the backrest and the seat
D - Seat depth



SYNCHRO SELF*

Trillo^{Pro}, Ellie^{Pro}

A - Seat height
B - Tilt angle of the backrest and the seat



SYNCHRO SELF*

Trillo^{Pro}, Ellie^{Pro}

A - Tilt angle of the backrest and the seat



SYNCHRO*

Pace

A - Seat height
B - Value of the backrest and seat reclining force
C - Tilt angle of the backrest and the seat / additional backrest and seat angle
D - Seat depth

ARMRESTS



P62

Violle

Height adjustable armrest (range 90 mm),
sliding pad (range +/- 50 mm)
with span option (+/- 28 mm).
Colour of armrest frame: black, light grey,
white, graphite, polished aluminum.
Armpad type: PU (polyurethane pad)



P63

Accis^{Pro}

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P65

Pace

Height adjustable armrest (range 100 mm).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P66

Pace

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P67

LightUp / Motto

Height adjustable armrest (range 100 mm).
Colour of armrest frame: black, light grey (only LightUp).
Armpad type: TPU.



P68

LightUp / Motto

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black.
Armpad type: TPU.

QUILTING



LightUp / Motto / MyTurn / Veris / Veris Net / Xenon / Xenon Net

Q1 - quilting on the front side of the seat, without sides, without headrest
Q2 - quilting on the front of the backrest, without sides

Quilting available in standard upholsteries (excluding Valencia, Velvet and Revive and Extended offer).

Fabrics and finishings


Profim Standard fabrics

The Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials and the delivery time 10-20 working days.
30 working days delivery time when you choose a color other than the standard colors below. The same price group applies but longer delivery time.

EVO - PRICE GROUP 0

Evo is a uni-coloured polyester crepe fabric. The irregular weave structure add shine and good stretch.

Composition: 100% polyester
Weight: 320 g/m2
Abrasion resistance: 180 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match)
Light fastness: 4-5 (EN ISO 105-B02)
Rubbing fastness: 4-5 (Wet/Dry) (EN ISO 105-X12)
Pilling resistance: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, ISO 14001 certified company
Design: Miranda Design Team
Produced in: Poland
Cleaning & disinfection: Dry cleaning with tetrachloroethylene and water solution of carbonate fluoride



CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 100% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.


Composition: 100% post-consumer recycled polyester
Weight: 420 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I
Light fastness: 5-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



TONAL (GABRIEL) - PRICE GROUP 1

Tonal is a post-consumer recycled polyester fabric in a two-coloured melange. It has a discreet textured look with a fusion of light and dark tones adding depth to the colours.


Composition: 99% post-consumer recycled polyester, 1% polyester
Weight: 315 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 476 Part 7 class 1, CA TB 117-2013, ASTM E 84 Class I
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.


Composition: 100% post-consumer recycled polyester
Weight: 310 g/m²
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013
Light fastness: 6 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide
Weight: 510 g/lm
Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO
Light fastness: 5-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide
Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 5852 Crib 5 (on request)*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN-ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.


Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn
Weight: 497 g/m² ±5%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013
Light fastness: 5 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable at 60 ° C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.


Composition: 100% Trevira CS
Weight: 336 g/m2
Composition: 100% Trevira cs
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Cerftificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM
Light fastness: 5-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Inger Mosholt Nielsen
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

Composition: 95% pure new wool, 5% polyamide
Weight: 400 g/m2 ±10%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0
Light fastness: 5 (EN ISO 105 - B02)
Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)
Environmental facts: EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Professional dry cleaning (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durabilty, soft touch and colour depth.The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 825 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered
Light fastness: 6 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 3-4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 770 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)
Light fastness: 6–7 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: 2,0 N/cm ISO 11644
Tear-strength: 20 N/mm DIN 53329- A
Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company
Produced in: Austria
Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal.Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)
Cleaning: Follow the leather care guide from our supplier – www.wollsdorf.com





Mesh Action / Ariz



GZ-21


Mesh (Runner) Accis^{Pro} / Bit / LightUp / Pace / Veris / Violle / Xenon Net



Runner 60061


Runner 60011



Runner 60999



Runner 63125


Runner 66248


Runner 68186

Mesh (String) LightUp / Pace / Xenon Net



String 60118



String 60999

FABRICS AND FINISHINGS

Mesh (Rhythm)

Accis[Pro] / Pace / Violle



Rhythm 60165


Rhythm 60176


Rhythm 60999

Plastics

Ariz


CODE 20


CODE 517


CODE 01


CODE 516


CODE 503


CODE 513


CODE 3020

Plastics

Accis[Pro] / Ellie[Pro] / LightUp / Pace / Trillo[Pro] / Violle

Light grey (RAL 7047)


Black

Finishings colours in print may dier from real ones.

FABRICS AND FINISHINGS

Plastics Mickey

Telegrey 4 (RAL 7047)


Traffic grey B (RAL 7043)


Plastics / frames Zoo

Light grey


Grey


Black (RAL 9005)

Tempered glass Chic Tables


G1 (Milky)


G2 (Black)


G3 (RAL 7044)


G4 (RAL 7042)

Finishings colours in print may dier from real ones.

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:
1 — Possibility of making the product in the given upholstery
2 — Possibility of making only the seat in the given upholstery
3 — No possibility of making the walls in the given upholstery
4 — Handle always in fabric Next
- — Impossibility of making a product in a given upholstery

	Camira								
	Blazer	Era	Halcyon	Main Line Flax	Quest	RePlay	Rivet	Urban	X2
	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3
Accis[Pro]	1	1	1	1	1	1	1	1	1
Acos[Pro]	1	1	1	1	1	1	1	1	1
Action	1	1	-	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1
Ariz	1	1	1	1	1	1	1	1	1
Bit	1	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	-	1	1	1	1	1	1
Com	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1
Ellie[Pro]	1	1	1	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1
LightUp	1	1	-	1	1	1	1	1	1
Mickey	1	1	1	1	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1
MyTurn	1	1	-	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1
Noor F	1	-	-	1	-	-	-	-	1
Normo	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1
October	1	1	1	1	1	1	1	1	1
Pace	1	1	1	1	1	1	1	1	1
Revo	1	1	-	1	1	1	1	1	1
Snap 20H	-	1	-	1	1	1	-	1	1
Snap 21H	-	1	-	1	1	1	-	1	1
SoftBox	1	1	1	1	1	1	1	1	1
Sorisso	1	1	1	1	1	1	1	1	1
Trillo[Pro]	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1
Veris Net	1	1	1	1	1	1	1	1	1
Violle	1	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1
Xenon	1	1	1	1	1	1	1	1	1
Xenon Net	1	1	1	1	1	1	1	1	1
Zoo	1	1	1	1	1	1	1	1	1
Cushions	1	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:
1 — Possibility of making the product in the given upholstery
2 — Possibility of making only the seat in the given upholstery
3 — No possibility of making the walls in the given upholstery
4 — Handle always in fabric Next
- — Impossibility of making a product in a given upholstery

	Gabriel														
	Breeze Fusion	Chili	Comfort+	Crisp	Fame	Focus	Focus Melange	Focus Royal	Go Check	Go Couture	Go Uni	Just	Mica	Renewed Loop	Step Melange
	(PG 4)	(PG 3)	(PG 5)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)
Accis[Pro]	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Acos[Pro]	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Action	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1	-	-	-	-	1	1
Ariz	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ellie[Pro]	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Mickey	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1	-	-	-	1	1	1
Noor F	-	1	-	-	1	1	1	1	1	-	-	-	-	1	1
Normo	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
October	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Pace	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Revo	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Snap 20H	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1
Snap 21H	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1
SoftBox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Sorisso	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Trillo[Pro]	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Violle	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Xenon	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Xenon Net	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Zoo	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Cushions	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:
1 Possibility of making the product in the given upholstery
2 Possibility of making only the seat in the given upholstery
3 No possibility of making the walls in the given upholstery
4 Handle always in fabric Next
- Impossibility of making a product in a given upholstery

	GU	Kvadrat														
	Amdal	Atlas	Canvas	Coda	Divina Melange	Divina 3	Divina MD	Hallingdal 65	Melange Nap	Naveli	Remix	Revive	Re-wool	Steelcut Quartet	Twill Weave	Vidal 4
	(PG 4)	(PG 3)	(PG 4)	(PG 6)	(PG 5)	(PG 5)	(PG 5)	(PG 5)	(PG 4)	(PG 4)	(PG 3)	(PG 3)	(PG 3)	(PG 4)	(PG 5)	(PG 6)
Accis[Pro]	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Acos[Pro]	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Action	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ariz	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	1	1	-	1	1	1	1	-	1	-	1	-	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ellie[Pro]	1	1	1	-	1	1	1	1	1	-	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	-	1	1	2	2	2	-	-	1	1	1	1	2	1	2	1
Mickey	1	1	1	4	4	4	1	1	1	1	1	1	1	1	1	1
Motto	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor F	1	-	-	1	1	1	1	1	1	1	-	-	1	1	1	1
Normo	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
October	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Pace	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	-
Revo	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Snap 20H	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
Snap 21H	1	-	1	1	1	1	1	1	1	1	1	-	1	-	-	-
SoftBox	1	1	1	1	1	1	1	1	1	-	1	1	1	-	1	1
Sorisso	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Trillo[Pro]	-	1	-	1	1	1	-	-	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Violle	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Xenon	-	1	1	1	1	1	-	-	1	1	1	1	1	-	1	1
Xenon Net	-	1	1	1	1	1	-	-	1	1	1	1	1	-	1	1
Zoo	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Cushions	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:
1 — Possibility of making the product in the given upholstery
2 — Possibility of making only the seat in the given upholstery
3 — No possibility of making the walls in the given upholstery
4 — Handle always in fabric Next
- — Impossibility of making a product in a given upholstery

	Sanwil	**Skai**				**Spradling**				**Svensson**		**Textafoam**
	Softline	Palena	Palma	Parotega	Sotega	Chronos	Silvertex	Silvertex B1	Valencia B1	Semi	Poppy	Velvet
	(PG 1)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 4)	(PG 1)
Accis[Pro]	1	1	1	-	-	-	2	2	2	1	1	1
Acos[Pro]	1	1	1	1	1	-	1	1	1	1	1	1
Action	1	1	-	-	-	-	2	2	2	1	1	-
Ana	1	-	-	-	-	-	1	-	1	1	1	1
Ariz	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	1	1	1	1	1	1	1	1	-
Chic	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	-	-	-	-	-	-	-	-	-	1	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	-
Decenta	1	1	1	1	1	1	1	1	1	-	1	1
Ellie[Pro]	-	-	-	-	-	-	-	-	-	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	1	2	-	2	1	2	2	1	1	1	-	1
Mickey	-	-	-	4	-	-	4	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	-	-	1	-	-	1	-	-	1	1	-
MyTurn Sofa	1	1	1	1	1	1	1	1	1	-	1	1
Noor	1	-	-	-	-	-	1	-	1	1	1	1
Noor F	-	-	-	-	-	-	-	-	-	1	1	-
Normo	-	-	-	-	-	-	-	-	-	1	1	1
Nu	-	1	1	-	-	1	1	1	1	1	1	1
October	1	1	1	1	1	1	1	1	1	1	1	1
Pace	1	2	2	2	2	2	2	2	2	1	-	-
Revo	1	-	-	-	-	-	1	-	-	1	1	-
Snap 20H	1	-	-	-	-	-	1	1	-	1	-	-
Snap 21H	-	-	-	-	-	-	-	-	-	1	-	-
SoftBox	1	3	3	3	3	3	3	3	3	1	1	1
Sorisso	1	1	1	-	-	1	1	1	1	1	1	1
Trillo[Pro]	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	1	1	1	1	1	1	1	1	1	1	1	-
Violle	1	1	1	1	1	1	1	1	1	1	1	1
Wall In	1	3	3	3	3	3	3	3	3	1	1	-
Xenon	1	1	1	1	1	1	1	1	1	1	1	1
Xenon Net	1	1	1	1	1	1	1	1	1	1	1	1
Zoo	-	1	1	1	1	1	1	1	1	1	1	1
Cushions	-	1	1	1	1	1	1	1	1	1	1	1

Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.

From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.

The name Flokk comes from the Norwegian word for "group" or "herd". It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.

We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.

Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person.

Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work.**

Flokk AB
Showroom Försäljning
Box 17198 | 104 62 Stockholm
Rosenlundsgatan 40, trapphus B 3 tr.
118 53 Stockholm

Showroom & Produktion
Vallgatan 1 | Box 294 | 571 23 Nässjö
Tel: 0380-55 53 00 | Fax: 0380-182 85
Email: inof-se@flokk.com
Web: www.flokk.com

Front page:
VANCOUVER LITE VL1,5 HC
Fabric - Oceanic OOC11
Natural Veneer - NO