REXSITT

Prislista för arbetsstolar april 2026 i SEK exkl. moms

SENAB

# Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

## Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

## Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO- TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmäkta vid begäran.

## Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

## Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

## Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

Vill du veta mer om hållbara alternativ,
kontakta oss:

+46 8 586 350 05
order.adda@senab.com

REXSITT



# Elika

# REXSITT

5
YEARS OF
WARRANTY



**SEAT STRUCTURE** Ergonomic inner in fiberglass polypropylene reinforced with internal bars. Covering in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.
**BACKREST STRUCTURE** Support reinforced with fiberglass.
**SEAT PADDING** In cold injected polyurethane foam, CFC-free, density 40 ELAST kg/m3, 50 mm thick.
**SEAT UPHOLSTERY** Leatherette/ Fabric stitched and fixed to the support.
**BACKREST UPHOLSTERY** High resistance 100% polyester elastic mesh
**SEAT/BACK SUPPORT** 7 mm thick glass fiber reinforced nylon support
**MECHANISM SYNCRO DYNAMIC SYNCRON B-REX** synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.
**SEAT HEIGHT ADJUSTMENT** Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.
**SEAT DEPTH ADJUSTMENT** (optional) Through push button with forward movement, stroke 70 mm.
**LUMBAR SUPPORT ADJUSTMENT** (optional) 65 mm stroke, manually lockable in all positions.
**HEADREST** (optional) Polypropylene fixed structure, upholstered in fabric or leatherette.
**ARMRESTS** (optional)
**BASE** 5-star base in nylon (fiberglass reinforced), Ø 700 mm.
**OPTIONAL BASE** 5-star polished aluminium base (chromed effect) Ø 700 mm
**CASTORS** Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 50 mm.
**OPTIONAL CASTORS** Grey rubber coated black nylon soft castors Ø 50 mm for hard and wooden floors.

**AT**



DIMENSIONS

| | | | |
|---|---|---|---|
| A | Seat height | Min | 420 mm |
| | | Max | 550 mm |
| B | Total height | Min | 1010 mm |
| | | Max | 1140 mm |
| C | Seat width | | 495 mm |
| D | Max total width | | 700 mm |
| E | Seat depth | | 455 mm |
| F | Total depth | | 700 mm |
| G | Backrest height | | 600 mm |
| G1 | Backrest height adjustment | | 65 mm |
| H | Backrest width | | 480 mm |
| I1 | Seat depth adjustment | | 50 mm |
| M | Armrest height adjustment | Min | 600 mm |
| | | Max | 660 mm |

# ELIKA 13

| Model | Seat sliding | Armrests | Optional | Base | Castors | Seat Colour | Backrest Colour |
|---|---|---|---|---|---|---|---|
| ELKA13 | | | SLR | SN | 1 | | |

**SEAT UPHOLSTERY**

Gabriel Tonica

**OPTIONAL**

| | |
|---|---|
| Seat sliding mechanism | Y |

**ARMRESTS**

| | | |
|---|---|---|
| No armrests | | standard |
| Height adjustable black nylon armrests 1D | BR1E | |
| Height adjustable nylon armrests polyurethane PAD 1D | BR1R | |
| Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D | BR2R | |
| 3D adjustable armrests | BR3DR | |

**OPTIONAL**

| | | |
|---|---|---|
| Adjustable lumbar support | SLR | standard |
| Fixed headrest in fabric | AT | |

**BASE**


| | | |
|---|---|---|
| Black base | SN | standard |
| Polished aluminium base | SC | |

**CASTORS**

| | | |
|---|---|---|
| Nylon castors Ø 50 | 1 | standard |
| Soft castors Ø 50 | 2 | |

**BACKREST**

Gabriel Runner




Quantity per box N°1

| WEIGHT | | |
|---|---|---|
| Without armrests | 12,50 | Kg |
| With armrests | 14,70 | Kg |

| VOLUME | |
|---|---|
| Without armrests | 0,19 m³ |
| With armrests | 0,24 m³ |

*För priser + info om färger, tyg m.m. se i slutet av dokumentet*

Gollinucci
Daniele

# LEVANTE







Gollinucci Daniele

# LEVANTE LEVA 15N

10 YEARS OF WARRANTY

EN 1335



| Collection | Type | Mechanism | Armrests | Optional | Base | Castors |
|---|---|---|---|---|---|---|
| LEVA | 15N | | | SLRN | PSN | 1 |

**SEAT UPHOLSTERY**

Gabriel Atlantic

| | | |
|---|---|---|
| No armrests | | standard |
| Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D | BR3N | |
| Height adjustable brushed aluminium 3D armrests with soft sliding PU pad | BR3C | |
| 2D height-adjustable nylon armrest with translating top in soft PU | BR2R | |

**OPTIONAL**

| | | |
|---|---|---|
| Black adjustable lumbar support | SLRN | standard |
| Seat sliding mechanism | Y | |
| Height adjustable pivoting headrest in leather or fabric | ATLEN | |

**BASE**

| | | |
|---|---|---|
| Black base | PSN | standard |
| Polished aluminium base | SC | |

**CASTORS**

| | | |
|---|---|---|
| Self-braking black nylon castors – diam.65 mm | 1 | standard |
| Soft rubber-coated black nylon castors–diam. 65 mm | 2 | |


**BACKREST**

Gabriel Runner

**SEAT STRUCTURE** Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.
**BACKREST STRUCTURE** Support in fiberglass reinforced black nylon.
**SEAT PADDING** In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m3, thickness 70 mm.
**SEAT UPHOLSTERY** Simil-leather / Fabric stiched and mounted to the load-bearing support.
**BACKREST UPHOLSTERY** High resistance 100% polyester elastic net.
**SEAT/BACK SUPPORT** 7 mm thick glass fiber reinforced black nylon support
**MECHANISM SYNCRO DYNAMIC** SYNCRON B-REX synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.
**SEAT HEIGHT ADJUSTMENT** Through a class 4 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.
**SEAT DEPTH ADJUSTMENT** (optional) Through push button with forward movement, stroke 70 mm.
**LUMBAR SUPPORT ADJUSTMENT** Manually 65 mm stroke lockable in all positions.
**HEADREST** (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or symil-leather.
**ARMRESTS** (optional)
**BASE** 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.
**OPTIONAL BASE** 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.
**CASTORS** Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

**ATLEN**






**WEIGHT**

| | |
|---|---|
| Without armrests | 12,00 Kg |
| With armrests | 14,20 Kg |

**VOLUME**

| | |
|---|---|
| Without armrests | 0,19 $m^3$ |
| With armrests | 0,24 $m^3$ |
| Quantity per Box | N°1 |

| | | | |
|---|---|---|---|
| A | Seat height | Mini | 420 mm |
| | | Maxi | 540 mm |
| B | Total height | Mini | 1050 mm |
| | | Maxi | 1170 mm |
| C | Seat width | | 510 mm |
| D | Maximum width | | 700 mm |
| E | Seat depth | | 460 mm |
| F | Total depth | | 700 mm |
| G | Backrest height | | 650 mm |
| G1 | Lumbar support adjustment | | 65 mm |
| H | Backrest width | | 485 mm |
| I1 | Seat Depth adjustement | | 70 mm |
| M | Armrest height adjustement | Mini | 600 mm |
| | | Maxi | 700 mm |

*För priser + info om färger, tyg m.m. se i slutet av dokumentet*

Gollinucci Daniele

# LEVANTE LEVA 20N

10 YEARS OF WARRANTY

EN 1335



| Collection | Type | Mechanism | Armrests | Optional | Base | Castors |
|---|---|---|---|---|---|---|
| LEVA | 20N | | | SLRN | PSN | 1 |

**SEAT UPHOLSTERY**

Gabriel Tonica

**ARMRESTS**

| | | |
|---|---|---|
| No armrests | | standard |
| Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D | BR3N | |
| Height adjustable brushed aluminium 3D armrests with soft sliding PU pad | BR3C | |
| 2D height-adjustable nylon armrest with translating top in soft PU | BR2R | |

**OPTIONAL**

| | | |
|---|---|---|
| Black adjustable lumbar support | SLRN | standard |
| Seat sliding mechanism | Y | |
| Height adjustable pivoting headrest in leather or fabric | ATLEN | |

**BASE**

| | | |
|---|---|---|
| Black base | PSN | standard |
| Polished aluminium base | SC | |

**CASTORS**

| | | |
|---|---|---|
| Self-braking black nylon castors – diam.65 mm | 1 | standard |
| Soft rubber-coated black nylon castors–diam. 65 mm | 2 | |


**BACKREST**

Gabriel Runner

**SEAT STRUCTURE** Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.
**BACKREST STRUCTURE** Support in fiberglass reinforced black nylon.
**SEAT PADDING** In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m3, thickness 70 mm.
**SEAT UPHOLSTERY** Symil-leather / Fabric stiched and mounted to the load-bearing support.
**BACKREST UPHOLSTERY** High resistance 100% polyester elastic net.
**SEAT/BACK SUPPORT** 7 mm thick glass fiber reinforced black nylon support
**MECHNISM SYNCRON** SYNCRO RV-REX synchron mechanism, lockable in 5 positions, with anti-shock system and body weight tension adjustment, with knob easy-to-use.
**SEAT HEIGHT ADJUSTMENT** Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.
**SEAT DEPTH ADJUSTMENT** (optional) Through push button with forward movement, stroke 70 mm.
**LUMBAR SUPPORT ADJUSTMENT** Manually 65 mm stroke lockable in all positions.
**HEADREST** (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or symil-leather.
**ARMRESTS** (optional)
**BASE** 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.
**OPTIONAL BASE** 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.
**CASTORS** Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

**ATLEN**






**WEIGHT**

| | |
|---|---|
| Without armrests | 13,20 Kg |
| With armrests | 15,40 Kg |

**VOLUME**

| | |
|---|---|
| Without armrests | 0,19 m³ |
| With armrests | 0,24 m³ |

Quantity per Box N°1

| | | | |
|---|---|---|---|
| A | Seat height | Mini | 420 mm |
| | | Maxi | 540 mm |
| B | Total height | Mini | 1050 mm |
| | | Maxi | 1170 mm |
| C | Seat width | | 510 mm |
| D | Maximum width | | 700 mm |
| E | Seat depth | | 460 mm |
| F | Total depth | | 700 mm |
| G | Backrest height | | 650 mm |
| G1 | Lumbar support adjustment | | 65 mm |
| H | Backrest width | | 485 mm |
| I1 | Seat Depth adjustement | | 70 mm |
| M | Armrest height adjustement | Mini | 600 mm |
| | | Maxi | 700 mm |

*För priser + info om färger, tyg m.m. se i slutet av dokumentet*

# Armrests



BR1E



BR1R



BR2R

# Castors



1 (Ø 65)



2 (Ø 65)

**BR1E** Height adjustable black nylon armrests 1D


**BR1R** Height adjustable nylon armrests polyurethane PAD 1D

**BR2R** Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D

**BR3N** Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D

**BR3C** Height adjustable brushed aluminium 3D armrests with soft sliding PU pad

1D




width adjustment

2D



width adjustment




height adjustment

3D



width adjustment



height adjustment



depth adjustment + rotatable PU pad by 30° to each side (in steps of 15° each)

## Mesh – till rygg

RUNNER™


by Gabriel



RR99 60999



RR61 60061 RR65 60165 RR28 61128 RR63 66063



RR56 68056 RR34 63034 RR89 64089 RR64 66064


## Tyg – till sits

TONAL


by Gabriel



60123 60999




66183 66186 66182 67090 68205 68207





64210 61179 64209 62057 63098 64208


# Tyg – till sits


CURA
by Gabriel


CU 61257


CU 61258



CU 62083


CU 61233


CU 64196



CU 62082


CU 61260


CU 61168


CU 62125



CU 68186


CU 66240


CU 61259



CU 68261



CU 68263


CU 66167


CU 60999


CU 68182


CU 68264


CU 66166

Gabriel

# RUNNER

Runner is the preferred mesh choice for modern office seating. Breathable and flexible; Designed for chair backs and mesh applications, Runner ensures optimal airflow and ergonomic support. Engineered to maintain its shape and appearance over time, ensuring long-lasting quality. Available in 25 popular colours, it effortlessly blends contemporary elegance with versatile functionality. Runner brings balance and harmony to any fabric combination; whether its wool or polyester.

100% recyclable polyester
Meets Möbelfakta requirements

Designed by: Inger Mosholt Nielsen
Colours designed by: Cenk Kivrikoglu

**Composition**
80% Polyester, 20% Post-consumer recycled polyester

**Abrasion**
70,000 — rubs martindale (EN ISO 12947-2)

# TONAL

Tonal is made from 100% recycled post-consumer polyester and with the addition of 11 new colours (2024), Tonal now provides an even broader palette, designed to meet demands for lighter, neutral tones that fit seamlessly into a variety of interior styles. Its cross-functional design makes it the perfect fabric for both seating and screens, offering a cohesive look across different applications. Additionally, the fabric's multi-dimensional texture adds visual depth, balancing simplicity with subtle sophistication, making it both engaging and functional. Specified colours in width 140 cm/55" can also be produced in 170 cm/67". Please contact customer service for more information.

100% recyclable polyester
Meets Möbelfakta requirements

**Composition**
100% Post-consumer recycled polyester

**Abrasion**
100,000 — rubs martindale (EN ISO 12947-2)

# CURA

Cura is a multi-purpose, two-coloured melange upholstery fabric made from 100% post-consumer recycled polyester. It fuses modern performance with a warm, casual aesthetics and a soft, voluminous touch. The fabric's matt, slightly heathered and natural-looking texture imitates the aesthetics of natural fibres, adding feel-good factor and a touch of classic luxury to any type of furniture.

100% recyclable polyester
Meets Möbelfakta requirements

Design and colours are developed by Cenk Kivrikoglu

**Composition**
100% Post-consumer recycled polyester

**Abrasion**
100,000 — rubs martindale (EN ISO 12947-2)

*Bruttopriser i SEK exkl. moms*

| | | Elika 13 | Levante 15 | Levante 20 |
|---|---|---|---|---|
| | | SEK | SEK | SEK |
| **Grundpris för stol utan armstöd** | | 3109 | 3503 | 4072 |
| **Tillägg för sitsdjupsjustering** | | 232 | 232 | 232 |
| **Tillägg för armstöd** | | | | |
| Utan armstöd | | standard | standard | standard |
| Justerbara 1D | BR1E | 336 | | |
| Justerbara 1D med mjuk pad | BR1R | 383 | | |
| Justerbara 2D med mjuk pad | BR2R | 394 | | |
| Justerbara 3D | BR2DR | 742 | | |
| Justerbara 3D | BR3N | | 742 | 742 |
| Justerbara 3D i borstad alu + mjuk pad | BR3C | | 1485 | 1485 |
| **Justerbart svankstöd** | | standard | standard | standard |
| **Tillägg för nackstöd** | | | | |
| Nackstöd - fast | | 220 | | |
| Nackstöd - justerbart | | | 835 | 835 |
| **Kryss** | | | | |
| Svart glasfiberförstärkt nylon | | standard | standard | standard |
| Tillägg för polerad aluminium | | 429 | 638 | 638 |
| **Hjul** | | | | |
| För mjuka golv | | standard | standard | standard |
| Tillägg hjul för hårda golv | | 128 | 93 | 93 |
| **Mesh i ryggstöd** | Runner / Gabriel | | | |
| **Tyg i stis** | Tonal / Gabriel | | | |
| | Cura / Gabriel | | | |